The Smart Coop[™] Run Extension



Howdy, Farmer!

We're so excited you're expanding your Smart Coop! This guide walks you through assembling the Run Extension step by step. It's beginner-friendly and no feathers need to get ruffled.

F Before You Begin:

- Watch our video guide for a helpful visual: coop.farm/assembly
- Choose a safe, flat area to assemble—keep pets and kids away during this process.
- Panels won't stand on their own until they're fully secured, so don't leave any leaning.
- Lock up your chickens in the coop or a predator-safe area while you work.
- NOTE: Directional instructions are based on facing the small chicken door from the inside.






WARNING: Panels are not expected to balance on their own before they are screwed together. Make sure the assembly spot you defined is not accessible by children or small pets. In case a panel falls before it gets connected to other panels, it may cause serious or fatal injuries.

Contents

Diagrams of Parts	5
Getting started	
Assembly Instructions	

Diagram of Parts

(external view)



Getting Started



⚠ Before You Begin: A Few Important Notes


Use the sticker system: Match the colored dots on each panel to make sure everything goes in the right place. Easy as peck and point.

Keep your chickens safe: While you're assembling, make sure your flock is locked in the coop or safely out of reach from predators. (Flying threats are real—especially during open-construction hours!)

Phone a friend: You'll need to temporarily move the existing Run a few feet away while installing the extension. A second set of hands will make things way easier.

Use gaskets on all screws (except for strike plate and hook brackets screws): These little plastic washers protect your Run's coating and help prevent scratches. Don't skip them!

Let's get going! One small step for you, one giant leap for hen-kind.




Remove Existing Pieces

Remove the feeders and ladder from your coop.

Unscrew the **4 long screws** connecting the current run to the coop's base.


Set those screws aside—you'll need them again soon.




Make Room

Grab a friend—this is a **two-person job!**

Carefully move the detached run a few feet away from the coop to make room for the new extension.







Install Right Panel B

Find Right Panel B (look for **black**, **yellow** and **navy** dot stickers and welded brackets).

Attach it to the coop base using 2 long screws + 2 gaskets.







Attach Right Panel A

Find Right Panel A (black, yellow and navy stickers, with one welded bracket).

Line up the **yellow** stickers with Right Panel B.

Connect them using 2 short black screws + 2 gaskets into the threaded holes.






Start with the Door Panel (**orange dot stickers**). Use 2 long screws + 2 gaskets to attach it to the base.

Then attach Left Panel A to the Door Panel by matching **red stickers**. Use 2 short black screws + 2 gaskets.

All fastners highlighted in blue on the diagram above.

what you need IIII x4 long screws X4 gaskets Left Roof Panel





Add Left Roof Panel

Find the Left Roof Panel (no cap).

Align it on the same side as the swinging door using **purple dots**.

Secure with 4 long screws + 4 gaskets: one near the spring latch, one opposite it, then two more.






- Remove the metal shipping tube from under the cap (2 screws—discard these).
- Align the Right Roof Panel (navy dot to navy dot).
- Attach using:
 - 4 long screws vertically into the roof base
 - 3 short black screws along the roof cap's pitch
- Tighten everything from top down.


A Little Perch Hack (if you're feeling crafty)


Some clever customers like to turn the roof support tube into a DIY perch by zip-tying it in place. It's not officially designed for that, but it does make a cozy little roost when angled just right. Totally optional—feel free to use it or toss it, whatever works best for your flock.



Reconnect the Original Run


- Slide the previously removed run back into place so its side walls touch the new extension.
- Check alignment—it should sit snug for the next step.






Secure Both Sections Together


- Step inside the run.
- On the right side, use 2 spacers + 2 long screws + 2 gaskets to connect the walls.
- Use 1 short screw to fill the extra hole (varies by version).
- Repeat on the left side.






Close Roof Gap with Hook Brackets

- Grab the 2 hook brackets.
- Locate the threaded holes at the top of the roof where both sections meet.
- Attach brackets using 4 short silver screws (no gaskets) to pull roof halves together tightly.





Install Strike Plate on Door

- Find the latch on the human-size swinging door.
- Attach the strike plate using 2 short silver screws (no gaskets).
- Adjust so the latch tip rests just under the strike plate ramp before tightening.

That's it—you did it!

Take a step back and admire your new, extended Smart Coop run. Your hens will love the extra space to stretch and scratch.

farm your yard.

www.coop.farm 15807 Booth Circle, Volente, TX, USA 78641 (c) Coop, Inc. 2023 Designed in Texas, made in PRC

> Model: EXTR1 p/n 100-753 rev. April 2025