

Pricing and Discounts

Whilst we can provide common quote prices, the prices we offer may differ and vary within 30 days of a quote. Prices may change due to the following:

- Internal annual price raise.
- External manufacturer CPI (Cost Price Index) raise.
- We may have a change of preferred product manufacturer.
- Shipping is NOT included in the pricing and is a separate fee.
- The prices given online are generally a public RRP (Recommended Retail Price) and may be less if you are a corporate account holder with Scavenger Fire & Safety.
- Your applied pricing structure may reduce from our public listed RRP due to annual spend tier
 discounts or in place of large quantity orders. We will notify you of your discount, otherwise you can
 apply for a corporate account for further pricing discount access via
 https://scavengerfiresafety.com.au/apply-for-a-corporate-account/
- Please note, NOT all applications will be accepted.

Discounts and corporate accounts can be revoked by sales staff for any of the following reasons:

- Not meeting the annual spend rate required to maintain discount.
- De-registering of your business, where an ABN becomes no longer active.
- Misconduct or poor behaviour to our staff.
- Misuse of discounts (such as ordering for other corporations not registered for discount).

Quotes can always be made available outside of our recommended retail pricing, however, any quoting will be subject to the discretion of our team. Please feel free to contact our friendly sales staff to retrieve a customary order.

Delivery of Services and Products

- Services are currently only available in Western Australia.
- We can make exceptions for larger and remote service projects when required, however in these
 instances a certain spend rate must be met in conjunction with products for viability of expenses we
 accrue.*
- Products advertised do not have shipping included in their RRP.
- Shipping cost varies based on location and product order dimensions. We work with reputable delivery companies to ensure the best freight and logistics we can.
- We do offer alternative options of in store pick up (Mandurah), personal delivery from our staff to those located in the Perth Metro, Peel and South West region and Meet Point Pick Ups if required. These options are generally used for urgent orders or large freight/ high-cost: spend orders.


Commercial Fire Fighting Equipment	
Fire Extinguishers & Retardants	
EV Fire Blankets	
Hose Reels & Reel/ Extinguisher Accessories	
Heavy Duty Fire Fighting Equipment	
Fire Hose Nozzles	
Layflat Hoses & Water Transfer Hoses	
Hose Ancillaries & Fittings	
Hose Washing Machine	
Hydrant Valves	
Water Pumps, Strainers & UTV's	
Protective Industrial Wearables	
PPE, Industrial Footwear & Accessories	
Respirators, Breathing Apparatus & Accessories	
Disaster Mitigation Equipment	
Bladder Tanks	
Medical Refrigeration	
Thermal Insulated Storage	
Rapid Deployment Shelters	
General Bushfire Tools & Technologies	
Thermal Imaging Cameras & Anemometers	
Jerry Cans	
Drip Torches & Hard Tools	
Drone Technology	
DJI Drones for Agriculture, Enterprise, Pro-Commercial & Logistics	
Rescue Gear	
Ascent & Descent Equipment	
First Aid & Mobile Patient Transfer Equipment	
First Aid Kits	
Defibrillators	
Stretchers, Scoops & Neck Braces	
Eye Wash	
Hydration Products	
Spill Kits & Hazardous Storage	
Bunds & Floor Sweep	
Complete Spill Kits - General Purpose & Oil/ Fuel	
Hazardous Liquids Storage Cabinets	
Commercial Storage & Locker Fit Outs	
Red Rack™ Storage	
Torches	
Explosion Proof Torch Light	
Energizer Batteries	
Automotive, European, Commercial, Stop/ Start & Marine	
Cleaning and Janitorial Care	
Britex Agricultural Equipment Cleaner	
Disinfectants, Surface Cleaners & Deodorizers	
Frequently Asked Questions	

Types of Extinguishers and Use:

- ABE (Dry Chemical): Use for Class A (Flammable Materials), Class B (Flammable Liquids), and Class E (Electrical Equipment).
- AFFF (Aqueous Film-Forming Liquid): Class A (Flammable Materials), Class B (Flammable Liquids), Limitation on Class F (Cooking Fats & Oils).
- AW (Air Water): Class A (Flammable Materials).
- **BE (Dry Chemical):** Use for Class B (Flammable Liquids) and E (Electrical Equipment), Limitation on Class F (Cooking Fats & Oils).
- CO2 (Carbon Dioxide): Use for Class E (Electrical Equipment), Limitations on Class A (Flammable Materials) and Class B (Flammable Liquids).
- Eco Foam (Flourine Free): Class A (Flammable Materials), Class B (Flammable Liquids), Limitation on Class F (Cooking Fats & Oils).
- Wet (Water Extinguisher): Use for Class A (Flammable Materials) and Class F (Cooking Fats & Oils).

Whilst our extinguishers are available to order, please notify our sales team if you are requiring palette quantities as discounts will apply to large quantity orders.

As extinguishers are considered a dangerous good, different freight rules do apply for delivery. Please contact us for a quote on shipping or pick up.



Fire Fighting Equipment



Description: 1.0kg - Nozzle ABE Powder Type Portable Fire Extinguisher. SCFEABE10NZ



Description: 1.5kg – Nozzle ABE Powder Type Portable Fire Extinguisher SCFEABE15



Description: 2.0kg ABE Powder Type Portable Fire Extinguisher SCFEABE20



Description:2.5kg ABE Powder Type
Portable Fire Extinguisher



Description: 9.0kg ABE Powder Type Portable Fire Extinguisher



Description: 9.0L AFFF Type Portable Fire Extinguisher

SCFEAFFF90

AW



Description: 9.0L Air Water Type Portable Fire Extinguisher **SCFEWAT90**





Description: 2.5kg BE Powder Type Portable Fire Extinguisher SCFEBE25





Description:
4.5kg BE Powder Type
Portable Fire Extinguisher
SCFEBE45

BE

SCFEABE25



Description: 9.0kg BE Powder Type Portable Fire Extinguisher SCFEBE90

CO2

SCFEABE90



Description: 2.0kg CO2 Type Portable Fire Extinguisher SCFECO220



Description: 3.5kg CO2 Type Portable Fire Extinguisher **SCFECO235**



Description: 5.0kg CO2 Type Portable Fire Extinguisher **SCFECO250**



Description:2.0L Wet Chemical Type
Portable Fire Extinguisher **SCFEWC20**



Description: 7.0L Wet Chemical Type Portable Fire Extinguisher SCFEWC70



Description: 50KG ABE Mobile Extinguisher - Pneumatic Wheel SCMFE50PW



Description: 50KG ABE Mobile Extinguisher - Rubber Wheel SCMFE50SRW



Description: 90KG ABE Mobile Extinguisher - Pneumatic Wheel SCMFE90PW



Description: 90KG ABE Mobile Extinguisher - Solid Rubber Wheel SCMFE90SRW



Description: 45KG CO2 Mobile Extinguisher - Pneumatic Wheel SCMFE45PW



Description: 45KG CO2 Mobile Extinguisher - Solid Rubber Wheel SCMFE45RW



Description: 50L ECO Foam F3 Fluorine Free Mobile Extinguisher -Solid Rubber Wheel SCAFFF50SRW



Description: 90L ECO Foam F3 Fluorine Free Mobile Extinguisher -Solid Rubber Wheel SCAFFF90SRW



Description:2 Litres Hot Shot - ACLASS Firefighting Foam
SCBFFFCLS2HTSHT



Description: 20 Litres A-CLASS Bush Firefighting Foam SCBFFFACLS20



Description: Medium 1.2m x 1.2m Fire Blanket - Soft Plastic Pouch (Non-Commercial) SCFB1212PLAS



Description: Large 1.2m x 1.8m Fire Blanket - Soft Plastic Pouch SCFB1218PLAS



Description: Extra Large 1.8m x 1.8m Fire Blanket - Soft Plastic Pouch SCFB1818PLAS



F-500 EA® Provides Unprecedented Protection Against Various Fire Classes

F-500 EA® offers superior performance for Multi-Class, Class A, Class B, Class C, Class D, and lithium-ion hazard protection.

F-500 EA Compliance

FIRE, VAPOR, AND CONTAMINATION

Testing of F-500 Encapsulator Agent Since 1997

NFPA 18A SECTION 7.7

 Tests an Encapsulator Agent's ability to render hydrocarbon based fuel nonflammable and nonignitable.

NFPA 18A Annex 4.3

 Recognizes third-party scientific testing of Encapsulator Agents on lithium-ion battery fire hazards.

UL NFPA 18

 Tests a wetting agent's ability to mitigate Class A and Class B fire hazards as well as flammable spill control.

NEN NTA 8133

 Tests a fire extinguisher's ability to extinguish lithium-ion battery fires under 600 Wh.



Features:

- Fluorine Free
- Biodegradable
- Non-Corrosive
- Encapsulation
- Rapid Heat Reduction
- Free Radical Interruption



Firestryker is a fire suppression system with remarkable extinguishing capabilities and capacity.

It is a small lightweight cylinder: the upper part is a metal tube containing the extinguishing charge. The lower part is made of plastic and serves as a support handle. Upon ignition, the powerful extinguishing charge produces a potassium aerosol jet that lasts for approximately 100 seconds. Point the nozzle at the base of the flames to smother the fire at its core.



No Maintenance

- Usable from -96° C to +160° C.
- No testing or maintenance needed.

100 Seconds of Aerosol Emission

- · Immediate activation time.
- Effective against Class A, B, C, F, and Electrical Fires.

Non-Pressurized

- Environmentally safe.
- Zero corrosion
- Negligible Toxicity

Certified

- Australia & New Zealand, C & F tested and passed to AS/NZS1850, in compliance with AS/NZS1841.
- QUALITY POLICY ISO 9001:2015

Safe to use on CLASS A/B/C/F and ELECTRICAL FIRES.
Tested up to 100 kV











FEATURES

Flame Retardant & Heat Resistant:

• Withstands extreme temperatures, offering dependable protection against fire hazards.

Durable & Long-Lasting:

• Constructed with high-strength fiberglass fabric for exceptional performance and longevity.

Versatile Applications:

• Ideal for automobiles, electric vehicles (EVs), electric bicycles, forklifts, and more.

Corrosion Resistant:

• Maintains structural integrity even in harsh conditions.

Insulating Properties:

• Prevents heat transfer to protect surroundings.

TECHNICAL SPECIFICATIONS

BLANKET CABINET

Melting Point: 1260°C Material: 304 stainless steel + tempered glass

Instantaneous Temperature Resistance: 800°C Size: H 31.5" x W 19.69" x D 9.84"

Working Temperature: 550°C Note: (Customizable sizes available upon request)

Base Material: 430 g/m² glass fibre fabric

Coating: 150 g/m² silicone polymer

 Size:
 6m x 8m

 Weight:
 27.8kg



Reel Nozzles, Retardant Storage & Hose Reels



Description: Hose Reel Nozzle -Brass - Lever - 25mm

SCHRNBRSLV25



Description: Hose Reel Nozzle -Brass - Twist - 19mm

SCHRNBRSTW19



Description: Hose Reel Nozzle - Plastic Twist - 19mm

SCHRNPLASTW19



Description: Hose Reel Nozzle -Brass - Bumper - Twist -19mm SCHRNBRSBMP19



SCHRNBRSLV19



Description: Hose Reel Nozzle -Brass Jet - 25mm

SCHRNBRSJT25



Description: Fire Extinguisher Vehicle Bracket - Cannon Style -4.5KG - Black SC45WABK



Description: Fire Extinguisher Vehicle Bracket - Cannon Style -9.0KG - Black SC90WABK



Description: Fire Extinguisher Vehicle Bracket - Over Centre -4.5KG - Galvanised SC45HDGOCBK



Description: Fire Extinguisher Vehicle Bracket - Over Centre -9.0KG SC900CBK



Description: 9.0kg HEAVY DUTY - Black Powder Coated Bracket

SC90HDWABK



Description: Hose Reel 19mm x 36m Swing Arm with Cabinet



Description: 36m x 19mm Hose Reel Swing Arm with Flexi Pipe SCHRSW1936



Description: Hose Reel 19mm x 36m

SCHRFIX1936



Description: Hose Reel 19mm x 36m Stainless Steel SCHRFIX1936SS

HO SE

EL RE



Description: Hose Reel 25mm x 30m

SCHRFIX2530



Hose Reel Cabinet -Supplied with 003 Lock and 2 Kevs SCHRCAB003



Hose Reel Cabinet - Push

DIRECT ENQUIRE



Single Door Fire Hose Reel Cabinet

SCSDFHRC

Two Door Fire Hose Reel Cabinet SCTDFHRC



Description: Fire Hose Reel Cover

SCFHRC



Description: 2.5kg Extinguisher Cabinet Metal Lockable

SC25CABM

Description:

Heavy Duty UV Protected

Hose Reel Cover PVC

SCHRCHDUVPVC



Medium Fire Extinguisher

Description: Standard Hose Reel Cover

SCHRCNYL

Description:



Description: Large Fire Extinguisher

SC90CABM



Description: Rope with Clip to Secure Hose Reel Cover SCHRCROPE



Description: Double Fire Extinguisher Cabinet -Holds 2 x 9kg Fire Extinguishers

SCDFFX90



Description: Hose Reel - Bottom Mount 19mm x 25m or 25mm x 20m SCHRFF19 / SCHRFF25



S Series Handline Nozzles -SCELFs

The S-Series nozzles are designed for robust performance in firefighting applications, featuring excellent discharge capability and high durability.

Key Features:

High Resistance to Impact and Heat:

- Made with a lightweight pistol grip and handle for superior thermal shock and mechanical impact resistance compared to plastic grips.
- Non-deformable under high-temperature conditions.

Enhanced Spray Efficiency:

• Equipped with spinning teeth to improve fog spray distribution.

Adaptability and Ease of Use:

- o Adjustable flow options suited for various fire scenarios.
- Compatible with Quick-Attack foam tubes (F3008 and F3016).
- Easy to operate and maintain.

Reliable Performance:

- Designed to maintain stability and reliability at an operating pressure as low as 3.5 bars.
- Rated pressure: 6 bar (optional 5 or 7 bar).

Quick-Connect Air-Aspirated Foam Tube - <u>SCELQCAAFT</u>

- · Unique Connection Method.
- Allows installation and removal without the use of tools.
- Designed for compatibility with S-Series fire nozzles for rapid deployment.
- Air-Aspirated Method:
- Provides an expansion ratio of up to 12 times, enhancing foam performance.







Model	Flow Rates (LPM)	Dimensions (mm)	Max Pressure (bar)	Fog Angle	Effective Distance (m)
FT1104	60/130/235	285x118x245	16	0°~120°	19/28/34
FT1108	115/230/360/475	304x118x245	16	0°~120°	26/30/35/37
FT1110	230/360/475/550	316x118x245	16	0°~120°	30/35/37/43
FT1113	360/475/550/750	316x118x245	16	0°~120°	32/36/40/43/48
FT1116	360/475/550/750/950	316x118x245	16	0°~120°	36/40/43/48/50



Handheld Foam Nozzle -SCELHHFNZ

- Rated Pressure: 8 bar (max 16 bar) for robust performance.
- Flow Options: 240 L/min, 480 L/min, and 960 L/min.
- Effective Range: Up to 30 meters.
- Foam Ratio: 3%-4% or 6%-7% for flexible fire control.
- Material: Corrosion-resistant aluminum alloy body and SS304 stainless steel barrel.
- Lightweight: Weighs under 4 kg for ease of use.
- Compatibility: DN65 coupling, compatible with Storz, BS336, NST, and other standards.



T Series Medium Expansion Foam Nozzle - <u>SCELFT</u>

- Impact-Resistant Design: Lightweight metal pistol grip and ball valve handle resistant to impact, deformation, and high temperatures for superior durability.
- Corrosion-Resistant Construction: Made from hard anodized aluminum alloy for excellent corrosion resistance and light weight.
- High-Quality Metal Screen: Crafted from AISI 304 stainless steel for long-term corrosion resistance.
- Effective Throw Range: Spray distance of ≥ 7 meters for efficient foam coverage.
- Compatibility: Works with foam fire extinguishing devices and foam fire trucks.



Foam Eductor -SCELFED

- Flow Stabilizing Device: Ensures precise foam mixing under varying pressure conditions.
- Pressure Loss: Less than 35%, improving operational efficiency.
- Disc-Top Bead Regulating Valve: Provides accurate foam ratio control for consistent performance.
- Material: Constructed from high-quality aluminum alloy with T6 surface spray anti-corrosion treatment for enhanced durability.
- Dip-Tube: Low-temperature-resistant, 2 meters long, designed for reliable performance in harsh conditions.
- Connector Options: Customizable to meet specific installation requirements.

Nozzle Attachments & Layflat Hoses



Description: ATTACK 100 PRO Selectable Gallonage Nozzle 1" Inlet

SCA100PSGN



Description:
1" VIPER Blue Devil Selectable
Gallonage Nozzle
SCVSGBDCSGN



Description: ATTACK 500 PRO Selectable Gallonage Nozzle 1 -1/2" Inlet

SCA500PSGN



Description: 1.5" VIPER Blue Devil Selectable Gallonage Nozzle SCVSGBDCSGN112



Description: ATTACK 750 PRO Selectable Gallonage Nozzle 2" Inlet

SCA750PSGN



Description: 1" VIPER SG 1560 - Classic Selectable Gallonage Nozzle SCVSGBDCSGN



Description: PROTEK 150-366 Selectable Gallonage Nozzle with Pistol Grip 1-1/2"Inlet SCP112SGNPG



Description: 1" VIPER SG 540 - Classic Selectable Gallonage Nozzle SCVSGBDCSGN540



Description:

Description: TIPSA Clamp-On Foam Expansion Tube - Eductor DIRECT ENQUIRE



Description: SL10-NW Nozzle (700KPA)

DIRECT ENQUIRE



Description: FD-20 Black Out Nozzle Pistol Grip SCFD20TGNZ



Description: FD-25 Black Out Nozzle Pistol Grip SCFD25TGNZ



Description: FD-40 Black Out Nozzle Pistol Grip SCFD40TGNZ



Description:
38mm ARMTEX ONE Hose with BIC Coupling Purchase by the Meter
SCLEHBIC3830



Description: 64mm ARMTEX ONE Hose with BIC Coupling - Purchase by the Meter SCLFHBIC6430



Description: 38mm Water Transfer Hose - Purchase by the Meter

SCWTH3830



Description: 64mm Water Transfer Hose - Purchase by the Meter

SCWTH6430



Description: Layflat Hose Rewinder **SCLFHRW**

lmage	Description	Size Options
	Type A: Male Camlock x Female BSP SCAMACLXFEMBSP	38mm, 50mm, 63mm, 75mm, 100mm, 125mm, 150mm, 200mm
	Type B: Female Camlock x Male BSP SCBFECLMALBSP	38mm, 50mm, 63mm, 75mm, 100mm, 125mm, 150mm, 200mm
	Type C: Female Camlock x Hose Tail SCCFECLHT	38mm, 50mm, 63mm, 75mm, 100mm, 125mm, 150mm, 200mm
	Type D: Female Camlock x Female BSP SCDFECLFEBSP	38mm, 50mm, 63mm, 75mm, 100mm, 125mm, 150mm, 200mm
	Type E: Male Camlock x Hosetail SCEMACLHT	38mm, 50mm, 63mm, 75mm, 100mm, 125mm, 150mm, 200mm
	Type F: Male Camlock x Male BSP SCFMACLMABSP	38mm, 50mm, 63mm, 75mm, 100mm, 125mm, 150mm, 200mm
	Female Coupling x Hose Tail (Alloy or Brass) SCFECOPHT	38mm or 65mm
	Female Coupling x Male BSP (Alloy) SCFECOPMABSPALL65MM	65mm
	Male Adaptor x Hose Tail (Alloy or Brass) SCMAXHT	38mm or 65mm
	Male Adaptor x Male BSP (Alloy) SCMAXMABSP	38mm or 65mm
	Storz x Hose Tail SCSTRZXHT	25mm x 20mm, 25mm x 25mm, 38mm x 38mm, 63mm x 63mm, 75mm x 75mm, 100mm x 100mm
	Storz x Male BSP SCSTRZXMABSP	25mm x 20mm, 25mm x 25mm, 38mm x 38mm, 63mm x 63mm, 75mm x 75mm, 100mm x 100mm
	Storz x Female BSP SCSTRZXFEBSP	25mm x 20mm, 25mm x 25mm, 38mm x 38mm, 50mm x 50mm 63mm x 63mm, 75mm x 75mm, 100mm x 100mm



Hose Washing Machine

The Scavenger Fire & Safety Hose Washing Machine is a highperformance cleaning solution designed to efficiently remove dirt, debris, and contaminants from fire hoses. Built for durability and ease of use, this washer ensures optimal hose maintenance, prolonging service life and maintaining peak performance.

Key Features:

- Effective Cleaning Mechanism Utilizes high-pressure water jets and rotating brushes to remove dirt, soot, and chemical residues.
- Fast & Efficient Capable of cleaning hoses quickly with minimal effort, reducing manual labor and downtime.
- Adjustable Settings Customizable water pressure and brush speed for different hose conditions.
- **Durable & Corrosion-Resistant** Constructed from high-quality materials to withstand tough environments.
- Easy to Use & Maintain Simple operation with minimal maintenance required for long-term reliability.

Fire Hose Maintenance Checks as per Australian Standards

Regular maintenance and inspections of fire hoses are critical to ensuring their reliability in emergency situations. As per AS 1851:2012 - Routine service of fire protection systems and equipment, the following maintenance schedule is recommended:

Monthly Checks:

- Inspect fire hoses for visible signs of wear, damage, or leaks.
- Ensure couplings and fittings are secure and free from corrosion.
- Check for kinks or twists in the hose that may affect performance.
- Confirm the hose is stored correctly to prevent deterioration.

Six-Monthly Checks:

- Conduct a more thorough visual inspection of the entire length of the hose.
- Test the hose reel operation to ensure smooth deployment and retraction.
- Check pressure ratings and ensure compliance with safety standards.

Annual Testing (Pressure Test):

- Perform a hydrostatic pressure test as per manufacturer guidelines and AS 1851:2012.
- Inspect for any weaknesses or signs of failure under pressure.
- Document test results and replace any defective hoses immediately.

After Use Checks:

- Inspect the hose for any damage sustained during firefighting operations.
- Clean and dry the hose thoroughly before storage to prevent mildew or deterioration.

KEEP YOUR PEOPLE AND PROPERTY SAFE IN A FIRE EMERGENCY



Amphibio Remote Floating Pump



Amphibio Hydra2 Floating Pump



Amphibio 1500 Floating Pump



Amphibio 2400 Floating Pump

AMPHIBIO FLOATING PUMPS

We now stock a new range of AMPHIBIO floating pumps. Whether it's high performance, long pumping capability or remote-control function, you'll sure come to like this exclusive solution.

The Amphibio floating pumps are among the best in the industry, trusted by firefighters worldwide for filling tanks, controlling floods, and extinguishing fires. With a spacious tank, they provide extended pumping capacity. For added convenience, we offer a remote-controlled model, allowing users to operate the pump from the shore—starting and stopping it effortlessly while avoiding unnecessary exposure to water.

ADVANTAGES OF OUR FLOATING PUMPS

- Choose between a Honda or Briggs & Stratton Engine
- Flowrates of 800 L/min to 2,400 L/min
- Designed to run dry without damage
- · Compact sizing for transport and handling with ergonomic frames

Additional Options Available:

- External Fuel tank options available
- o Remote start
- o Bronze Impeller
- Alternative Strainer

Our floating pumps are ideal for pumping from flooded areas, streams, ponds and hard to reach water sources.

Thanks to the design of the float, the pump cannot be sunk.

Pair Your Pump with a Floating Strainer




AMPHIBIO FLOATING SUCTION STRAINERS



Amphibio Maxi Strainer
4 Inch Outlet



Amphibio Skimmer Floating Strainer



To safeguard this valuable equipment, we now provide Amphibio floating suction strainers as a solution.

These compact devices ensure you can draw clean water from natural sources, protecting your technology. They are highly versatile, suitable for long-distance water transport, tank filling, drainage, drying wetlands, and firefighting.

Furthermore, they are portable for use with fire pumps and fire truck pumps and ensure the ability draw water directly from the water surface when needed most.

ADVANTAGES OF FLOATING SUCTION STRAINER

- Thanks to the floating suction strainer, pumps won't suck dirt from the bottom of the water source and therefore the pump is not damaged.
- Pumping water is capable even from low water level (as low as 20mm).
- Their use is versatile, from filling tanks through to extinguishing fires to draining flooded areas.
- Self-levelling with rotating suction chamber
- Rubber clack valve with manual release to prevent backflow
- · Compact sizing and light-weight for quick and easy transport
- Can be equipped with customised couplings



Amphibio Mini Strainer
3 Inch Outlet

Want to know more about the range?

Contact Our Sales Team:

sales@scavengersupplies.com.au (08) 9584 2500 www.scavengerfiresafety.com.au

Hydrant Valves, Water Pumps, UTV's & Strainers



Description: 2 ½" (65mm) Standard Collecting Breech Valve SC21265CBV



Description:BI Landing Valve - 65mm (BSP or Roll Groove)

SCBILV65



Description: Slimline Fire Skid - 500L

DIRECT ENQUIRY



Description:
Davey Pumps - Floodfighter Flood
Pump and Water Drainage System
DIRECT ENQUIRE



Description: Amphibio 2400 Floating Pump SCAMP2400FLOTPMP



Description: Amphibio Skimmer -Floating Strainer SCAMPSKIMSTRN



Description: 2 ½" (65mm) Standard Dividing Breech Valve (No Control) SC21265DBVNC



Description:
BIC Hydrant Landing Valve RG /
BSP Universal Roll Groove Inlet
SCBICHYLVRGBSPI



Description: RAPIDSPRAY -Firescout Compact Fire Fighting Unit - 360L or 600L 300L:SCRSCFFU360 600L: SCRSCFFU600



Description:
Davey Pumps - Petrol Engine
Driven Firefighter
DIRECT ENQUIRE



Description: Amphibio 1500 Floating Pump SCAMP1500FLOTPMP



Description:
Amphibio Maxi Strainer 4 Inch Outlet
SCAMP4NCHMAX



Description: 2 ½" (65mm) Dividing Breech Ball Valve SC21265DBBV



Description:BIC Hydrant Landing
Valve BSP Male Inlet

SCBICHYLVBSPMAI



Description: RAPIDSPRAY - Portable Fire Fighting Unit - Fire Marshal Plus | Poly Manual Hose Reel - 325L SCRSPFFU325



Description:
Davey Pumps - Diesel Engine
Driven Firefighter
DIRECT ENQUIRE



Description:
Amphibio Hydra2 Floating
Pump
SCAMPHYD2FLOTPMP



Description: Amphibio Mini Strainer - 3 Inch Outlet SCAMP3NCHMIN



Description: 2 ½" (65mm) Dividing Breech Gate Valve SC21265DBGV



Description:
Davey Pumps - Remote Start
Firefighter MKII
DIRECT ENQUIRE



Description: Amphibio Remote Floating Pump SCAMPREMTEFLOTPMP



Description: Suction Hoses & Foot Valves FOOT VALVES: SCFV SUCTION HOSES: SCSH



Solid, reliable, leading performance

90 Years of Innovation, Trust & Dependability - Australian Made & Australian Owned Since 1934.



The promise of reliability is core to what Davey does, and what their reputation has been built upon.

Davey pumps have been proven to perform well in some of the world's harshest climates, in their manufacturing they have replicated the conditions in their environmental cabinet, where the pumps are run for months at a time at 50°C and 100% humidity (that's a bit hot!).

When you think of a firefighter pump, you probably imagine one thing: fire defence. But the range Davey Firefighter pumps are so much more.

Built tough for Australia's harshest conditions and designed to perform under pressure, this range of pumps go beyond bushfire protection. From large-scale water transfer on the farm to emergency flood response, and even marine use, the Davey Firefighter pump has proven itself in countless demanding situations.

Whether you need to move water, spray fertiliser, control dust, or empty a tank, this pump is your go-to tool.



5165H Firefighter - Single impeller equipped with GX200 Honda recoil start engine



5255H Firefighter - Twin impeller equipped with GX160 Honda recoil start engine



5265H Firefighter - Twin impeller equipped with GX200 Honda recoil start engine

Help protect your property and your family with a Davey Firefighter®. Davey's high quality, reliable fire pumps are in demand all over the world. Don't wait for an emergency, get prepared with a Firefighter right now.

With single and twin variations, and your choice of higher flow or higher pressure, the class leading performance Davey Firefighter is number 1 in Australia, and sold worldwide.

Provides high head performance at 3600rpm whilst still being able to operate across the full pump curve without overloading the engine.



SCAVENGER ELITE FIRE GOGGLES



SCELFRGGL

Certified to AS/NZS 1337.1:2010

Frame:

Flame-retardant TPU material ensures durability and protection in hazardous environments.

Lenses:

· High-temperature and impact-resistant lenses offer superior clarity and protection in extreme conditions.

Comfort:

• Equipped with a flame-retardant sponge and elastic band for a secure and comfortable fit during extended use.

Customizable Vision:

• Includes three interchangeable lenses in different colors, suitable for varied light and environmental conditions.

Safety Cover:

Flame-retardant eyewear cloth cover included for added protection and convenience.

LEVEL 1 GLOVES

SCEL1GLV

Cut Resistance:

• Certified for Level 1 cut resistance, offering essential protection against sharp objects without losing flexibility.

Durability:

 Reinforced stitching and wear-resistant materials enhance longevity, even in harsh conditions.

Grip:

• Textured palm surface for a strong, non-slip grip, even in wet or oily conditions.

Comfort:

- Breathable and lightweight design for prolonged use without discomfort.
- Fit: Available in multiple sizes to ensure a perfect fit for every hand.





Description: MAGNUM - Vulcan Zipper **SCMGMZIPKIT**



Description: OLIVER - Wildland Firefighter Boot Zip Kit SCOLIWLDLNDZPKT



Description: MAGNUM - Wildland Boot Vulcan Lite CT CP WPI SCMGMWLDLNDVLC



Description: OLIVER - 180mm Wildland Firefighters Boot SCOLI180MMBOOT



Description: Wildlands Pants XS-6XL





Description: Wildlands Jacket XS-6XL

SCWLDLNDJACK



Description: Rugged Xtremes Stowage Bag - Small

SCRGEXFRSTBGSML



Description: Rugged Xtremes PPE Kit Bag

SCRGEXHDCNVPPKTBK



Description: Rugged Xtremes Offshore Crew Bag

SCRGEXHDPVCOFSHRBG



Description: Rugged Xtremes FIFO Wheel Bag

SCRGEXFIFOWHLBG



Description: Cap Style Wildland Firefighting Helmet BR9

SCCAPWLDLNDHELM



Description: Cap Style Wildland Firefighting Helmet (Wide Brim) BR9

SCPACHI MBR9



Description: uvex Ultrasonic Fire Goggles (Wear Over Specs)

SCUVGGL



Description: 3M™ Ultimate FX Full Facepiece Reusable Respirator (Small - Large)

SC3MFXFF-400



Description: 3M™ Quick Latch Half Facepiece Reusable Respirator 6500QL(Small -Large) SC3M6500QL



Description: Honeywell 5500 Series Half Mask - Air Purifying Respirator. (Small -Large) DIRECT ENQUIRE



Description: Honeywell 5500 Series Half Mask - Air Purifying Respirator

DIRECT ENQUIRE



Description: 3M™ Reusable Respirator PreFilter Retainer 501.

Designed to hold 3M 5925 and 5935 Particulate Filter Use with 3M Cartridges 6000 series. SC3MFLTRET501



3M™ Scott™ Sigma-2 Type 2 SCBA

SCSCTSIG2SCBA



Description:

3M™ Multi Gas/Vapour Cartridge Filter 6059. The 3M™ Cartridges 6000 Series attaches to the 3M™ Half and Full face respirators.

3M™ Versaflo™ TRM-307C M-Series,

Helmet, Flame Resistant Face Seal

TR-315A+ Starter Kit with M-307

SC3MFIL6059

Description:

and Charger SC3MVRSATRM307C



Description:

3M™ Filters for Dust 5925, P2, 1 Pair. To be fitted with the 3M 6000 Series Cartridges and the 3M 501 Retainer.

SC3MFIL5925



Description: 3M™ Scott™ ELSA Emergency Life

SCSMSCT2009419

Support Apparatus



Description:

3M™ Particulate Filters 5935, P3 R - To be fitted with the 3M 6000 Series Cartridges/Filters and the 3M 501 Retainer. SC3MFIL5935



Description: 3M™ Multi-Gas Respirator Kit 6259, A1B1E1K1P2

SCSMSCT20094191



SCAVENGER ELITE Thermal Imaging Camera

SC896

The Scavenger Elite Thermal Imaging Camera revolutionizes detection by offering non-contact, real-time monitoring across a variety of industries, including power, metallurgy, petrochemicals, fire control, and national defense.



Key Features:

Dual Imaging Capability:

 Combines thermal and visible light imaging for enhanced clarity.

Real-Time Detection:

 Instantly displays potential issues on a color screen for swift action.

Precise Temperature Measurement:

• Central point cursor allows accurate temperature readings.

Data Storage & Reporting:

 Images and videos are stored in the device, exportable via USB for reporting or printing.

Compact & Easy-to-Use:

Lightweight design ensures portability and convenience.

WIFI Data Transmission:

Supported.

The Scavenger Elite Thermal Imaging Camera is widely used for:

Electrical Equipment & Infrastructure:

Inspect transformers, transmission lines, and other components.

Fire Control:

 Locate hidden fire sources, support rescue efforts, and command fire sites effectively.

Industrial Efficiency:

 Analyze leaks in thermal pipelines, pinpoint heating failures, and monitor equipment for heat loss.

Security & Defense:

Facilitate night surveillance and personnel tracking.

Specifications:

Infrared Resolution:

• Available in 256×192.

Temperature Range:

• -20°C to +550°C (-4°F to +1022°F) with ±2% accuracy.

Display:

• 2.8" TFT color screen for clear visual output.

Battery Life:

• 2-3 hours of operation with rechargeable 18650 battery.

Storage:

 Built-in 4GB for images and video storage in JPG/MP4 formats.

Disaster & Emergency Equipment / Technologies



Description: 7500L Bladder Tank





Description: 12000L Bladder Tank

SC120000LBLDTNK



Description: DLX Rapid Deployment Shelter

SCDLXRDS



Description: Yurtz Ranger Tents

SCYRT



Description: Airconditioning Unit to suit SMRPA18T-INTL Rapid Deployment Tent SCACUDLXRDT



Description: EFlare - Pack of 4 (Available in Amber + White, Red & Red + White)



Description: Thermal Insulated Food Box Heated - 90L or 120L

90L: SCTHERMINSBOX90L 120L: SCTHERMINSBOX120L



Description: Tray Variations for Thermal Food Boxes

SCTRAYTHERMFB



Description:

MediFridge - Pharmacy Guild Approved - (125L, 215L or 372L) 125L: SCMEDIFRI125L

215L: SCMEDIFRI215L 372L: SCMEDIFRI372L



Description: Medi-Log 2 Digital Data Logger

SCMEDIDIGDATLOG



LEARN MORE ABOUT OUR DISASTER EQUIPMENT HERE

General Bush Fire Tools and Technologies



Description: Jerry Cans 5L Unleaded OR Diesel

SC5LREDULPMETJRCN



Description: Jerry Cans 20L Unleaded, Kerosene OR Diesel SC20LULPREDMETJRCN



Description: 5L AFAC Olive ExploSafe Metal Jerry Can

SC5LGRNMETJRYCNEXP



Description: 201 Green ExploSafe Metal Jerry Can

SC20LGRNMETJRYCNEXP



Description: 5L Drip Torch AFAC Shamrock Green Metal Jerry Can SC5LGRNMETJRYCN



Description: 20L Drip Torch AFAC Shamrock Green Metal Jerry Can SC20LGRNMETJRYCN



Description: Standard Fire Axe

SCFIREAXE



Description: Rakehoe

SCRAKEHOE



Description: Fixed Wand Fire Lighter/ Drip Torch 4.5L SCFXDWNDDRPTRCH45L



Description: Firebug Drip Torch 4L

SCFRBGDRPTRCH4L



Description: GENFO 19L Yellow Fire Fighting Backpack SCGENFOFFBKPK



Description: FLIR K1 Thermal Imaging Camera

SCFLIRK1



Description: FLIR K2 Thermal Imaging

SCFLIRK2



Description: FLIR In-Truck Charger

SCFLIRTRKCHRG



Description: Waterproof Pocket Wind Meter (Anemometer) -Kestrel-3000 SCKSTRL3000WNDMTR



INTUITIVE. FAST. RELIABLE.

Leading the industry in rapid deployment, at DLX (Deployed Logix) we know that when a crisis calls, moments count. Learn why our products are chosen by first responders around the world.









TAKING RAPID DEPLOYMENT TO A NEW LEVEL. WE ARE SPECIALISTS IN RAPID DEPLOYMENT, AND THIS IS WHERE IT ALL BEGINS.

Our emergency shelter systems are designed so that, no matter what the mission or circumstances, you'll always be first in the field. Our various patented models aim to give you the most usable space in the smallest possible area.

Versatility, interconnectivity, durability and ease of deployment make our shelters your best allies in an emergency.

WE KNOW THAT THE FASTER YOU DEPLOY, THE FASTER YOU CAN GET TO WHAT MATTERS MOST: SAVING LIVES.

Deployed Logix work extensively with teams in the following industries:

- Law Enforcement
- Fire
- Emergency Management
- EMT // Healthcare
- Expeditionary Forces
- NGOs
- Private Organizations

Deployed Logix shelters, emergency response products, and turnkey solutions are designed to operate with minimal deployment times while reducing personnel requirements and maximizing flexibility. Versatile enough to operate as field hospitals, command centers, tactical operation centers, relocation shelters, mortuary units, and more, our mission is to make your missions easier.

ASAP® - WHATEVER YOUR MISSION, DLX HAS YOU COVERED

Our signature shelter, ASAP® (As Soon As Possible), is totally versatile and can be adapted to the needs of any deployment.





X-SERIES - THE ANSWER TO YOUR LARGE-SCALE DEPLOYMENTS.

The robust frame and expandable design make these large modular shelters your best choice for field hospitals, communications centers, or military camp configurations.



DJI not only empowers professionals with powerful equipment but also provides intelligent solutions that save time and increase workflow, benefiting a wide range of customers from farming to public safety.

Examples of Applications:

- Law Enforcement & Medical First Responders
- Firefighting and Disaster Response Teams
- Search & Rescue
- Private Security
- Wildlife Reserve Protection
- Commercial & Grain Crop Spraying & Surveying
- · Land and Cadastral Surveying
- Urban Planning
- Construction Progress Management, Earthworks, BIM & Heritage Preservation
- Mining Survey, Facade High Wall, Asset Inspection & Site Safety
- Precision Agriculture & Forestry
- Powerline & Substation Inspection
- Oil & Gas Pipeline and Facility Inspections
- Photovoltaic Power Plant & Wind Turbine Inspection
- Bridge & Roof Inspections for Infrastructure



Our DJI drone solutions are engineered for reliability, efficiency, and superior aerial performance, meeting the demands of industries such as agriculture, construction, public safety, and environmental monitoring.



Agricultural Drones

 DJI AGRAS T10, T25, T30, T40, T50 - Advanced crop-spraying drones with high payload capacity, precision spraying technology, and intelligent flight planning for efficient farming and pest control.

Enterprise & Industrial Drones

- DJI Matrice 30 Series, Matrice 350 RTK, Matrice 4
 Series Rugged drones built for industrial inspections, search and rescue, mapping, and surveying, featuring advanced sensors and AI capabilities.
- P4 Multispectral Aerial imaging drone equipped with multispectral sensors for precision agriculture, crop health monitoring, and land analysis.





Professional & Commercial Drones

DJI Mavic 3 & Mavic 3M - High-performance drones with exceptional imaging, RTK precision, and multispectral capabilities for surveying, mapping, and inspection.

Autonomous & Logistics Solutions

- DJI Dock 2 Fully autonomous drone station enabling remote operation and automated aerial missions for security, inspection, and emergency response.
- DJI FlyCart 30 Heavy-lift delivery drone for logistics, capable of transporting payloads over long distances with precision.





LEARN MORE ABOUT THESE PRODUCTS HERE



Description:

Tower Workers Kit

- 1 x Ferno Tower 5 Full Body Harness
- 1 x Sling Round 25 mm x 1500 mm 1 x Sling Round 25 mm x 1200 mm 1 x Pole Strap 4 m

Description:

Hook)

Adjustable Multi-Purpose

Lanyards + Triple Action

Karabiner (Single), Twin

SINGLE: SCAMPLFAL

TWIN T/A: SCAMPLHA

TWIN: SCAMPL2A

Description:

SCFT3RRB

Description:

Descender

SCD5RD

D5 Work/ Rescue

Ferno Tower 5 Harness

DIRECT ENQUIRE

(Add On Optional Side D's)

Recovery Block

Ferno Type 3 Rescue

Available with Adaptor SCFT3RRB

or Twin with Triple Action

- 1 x Single Elasticised Absorber Lanyard 1.6m 2 x Steel Triplock Karabiner
- 1 x All Purpose Grab Bag



Description:

Ferno Confined Space Kit

- Ferno IndustriPOD OR Ferno IndustriPOD+
- Ferno Winch
- APOD-FBA Block Adaptor Hi-Safe FH24 Full Body Harness
- Ferno Spreader Bar

DIRECT ENQUIRE



Description:

HI-SAFE Micro Safe Compact Fall Arrest Blocks (Dual Scaff Hook, Dual Triple Lock or Single Hub Triple Lock)

DIRECT ENQUIRE



Description:

ISC Prusik Minding Pulleys (Small - Large, Single or Double Beckett) DIRECT ENQUIRE



CT Quick Arbor Ascender

SCCTQAA



Description: Ferno Centrepoint II Full Body Harness DIRECT ENQUIRE



Description:

Ferno Confined Space Rescue Kit

- 50 m of rope is provided with the system which allows for a 'working length' of approximately

 12 m lowering or lifting. Supplied standard
- with a heavy duty rope bag

 Customised rope lengths available

SCFCSRK



Description:

HI-SAFE Self Retracting Fall Blocks (Sharp Edge or Standard Options - 3.5m, 5m, 10m, 15m, 20m or 30m)

DIRECT ENQUIRE



Description: Steel Triplock Karabiner

SCSSTLK



Description: Ferno Winch

SCFWW20M *Available with Adaptor



Description: Ferno Ultralite X Harness

DIRECT ENQUIRE



Description:

Ferno Evac Rescue Descent Kit

- 9.6 mm Kernmantle Rope 50m MARK Robin Hub x 1
- Ferno Res-Q-Link Recovery Pole x 1 1500 mm Round Sling x 1

- 1500 mm Snake Sling x 1 50 kN Steel Triplock Karabiner x 1

100 m Standard Rope Bag x 1



Description: Arachnipod Fall Arrest

Block Adaptor

SCAFABA



Description: D4 Rescue Descender

SCD4RD



Description: Ferno Industripod Plus Tripod

SCIPT



Ferno Tower Workers Kit

SCTWK









Description: VOYAGER 2 Series Softpack Versatile First Aid Kit

SCVYGR2SRSFPKFAK



Description: **DEFENDER 3 Series** Softpack Versatile First Aid

SCDFNDR3SRSSFPKFAK



Description: REGULATOR Snake Bite First Aid Kit Compact Travel

SCRGLTRSNKBTKT



Description: **RESPONDER 4 Series First** Aid Kit - Plastic Tacklebox

SCRSPDR4SRSPLASTKLFAK



Description: RESPONDER 4 Metal Tough First Aid Wall Kit

SCRSPDR4SRSMETFAWK



Description: RESPONDER 4 Metal Tough Wall Cabinet Food & Beverage

SCRSPDR4SRSMETFDBVKT





SCRSPNDR4REFILKT

4 Refill Kit



Description: RESPONDER 4 Series Metal Tough First Aid Kit

SCRSPDR4SRSMETFAK



Description: RAPIDSTOP Civilian Tourniquet - Orange

SCRPDSTPTRNOT



Description: Branded Gazebo & Marquee Shade Shelters

SCBGAZSHAD



Description: Scavenger Elite Stretcher

SCELSTRBED



Description: Scavenger Elite Privacy Screen

SCELPRISCR



Description: HEARTSINE Samaritan Semi-Automatic Portable Defibrillator Package -

350P: SCHRTSIN350PSEMAUTDEFIB 360P:

SCHRTSNE360PFULAUTDEFIB

SCHRTSNE500PSEMAUTDEFIB



Description: HEARTSINE Grey Pad-Pak Pads & Battery Pack

SCHRTSINGRYPADPKBAT



Description: HEARTSINE Samaritan Paediatric combined battery & electrode cartridge

SCHRTSINPNKPADPKBAT



Description: LIFEPAK CR2 Fully Automated Defibrillator

SCLIFPKCR2FULAUTDEFI



Description: LIFEPAK 1000 Semi-Automatic Defibrillator

SCLIFPK1000SEMAUTDEF



Description: LIFEPAK 1000 Defibrillator with ECG Display & Manual

SCLIFBK1000ECGDEFIBMO



Description: Ferno Wizloc Collar

SCFRNWIZCOL



Description: Laerdal Stifneck Collar Adult: SCLRDLNKCOL Paediatric: SCLRDLNKCOLPED



Description: Ferno Universal Head Immobiliser

SCFRNUNIHDIM



Description: Ferno EXL Scoop Stretcher

With 3 Restraints: SCFEREXLSTRBSSF-EXL

With Pins, No Restraints: SCFEREXLSTRBSSF-EXLP



Description: Ferno Saver Scoop Stretcher

SCSAVSCOSTR



Description: Najo Lite Immobilisation Package (Or Individual Backboard/ Individual Faststrap System)

No Pins: SCNAJLI-BSBN-L With Pins: SCNAJLI-BSBN-LP Immobilisation Package: SCNAJLI-BSBN-IMP Base Package + 3 Restraints: SCNAJLI-BSBN-3R



DIPHOTERINE® solution - emergency washing solution for chemical injuries

DIPHOTERINE® solution is an emergency rinsing solution for splashes of chemical products. Its rapid use in case of contact between the skin or eye and a chemical product is intended to quickly eliminate the residual chemical product on the skin or in the eye. This makes it possible to limit the extent of the burns and lesions caused. DIPHOTERINE® facilitates secondary treatment of the burn injuries by restricting the extent and severity of the lesions.

Advantages	Water	Diphoterine®
Washing Effect	√	\checkmark
Polyvalent	\checkmark	✓
Non Toxic	V	√
Sterile	×	√
Hypertonic	×	√
Amphoteric	×	√
Chelating	×	✓
Neutralising	×	√

DIPHOTERINE® solution is versatile

Its physical and chemical properties make it effective against a wide range of classes of chemical product (acids, alkalis, oxidising agents, reducing agents, alkylating or chelating agents and solvents).



Description:
DIPHOTERINE® Solution
LPMD 500ml Eyewash
Bottle - Emergency Rinse

SCDPHOLPMD500EB



Description:
DIPHOTERINE® Solution
DAPD 5lt Portable Shower
- Emergency Rinse

SCDPHODAPD5LPS



Description:
DIPHOTERINE® Solution
SIEW 50ml Individual
Eyewash - Emergency Rinse

SCDPHOSIEW50



Description: DIPHOTERINE® Solution LPME.DAS Wall Mount Wash Station -Emergency Rinse

SCDPHOLPMEDASWMWS



Description:DIPHOTERINE® Solution MICRO 100ml
Spray - Emergency Rinse (100 or 200ml)

100ML: SCDPHOMICRO100 200ML: SCDPHOMIN200EMRS





A case study undertaken with United States Steel proved the Sword Performance product, including Shield, Shield Zero and Sword products, FRS improved workplace safety, employee morale and reduced costs associated with injury - the end result was an 81% reduction in heat stress illnesses.



Description: SHIELD ZERO Electrolyte Drink - Various Flavours 12 Pack - available in Berry, Lemonade, Orange and Pineapple Mango flavours.

SCSHDZER12PK



Description:
SHIELD Electrolyte Drink Various Flavours 12 Pack available in Berry,
Lemonade, Orange and
Pineapple Mango flavours.

SCSHDDRK12PK



Description: SWORD Electrolyte Drink -Various Flavours 12 Pack available in Berry, Lemonade, Orange and Pineapple Mango flavours.

SCSWD12PK



Description: SWORD Electrolyte Drink Powder - Various Flavours 50 Pack - available in Berry, Lemonade, Orange and Pineapple Mango flavours.

SCSWD50PK



Description: SHIELD Electrolyte Freeze Pop (89mL), Pack of 36, Mixed flavours - available in Berry, Lemonade, Orange and Pineapple Mango flavours.

SCSHDFRZ36PK



Description:
SHIELD ZERO Electrolyte
Drink Powder - Various
Flavours 100 Pack available in Berry,
Lemonade, Orange and
Pineapple Mango flavours.

SCSHDZERPWD100PK



Description:
SHIELD Electrolyte Drink
Powder - Various Flavours
100 Pack - available in
Berry, Lemonade, Orange
and Pineapple Mango
flavours.

SCSHDPWD100PK

- No artifical sweeteners, flavouring or dye
- Easy to digest without causing GI issues
- Fast acting with ultra-fast absorption
- Core cooling benefits
- Low in calories
- Diabetic friendly
- Prevents dehydration, brain fog and muscle cramps
- Delivers advanced vital electrolytes





Bunds & Floor Sweep



100mm Spill Bund

Description

SpillSmart SpillBunds 100mm provide cost-effective temporary storage for liquids and chemicals whilst containing potential spills and leaks. These bunds are exceptionally easy to transport, store, clean, reuse and require no assembly. Vehicles including forklifts and trucks can access the bund from all four sides instantly without the driver leaving the vehicle. High quality memory foam ensures the 100mm side walls spring right back into place after being depressed during access.

SC100MMBUND



300mm Spill Bund

Description:

SpillSmart Collapsible Bunds contain accidental spills & leaks and provide cost-effective temporary storage for liquids and chemicals. This bund is perfect for:

- Temporary storage of liquids and leak containment
- Equipment washing
- Maximising bunding capacity with 30cm high-side wall
 These Bunds are super quick to deploy. External folding legs lock into place keeping sidewalls rigid and eyelets are provided for pegging to soft ground when required. Legs fold down in seconds, giving quick and easy loading access for pallet jacks and forklifts.

SC300MMCLPSBUND



10KG Floor Sweep

Description:

SpillSmart FloorSweep is manufactured from a special selection of Australian grown organic cellulose products. These naturally occurring fibrous materials are blended and processed to produce a range of absorbents that quickly absorb a wide variety of liquids including petroleum, oils, fuels, solvents, cooking oils, sewage, protein fluids and other messy liquids that could pollute or contaminate the work area and the environment. SpillSmart FloorSweep Absorbent should not be used on strong acid or alkaline solutions.

SC10KGFLRSWPORGNC

Spill Kits



Oil and Fuel (Hydrocarbon) Spill Kits

Description:

Contain highly effective products that will absorb hydrocarbon-based liquids, including oil, fuel, solvent and grease.

Sizes: 30L, 50L, 80L, 120L & 240L.



SCOILFUELSPLKIT30L SCOILFUELSPLKIT50L SCOILFUELSPLKIT80L SCOILFUELSPLKIT120L SCOILFUELSPLKIT240L



General Purpose Spill Kits

Description

Contains Floor Sweep, a fast-acting, highly effective bioactive absorbent, combined with a premium sock, pads, gloves and contaminated waste bags to ensure a spill can be cleaned up efficiently.

Sizes: 30L, 50L, 80L, 120L & 240L.



SCGNPRPSPLKITBG30L SCGNPRPSPLKITBG50L SCGNPRPSPLKITBG80L SCGNPRPSPLBIN120L SCGNPRPSPLBIN240L

Liquid Storage Cabinets



Description: 30L Flammable Liquid Storage Cabinet.

SC30LFLMCAB



Description: 160L Flammable Liquid Storage Cabinet.

SC160LFLMCAB



Description: 250L Flammable Liquid Storage Cabinet.

SC250LFLMCAB



TELL US YOUR STORAGE NEEDS

Red Rack is available in several different configurations to suit your application and available space. Choose between Freestanding, Wall Mounted, Mobile, or a combination to maximise your storage.

Each Red Rack bay will accommodate PPE/C for a single team member. It's important we know how many bays are required, remembering you can add bays as your needs change.

Product Features

- Made from heavy-duty, tubular steel with a red powder coated finish
- Available in single or double-sided configurations
- Compartments are 50cm wide
- Height is 72" / 1.8m
- Security kit for single sided (lockable door, top and rear panel RAKSEC-20+) and double sided (lockable door, top and rear panel RAKDSSEC-20+) available
- Fast and easy to assemble with detailed instructions included with every module









SCAVENGER ELITE

Explosion-Proof Searchlight

A high-performance lighting tool engineered for rugged and hazardous environments. Its durable ABS construction houses a powerful 20W P70 bulb that delivers an impressive 1500 lumens of brightness, ensuring optimal visibility in low-light and emergency situations.



Key Features

- With five lighting modes Strong, Medium, Weak, Flash, and SOS—it adapts seamlessly to various tasks, from intense search-and-rescue operations to signaling distress.
- **Powered by a robust 8000mAh 18650 battery**, the searchlight offers 7-15 hours of continuous operation, ensuring reliability when it matters most.
- It also features a Type-C charging port and functions as a power bank, making it a practical tool for charging devices in critical scenarios.
- Certified Explosion Proof (Ex IIC) and IP66 waterproof, it is built to endure extreme environments, whether industrial worksites, outdoor expeditions, or emergency response zones.





Energizer Automotive Features And Benefits

- · Have confidence in a globally renowned brand
- Premium warranty
- · Extensive range of sizes and specifications
- AGM and EFB batteries available
- Hand-picked for the Australian market
- Manufactured using advanced technology
- · Integrated handle
- · In-built Hydrometer indicates battery state of charge
- Flame Arrestor Safety System prevents outside ingress from dust or sparks and reduces the risk of acid leakage
- Envelope separators that prevent shorting between plates
- Maintenance-free design and Polypropylene case to withstand harsh environments

AUTOMOTIVE: Energizer's automotive batteries consist of the most popular automotive sizes on the market, the range utilises a lead-calcium composition to produce a heavy-duty and high-performance battery for conventional vehicles.

EUROPEAN: The sizes and specifications for the Energizer European range have been hand-selected to match those of major European car manufacturers which require a DIN size and Left polarity.

COMMERCIAL: Built for demanding applications, the Energizer commercial range of batteries is perfectly suited for buses, trucks, tractors or any vehicle that is built to work.

STOP START: The Energizer range of Stop/Start batteries features the latest Absorbed Glass Mat (AGM) and Enhanced Flooded Battery (EFB) technologies to meet the needs of vehicles with next-generation electronics and Start/Stop functionality.

MARINE: Energizer marine batteries have been developed to provide cranking and deep-cycle power in an all-weather design for marine and recreational applications.







A technologically superior, economical & biodegradable solution for the safer acidic cleaning of metals, including, aluminium & stainless steel, fibreglass, painted surfaces, cement & masonry.

- New organic salt technology opens a new era of safer high performance acid cleaning.
- Formulated to remove grime, stains, contamination
- & also corrosion from stainless steel & aluminium.
- No hard scrubbing is required & depending on the degree of contamination BRITEX
 can be diluted with up to 4 parts water & still provide a powerful cleaning etc.
- Applications in the agricultural field include cleaning header sprays, tanker sprayers, processing machines, vineyard equipment & not leaving any stains or contaminates in or on the equipment.



A non-hazardous formula containing no phosphates that safely replaces hydrochloric, phosphoric, hydrofluoric and other dangerous mineral acids by using a biodegradable concentrate with low environmental impact.

FLOOD AND STORM RECOVERY CLEANING GUIDE





Hydrosolv

Biodegradable Hard Surface Cleaner

- Water-based, non-toxic concentrate
- Safe to use on all hard surfaces
- Ideal for cleaning floors, walls, driveways, outdoor furniture and vehicles



Genesis

Hospital-grade cleaner, Disinfectant, and Sanitiser

- Kills 99.9% of germs and bacteria
- Super concentrated A little goes a long way
- Cleans and disinfects any hard surface, including floors, bathrooms and equipment

Pyramine

Germicidal Post-Cleaning Concentrate

- Hospital-level protection against mould, fungi and algae
- Safe to spray and leave on any surface
- Use at 2-4ml per L as post cleaning sanitiser on any hard surface



Spray San


Antibacterial Surface Spray

- Ready-to-use spray and wipe surface cleaner and sanitiser
- Kills 99.9% of germs and bacteria
- Use on all internal surfaces, including tables, benches, chairs and the bathroom



Wisp

Air Sanitiser and Deodorant Spray



- Neautralises odours and leaves a fresh tropical vanilla scent
- Spray in any area; kitchens, bathrooms, bedrooms, offices, worksites or vehicles



Hand Sanitiser Gel

Antibacterial

- Contains over 70% ethanol
- Kills 99.9% of germs and bacteria
- Moisturises with Vitamin E
- Use after cleaning, touching surfaces, animals or before meals



Got any further questions? Here's some of our common FAQ.

I have an urgent order; how fast can you supply or deliver products & services?

• For urgent orders, Scavenger Fire & Safety prioritizes swift delivery to ensure your safety needs are met promptly. Our delivery times vary based on factors such as product availability, location, and shipping method. However, we strive to fulfill urgent orders as quickly as possible. Please contact our customer service team directly for expedited assistance with your order.

What locations can you supply to?

Scavenger Fire & Safety provides supply and delivery services to a wide range of locations. We serve customers across all of
Australasia. Whether you're located in a metropolitan area or a remote region, we aim to meet your fire and safety equipment
needs efficiently. If you have specific questions about delivery to your location, please don't hesitate to reach out to our
customer service team for assistance.

How can I track my order?

Tracking your order with Scavenger Fire & Safety is simple and convenient. Once your order has been processed and shipped, you will receive a confirmation email containing tracking information. This email will include a tracking number and a link to our shipment tracking portal. By clicking on the link or entering the provided tracking number on our website, you can easily monitor the status and whereabouts of your order in real-time. If you encounter any issues or have questions about tracking your order, our dedicated customer service team is here to assist you every step of the way. Feel free to reach out for personalized support.

How do I know what equipment will best suit my needs?

- Choosing the right fire and safety equipment for your needs is crucial, and Scavenger Fire & Safety is here to help you make informed decisions. Here are a few steps you can take to ensure you select the most suitable equipment:
- 1. Assess your requirements: Start by identifying your specific safety needs and the potential risks in your environment. Consider factors such as the type of hazards present, the size of the area to be protected, and any regulatory requirements that may apply.
- 2. Consult our experts: Our team of experienced professionals is available to provide expert advice and guidance tailored to your unique situation. Whether you're unsure about which type of fire extinguisher to choose or need assistance with designing a comprehensive safety plan, we're here to help.
- 3. Explore our product range: Take some time to browse through our extensive selection of fire and safety equipment. Our website features detailed product descriptions, specifications, and customer reviews to help you make informed choices.
- 4. Consider customization options: In some cases, off-the-shelf solutions may not fully meet your requirements. If you have specific needs or preferences, we offer customization options to tailor our products to your exact specifications.
- 5. Take advantage of our resources: We provide educational resources, such as articles, guides, and a downloadable basic audit form, to help you better understand fire and safety equipment and best practices. Feel free to explore these resources to enhance your knowledge and make confident decisions.

If you need further assistance or have any questions about selecting the right equipment for your needs, don't hesitate to reach out to our knowledgeable customer service team. We're here to support you every step of the way.

I have a large quantity order; can I receive a corporate discount?

- Yes, Scavenger Fire & Safety offers corporate discounts for large quantity orders. We understand the importance of equipping your organization with the necessary fire and safety equipment while staying within budget.
- To inquire about corporate discounts or discuss pricing options for your large quantity order, please contact our dedicated corporate sales team or apply for a corporate account online. We'll work closely with you to provide competitive pricing and ensure you receive the best value for your investment in safety.

What payment methods do you accept?

At Scavenger Fire & Safety, we offer a variety of convenient payment options to accommodate our customers' preferences. We
accept major credit cards, including Visa, Mastercard, and American Express. For corporate clients, we also offer invoicing
options with flexible payment terms.

Do you provide installation services for your equipment?

Yes, we offer installation services to ensure that our customers can effectively use and maintain their fire and safety
equipment. Our experienced technicians can install your product and further conduct basic onsite training sessions tailored to
your specific needs, covering topics such as proper equipment usage, maintenance procedures, and emergency response
protocols. Please enquire for any installation services you may require.

Got any further questions? Here's some of our common FAQ.

What is your return policy?

• We want you to be completely satisfied with your purchase from Scavenger Fire & Safety. If you're not satisfied with your order for any reason, please contact our customer service team within 7 days of receiving your shipment to arrange for a return or exchange. Please note that certain items may be subject to restocking fees, and returns must be in their original packaging and condition.

Do you offer maintenance services for fire equipment?

 Yes, we provide comprehensive maintenance services for all types of fire equipment, including fire extinguishers, fire alarms, fire panels, emergency lighting systems and more. Our team of trained technicians can perform routine inspections, testing, and maintenance to ensure that your equipment remains in optimal working condition and compliant with relevant safety regulations.

What certifications and standards do your products meet?

- We are proudly Triple AAA assured, JAS-ANZ certified and FPA Gold Members.
- Our products meet stringent industry standards and are certified by relevant regulatory bodies. We prioritize safety and quality assurance in all our offerings, ensuring that our equipment complies with local, national, and international regulations.
- For specific information on certifications for individual products, please refer to the product descriptions on our website, contact our customer service team or view our dedicated certifications page.

Can I place an order over the phone?

 Yes, you can place an order over the phone with one of our friendly customer service representatives. Simply call our toll-free number (08) 9580 2500 during our business hours, and one of our team members will be happy to assist you with your order.
 Please have the product details and payment information ready when you call.

Do you offer discounts for non-profit organizations or government agencies?

• Yes, we offer special discounts for non-profit organizations, government agencies, and other qualifying institutions. We understand the importance of supporting these entities in their efforts to enhance public safety and disaster preparedness. To learn more about eligibility criteria and available discounts, please contact our sales team for further assistance. Alternatively, apply for a corporate account online.

What should I do in case of a product defect or malfunction?

If you encounter any issues with a product you've purchased from us, please contact our customer service team immediately
for assistance. We stand behind the quality of our products and will work swiftly to resolve any defects or malfunctions.
 Depending on the nature of the issue, we may offer troubleshooting guidance, arrange for a replacement, or provide warranty
support as applicable.





COMMITTED TO EXCELLENCE IN FIRE & DISASTER SAFETY.

Get in Contact with us

(08) 9584 2500 sales@scavengersupplies.com.au www.scavengerfiresafety.com.au 8 Panton Rd, Greenfields, WA 6210