

FARM - INDUSTRIAL - OTR

RADIAL, BIAS, PNEUMATIC TYRES



PROUDLY INDIAN TM
Truly International

AVIATOR



**Available
Variants:**



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

***“EXCEPTIONAL SERVICE,
UNBEATABLE VALUE”***

AVIATOR

TYRE SIZES AVAILABLE

Tyre Size	Load Index	Speed Symbol	TRA	Overall Diameter (mm)	Sectional Width (mm)	TT/TL
380/70R24	125	B/D	R1W	1190	379	TL
320/85R24	122	D	R1W	1153	328	TL
340/85R24	125	D	R1W	1187	352	TL
380/85R24	131	B/D	R1W	1256	379	TL
480/65R28	147	B	R1W	1335	479	TL
540/65R28	149	D	R1W	1415	538	TL
340/85R28	127	D	R1W	1288	352	TL
380/85R28	133	D	R1W	1356	381	TL
420/85R28	139	D	R1W	1424	437	TL
540/65R30	150	D	R1W	1464	540	TL
600/70R30	152/158	D	R1W	1602	578	TL
520/70R34	148	D	R1W	1630	508	TL
420/85R34	147	B/D	R1W	1578	437	TL
460/85R34	147	B	R1W	1645	474	TL
520/85R38	169	D	R1W	1848	515	TL
460/85R38	149	D	R1W	1746	476	TL
420/85R38	144	D	R1W	1678	437	TL
520/70R38	150	D	R1W	1752	716	TL
710/70R42	168/173	D	R1W	2034	678	TL
480/70R34	143/146	B/A8	R1W	1569	480	TL
420/70R28	133	B/A8	R1W	1340	425	TL
480/70R28	140	B/A8	R1W	1420	478	TL
420/70R30	134	B/A8	R1W	1393	425	TL
480/70R30	141/144	B/A8	R1W	1470	478	TL
480/70R24	138	B/A8	R1W	1315	478	TL
420/70R24	130	B/A8	R1W	1240	425	TL
400/65 R28	-	-	-	-	-	TL

ARTUBA



**Available
Variants:**



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound



TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter (mm)	Sectional Width (mm)	TT/TL
9.5-24	8/10	R1	105	232	TT
11.2-24	8/10	R1	1081	268	TT
12.4-24	8/12	R1	1160	315	TT
14.9-24	8/12	R1	1265	378	TT
18.4-26	10/132	R1	1435	445	TT
12.4-28	8/12	R1	1260	325	TT
13.6-28	8/10	R1	1315	345	TT
14.9-28	8/10	R1	1320	350	TT
16.9-30	8/12	R1	1484	430	TT
18.4-30	8/10/12	R1	1545	460	TT
8.3-32	6/8	R1	1195	211	TT
9.5-32	6	R1	1255	235	TT
16.9-34	10	R1	1585	429	TT
18.4-34	8/12	R1	1650	467	TT
12.4-36	6/10	R1	1465	325	TT
13.6-38	6/8	R1	1565	345	TT
15.5-38	8	R1	1585	395	TT
16.9-38	10	R1	1685	429	TT
18.4-38	8/12/14	R1	1750	467	TT

"BORN TO LEAD"

PROWLER



**Available
Variants:**



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

PROWLER

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter (mm)	Sectional Width (mm)	TT/TL
9.5-24	8/10	R1	105	232	TT
12.4-24	8/12	R1	1160	315	TT
14.9-24	8/12	R1	1265	378	TT
18.4-26	10/132	R1	1435	445	TT
12.4-28	8/12	R1	1260	325	TT
13.6-28	8/10	R1	1315	345	TT
14.9-28	8/10	R1	1320	350	TT
16.9-30	8/12	R1	1484	430	TT
18.4-30	8/10/12	R1	1545	460	TT
8.3-32	6/8	R1	1195	211	TT
9.5-32	6	R1	1255	235	TT
16.9-34	10	R1	1585	429	TT
18.4-34	8/12	R1	1650	467	TT
12.4-36	6/10	R1	1465	325	TT
13.6-38	6/8	R1	1565	345	TT
15.5-38	8	R1	1585	395	TT
16.9-38	10	R1	1685	429	TT
18.4-38	8/12/14	R1	1750	467	TT

"WE KNOW THE TERRAIN"

AGROVIA



**Available
Variants:**



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

AGROVIA

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter (mm)	Sectional Width (mm)	TT/TL
6.00-16	6/8	F2	745	173	TT
6.50-16	6/8/10	F2	770	180	TT
7.50-16	6/8/10	F2	820	205	TT
10.00-16	8/10	F2	895	273	TT
11.00-16	8	F2	970	326	TT
7.50-18	6/8	F2	875	208	TT
6.00-19	6	F2	830	174	TT
6.50-20	6	F2	865	180	TT
7.50-20	6/8/10	F2	915	205	TT

"WE KNOW THE TERRAIN"

FLOATSTAR



**Available
Variants:**



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

FLOATSTAR

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter (mm)	Sectional Width (mm)	TT/TL
550/60-22.5	16/20	13	1238	550	TL
550/45-22.5	16/20	13	1070	525	TL
400/55-22.5	14/16	13	1030	401	TL
500/45-22.5	16	13	1030	500	TL
500/50-22.5	16/20	13	1070	500	TL
500/60-22.5	16/20	13	1170	500	TL
400/60-15.5	16/18	13	874	404	TL
400/60-22.5	14 & 16	13	1025	405	TL
600/55-22.5	12 & 16	13	1180	615	TL
700/50-22.5	12 & 16	13	1180	715	TL
600/50-22.5	12 & 16	13	1115	615	TL
700/40-22.5	12 & 16	13	1115	710	TL

"DESIGN TO PROTECT YOU"

BLIMP



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter (mm)	Sectional Width (mm)	TT/TL
12.5/80-18	10/12/14/18	I-2	760	274	TL

“BUILT FOR EVERY ADVENTURE”



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter (mm)	Sectional Width (mm)	TT/TL
10.0/75-15.3	10/12/14/18	I-2	760	274	TL
11.5/80-15.3	10/12/14/16/18	I-2	844	297	TL
12.5/80-15.3	14	I-2	850	300	TL

“BUILT FOR EVERY ADVENTURE”

agro trail i1



Available Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter (mm)	Sectional Width (mm)	TT/TL
9.5L-15	8/12	I-1	782	241	TT
11.5L-15	8/10/12	I-1	795	280	TT
12.5L-15	10/12	I-1	823	318	TT

"EXCELLENCE IN MOTION"



Available Variants:



Wear
Resistance



Cut & Chip
Resistance




Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
5.00-8	6/8/10	NHS	467	132	TT
18x7-8	8/10/14	NHS	462	173	TT
6.00-9	10/12	NHS	537/545	160	TT
6.50-10	10	NHS	589	178	TT
7.00-12	12	NHS	674	192	TT
8.15-15	14	NHS	706	221	TT
8.25-15	12/14/16	NHS	832	232	TT

"DRIVING TOMORROW"

EMPEROR



Available Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
17.5-25	16/20	L3	1345	435	TL
20.5 -25	16/20/24	L3	1485	530	TL
23.5-25	16/20/24	L3	1625	600	TL

"RULING THE TERRAIN"

TRANSFORMER



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter (mm)	Sectional Width (mm)	TT/TL
18.00-25	40	IND 4.5	1700	500	TL

“STRENGTH BEYOND LIMITS”

TRANSFORMER



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter (mm)	Sectional Width (mm)	TT/TL
18.00-25	40	L4S	1673	498	TL
18.00-25	40	L5S	1673	498	TL

“STRENGTH BEYOND LIMITS”

EMPERADOR



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
17.5L-24	16/18	IND	1220	425	TL
19.5L-24	16/18	IND	1775	475	TL

“MADE TO RULE”

EMPERADOR



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
460/70R24 (17.5R24)	159 A8	IND	1250	452	TL
500/70R24 (19.5R24)	159 A8	IND	1310	505	TL

“MADE TO RULE”

VE\$PER



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
14.00-25	20/24	E3	1405	360	TT

“READY FOR EVERY CHALLENGE”



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
16.9-28	12/16	R4	1430	444	TT

“WE DO MORE THAN JUST TYRE”



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
9.00-16	18	IND	914	253	TT

“DRIVE YOUR ADVENTURE”



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
12.5/80-18	12/16	IND	965	308	TT

“DRIVE YOUR ADVENTURE”

SAMBA



**Available
Variants:**



Wear
Resistance



Cut & Chip
Resistance




Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
10-16.5 NHS	8/10/12	SS-1	773	264	TL
12-16.5 NHS	10/12/14	SS-1	830	278	TL
14-17.5 NHS	10/12/14	SS-1	910	349	TL

"DRIVE LIKE NEVER BEFORE"

PYROSTAR



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter (mm)	Sectional Width (mm)	TT/TL
23.1-26	8/12/16	R3	1560	587	TL

“ENGINEERED FOR PERFECTION”

SCORPION KING



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
13.00-24	12/16	G2/L2	1285	320	TT
14.00-24	12/16	G2/L2	1361	345	TT

“UNLEASH THE FURY”

 **DINESHA**



**Available
Variants:**



**Wear
Resistance**



**Cut & Chip
Resistance**



**Ozone
Resistance**



**Cut
Resistance**



**Heavy
Duty**



**REACH
Compound**

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
10.00-20	18	E3	1099	278	TT

"THE ULTIMATE SOLUTION"



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
12.00-24	20	E3	1275	300	TT

“THE ULTIMATE SOLUTION”



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
12.00-20	20	E3	1146	280	TT

“THE ULTIMATE SOLUTION”



Available
Variants:



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter (mm)	Sectional Width (mm)	TT/TL
9.00-20	14/16	IND C1	1016	275	TT/TL
11.00-20	16/18	IND C1	1050	291	TT/TL

“THE ART OF AUTOMOTIVE CARE”

DUNESTAR



Available Variants:



Wear
Resistance



Cut & Chip
Resistance




Ozone
Resistance



Cut
Resistance



Heavy
Duty




REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	PR	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
18X8.50-8	4/6	NA	460	216	TL
205/50-10	4/6	NA	470	205	TL
20.5x8-10	08/10	NA	512	210	TL

"DESIGNED TO PROTECT YOU"

TILLMAN



**Available
Variants:**



Wear
Resistance



Cut & Chip
Resistance



Ozone
Resistance



Cut
Resistance



Heavy
Duty



REACH
Compound

TYRE SIZES AVAILABLE

Tyre Size	Load Index	Speed Symbol	TRA	Overall Diameter(mm)	Sectional Width(mm)	TT/TL
230/95R32	128	A8	R1	1251	228	TL
270/95R32	136	A8	R1	1327	275	TL


"DESIGNED TO PROTECT YOU"

OUR GLOBAL PRESENCE



OUR NATIONAL PRESENCE





RUBBER KING ™



Rubber King Tyre Private Limited

104, Naindhara Apartment, Sarkhej - Gandhinagar Hwy,
Near GNFC Info Tower, Bodakdev, Ahmedabad, Gujarat 380054

 mktg@rubberkingtyres.com  rubberkingtyres.com  +91-7567560814

