

HIKOKI

POWER TOOLS CATALOGUE

Oct 2025 - Mar 2026

MAKE.
MOVE.
GO

SPEND BETWEEN
\$699-\$998
ON HIKOKI CORDLESS
POWER TOOLS TO
REDEEM



1 x BSL36A18X
18/36V MULTIVOLT BATTERY

SPEND BETWEEN
\$999-\$1298
ON HIKOKI CORDLESS
POWER TOOLS TO
REDEEM



2 x BSL36A18X
18/36V MULTIVOLT BATTERIES

SPEND
\$1299 OR OVER
ON HIKOKI CORDLESS
POWER TOOLS TO
REDEEM



3 x BSL36A18X
18/36V MULTIVOLT BATTERIES

REDEMPTION OFFERS FOR HIKOKI CORDLESS TOOL PURCHASES \$699 & OVER.

Offer only valid with the purchase of HIKOKI cordless tools. *Strictly 1 redemption item per invoice. See terms & conditions inside.

REDEMPTIONS

TERMS & CONDITIONS

ONLY ONE REDEMPTION ITEM PER INVOICE*

* Via redemption, while stocks last. REDEMPTION ITEMS CANNOT be swapped. To redeem please visit hikokipowertools.com.au and click on the Redemption Page. Offer valid for eligible purchases from October 1st to March 31st 2026. Final Submission Cut Off: 14th April 2026. Full terms & conditions apply.

SPEND BETWEEN \$699-\$998

ON HIKOKI CORDLESS POWER TOOLS TO
REDEEM



1 x MULTIVOLT BATTERY
36V 2.5 Ah / 18V 5.0 Ah
BSL36A18X

SPEND BETWEEN \$999-\$1298

ON HIKOKI CORDLESS POWER TOOLS TO
REDEEM



2 x MULTIVOLT BATTERIES
36V 2.5 Ah / 18V 5.0 Ah
BSL36A18X

SPEND OVER \$1299 OR OVER

ON HIKOKI CORDLESS POWER TOOLS TO
REDEEM



3 x MULTIVOLT BATTERIES
36V 2.5 Ah / 18V 5.0 Ah
BSL36A18X

CONCRETE NAILING WITH EASE

NC1840DAH3Z
CONCRETE NAILER

BRUSHLESS

AIR SPRING DRIVE SYSTEM



NEW
INNOVATIVE MODEL



LEARN MORE

HIGH DRIVING SPEED

NO GAS CARTRIDGES

DEPTH ADJUSTMENT

COMING SOON

CONCRETE NAILS

FOR HARD CONCRETE & STEEL

Applications:

- Fastening in high-strength concrete
- Installation on or in steel profiles
- Ideal for industrial applications





18V | Gasless 90mm Framing Nailer Kit

NR1890DCAHMZ

- Improved design that's slimmer and lighter
- Aggressive nose for effortless skew nailing
- More Power - sinks 90mm nails with ease
- Unique Air Spring Drive System
- Improved durable alloy magazine for quick loading and cleaning
- Belt and rafter hooks included

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 2 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port.

Specifications

Voltage	18V
Driving system	Air Spring Drive
Nail type	Clipped Head
Nail length	50 to 90mm
Nail angle	30 to 34°
Depth adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Battery level indicator	On battery ✓
LED light	✓
Hooks	Belt+Rafter ✓
Magazine capacity	50 Nails
Dimensions (H x D x L)	359 x 133 x 317mm



Scan for full tool specs.

OPTIONAL ACCESSORIES

Extended Magazine

382417



No Mar Tip

382493



18V | Gasless 90mm Framing Nailer Kit

NR1890DCASP1Z (AU40100068)

- Improved design that's slimmer and lighter
- Aggressive nose for effortless skew nailing
- More Power - sinks 90mm nails with ease
- Unique Air Spring Drive System
- Improved durable alloy magazine for quick loading and cleaning
- Belt and rafter hooks included

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 1 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port

Specifications

Voltage	18V
Driving system	Air Spring Drive
Nail type	Clipped Head
Nail length	50 to 90mm
Nail angle	30 to 34°
Depth adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Battery level indicator	On battery ✓
LED light	✓
Hooks	Belt+Rafter ✓
Magazine capacity	50 Nails
Dimensions (H x D x L)	359 x 133 x 317mm



Scan for full tool specs.

18V | Gasless 90mm Framing Nailer

NR1890DCAH4Z

- Improved design that's slimmer and lighter
- Aggressive nose for effortless skew nailing
- More Power - sinks 90mm nails with ease
- Unique Air Spring Drive System
- Improved durable alloy magazine for quick loading and cleaning
- Belt and rafter hooks included

Skin, Belt Hook, Torx Key, Standard Magazine, Safety Glasses.

Skin only.

Specifications

Voltage	18V
Driving system	Air Spring Drive
Nail type	Clipped Head
Nail length	50 to 90mm
Nail angle	30 to 34°
Depth adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Battery level indicator	On battery ✓
LED light	✓
Hooks	Belt+Rafter ✓
Magazine capacity	50 Nails
Dimensions (H x D x L)	359 x 133 x 317mm



Scan for full tool specs.



18V | Gasless 15G Angle Finishing Nailer Kit

NT1865DAAHXZ

Also available as skin only.

- Improved new design that's slimmer and lighter
- More power - sinks 64mm 15G DA nails with ease
- Unique Air Spring Drive System
- New slimline nose for precision nailing

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 2 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port.



Specifications

Voltage	18V
Driving system	Air Spring Drive
Nail type	15G DA Series
Nail length	32 to 64mm
Nail angle	34°
Depth adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt hook	✓
Magazine capacity	100 Nails



Scan for full tool specs.

18V | Gasless Metal Connector Nailer

NR3665DAH4Z

- More power - Drives 64mm long nails with ease
- Unique Air Spring Drive System
- Easily set the tip of the nailer at the hole of the metal connector for accurate nailing
- Designed for pre-punched hole metal connectors

Skin only.



Specifications

Voltage	36V
Driving System	Air Spring Drive
Nail Type	Metal Connector
Nail Length	38 to 64mm
Nail Angle	34°
Nose Type	Positive Probe
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	31 Nails



Scan for full tool specs.

18V | Gasless 16G Straight Finishing Nailer kit

NT1865DSAHXZ

Also available as skin only.

- Improved new design that's slimmer and lighter
- More power - sinks 64mm 16G C series nails with ease
- Unique Air Spring Drive System
- New slimline nose for precision nailing

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 2 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port.



Specifications

Voltage	18V
Driving system	Air Spring Drive
Nail type	16G C Series
Nail length	25 to 64mm
Nail angle	Straight
Belt Hook	Belt Hook ✓
Magazine capacity	100 Nails



Scan for full tool specs.

36V | Gasless Duplex Nailer

NR3675DDW6Z

- Innovative duplex nailer for temporary fixings
- More Power - Drives 75mm duplex nails with ease
- Unique Air Spring Drive System
- Dry-fire lockout system

Supplied with Belt Hook, Case 4. Skin only.



Specifications

Voltage	36V
Driving System	Air Spring Drive
Nail Type	Duplex Nails
Nail Length	45 to 75mm
Nail Angle	21°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	35 Nails



Scan for full tool specs.

18V | Gasless 18G Straight Brad Nailer Kit

NT1850DAHRZ

Also available as skin only.

- Improved new design that's slimmer and lighter
- Unique Air Spring Drive System
- More power - Sinks 18G C1 series nails with ease
- New slimline nose for precision nailing

Skin, supplied in System Case 4, Belt Hook, Torx Key, Standard Magazine, Safety Glasses, 2 x BSL36A18X Li-ion Slide Battery A and 1 x UC18YSL3 Rapid Cooling Charger with USB Port.



Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	18G C1 Series
Nail Length	16 to 50mm
Nail Angle	Straight
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Nails



Scan for full tool specs.

NEW Duplex Nails

Three sizes available:

- 4100441 - 3.3 x 45/57mm
- 4100442 - 3.3 x 58/70mm
- 4100443 - 3.3 x 77/89mm

- Innovative Duplex Nails for temporary fixings and formwork
- The nail is fired to the depth of the first head, leaving the second head exposed, allowing quick and easy removal
- Plastic-collated
- 21° nail angle
- Finish: Bright
- Shank type: Smooth
- Packs of 2,000 nails





NEW 18V | Cordless 23G Pin Nailer

NP18DSALW4Z

- Compact and lightweight design
- Powerful nailing - sinks 23G pins with ease
- Fast pin nailing speeds
- HiKOKI Spring Drive System

Skin supplied in Cardboard Box, includes safety glasses, nose cap set (mounted on tool), hex key (4mm).
Skin only.

Specifications

Voltage	18V
Driving system	Spring Drive
Nail type	23G Pin Nails
Nail length	15 to 35mm
Nose type	Precision Nose
Depth adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt hook	✓
Magazine capacity	100 Pins



Scan for full tool specs.

NEW 18V | Gasless 18G Stapler

N1804DAW4Z

- Compact and lightweight design for optimal operation
- Unique Air Spring Drive System
- Fast stapling - drives 18G staples with ease
- Shoots up to 1000 staples per charge

Skin supplied in Cardboard Box, includes belt hook, safety glasses, nose cap.
Skin only.

Specifications

Voltage	18V
Driving system	Air Spring Drive
Staple type	Crown Gauge 18G 1/4"
Staple length	15 to 40mm
Wire thickness	1.0mm to 1.25mm
Depth adjustment	Tool-less ✓
LED light	✓
Belt hook	✓
Magazine capacity	110 Staples



Scan for full tool specs.

NEW 18V | Cordless 13mm Fine Wire Stapler

N1812DAW4Z

- Optimal use for fastening of fabrics, leather, foils, plastic and cardboard
- Fast stapling speed for fastest working progress
- Compact and lightweight design
- Slim design allows to set staples as close as 4mm

Supplied with Belt Hook.
Skin only.

Specifications

Voltage	18V
Driving system	Spring Drive
Staple type	Crown width 13mm
Staple length	6 - 13mm
Wire thickness	0.5 x 0.7mm
Quick stapling speed	Up to 5 staples/sec
Dry-fire lockout mechanism	✓
Belt hook	✓
Magazine capacity	150 Staples



Scan for full tool specs.

BRUSHLESS SAWS

36V | Brushless Slide Compound Mitre Saw 305mm C3612DRAH4Z

- Innovative Torque Boost Technology
 - XACT Cut LED for casting accurate cutting line
 - 305mm blade diameter
- Supplied with TCT Blade & Wrench.
Skin only.



Specifications

Voltage	36V	
Blade Diameter	305mm	
Mitre Angle	Left: 45°	Right: 57°
Bevel Angle	Left: 45°	Right: 45°
XACT Cut LED	✓	
Torque Boost	✓	
No Load Speed	HT: 3,200rpm	AS: 4,000rpm
Motor Type	Brushless	
Weight (Skin)	26.2kg	



Scan for full tool specs.

36V | Brushless Slide Compound Mitre Saw 255mm C3610DRAH4Z

- Compact slide system
 - Laser marker guide
 - 255mm blade diameter
- Supplied with TCT Blade & Wrench.
Skin only.



Specifications

Voltage	36V	
Blade Diameter	255mm	
Mitre Angle	Left: 55°	Right: 607°
Bevel Angle	Left: 48°	Right: 48°
Laser Marker	✓	
LED Light	✓	
No Load Speed	HT: 3,200rpm	AS: 4,000rpm
Motor Type	Brushless	
Weight (Skin)	20.6kg	



Scan for full tool specs.

18V | Brushless Circular Saw 165mm C1806DBH4Z

- Electric brake
 - Rotation speed changeover function:
Power mode / Silent mode
 - 4,500rpm - 1.2 times more cutting speed than
the C18DBAL
 - Integrated dust nozzle for optimal dust collection
 - Easy to push handle for long & shallow cuts
 - 3.3kg (inc. battery) compact & lightweight body
- Supplied with saw blade, 5mm Hex bar wrench, dust adapter.



Specifications

Voltage	18V	
Blade diameter	165mm	
Cutting Depth 45° / 90°	45mm / 66mm	
No Load Speed	Power mode	4,500rpm
	Silent mode	2,500rpm
Weight (Skin)	2.63kg	



Scan for full tool specs.

36V | Brushless Circular Saw 185mm C3607DBH4Z

- New Torque Boost Technology
 - Smart AUTO switch function
 - 185mm blade - max cut 62mm at 90°
- Supplied with case.
Skin only.



Specifications

Voltage	36V	
Blade Diameter	185mm	
Max Cut	90° - 62mm	45° - 47.5mm
Torque Boost	✓	
Modes	Auto Switch	High Torque
No Load Speed	6,000rpm	4,500rpm
Motor Type	Brushless	
Hook Type	Rafter	✓
Weight (Skin)	3.7kg	



Scan for full tool specs.

36V | Brushless Rear Handle Circular Saw 185mm C3607DWAH4Z

- Lightest weight rear handle circular saw in the market
 - Best balanced design
 - Easy to push and cut a straight line
 - Cutting speed equal to an AC-powered tool
 - Kickback mitigation system
- Supplied with saw blade, hook, wrench.



Specifications

Voltage	36V	
Blade diameter	185mm	
Cutting Depth 45° / 90°	45mm / 62mm	
Maximum Bevel Angle	53°	
No Load Speed	5,100rpm	
Motor Type	Brushless	
Dimensions	432 x 213 x 260mm	
Weight (Skin)	3.73kg	



Scan for full tool specs.

36V | Brushless Plunge Saw 165mm C3606DPAH4Z

- Accurate precision cutting when fitted to a rail
 - Variable speed function
 - Double guide for superior precision
 - Compatible with HiKOKI rail system
- Skin only.
Also available in a kit.



Specifications

Voltage	36V	
Blade Diameter	165mm	
Max Cut	0° - 66mm	45° - 43mm
Bevel Angle	-1° to 46°	
No Load Speed	Low: 2,500rpm	High: 5,200rpm
Motor Type	Brushless	
Dust Port	✓	
Guide System	Bevel / Depth	✓
Weight (Skin)	4.43kg	



Scan for full tool specs.

COMBO KITS

18V | 2-Piece Brushless Impact Drill & Driver Combo

KC18DEHAZ



- 1 x **DV18DE** 18V Brushless Impact (Hammer) Driver Drill
- 1 x **WH18DE** 18V Brushless Impact Driver 175Nm
- 2 x **BSL36A18X** (380082) MultiVolt 18V/36V (5.0/2.5 Ah) Li-ion Slide Battery A
- 1 x **UC18YSL3** Rapid Charger with Cooling & USB Port
- 1 x Carry Case

Accessories not included.

\$549^{RRP*}

18V | 2-Piece Gasless Framing & Finishing Nailer Combo

FRAMERPROPACKHRZ (AU40100041)



- 1 x **NR1890DCA** 18V Gasless Framing Nailer 30-34° 90mm
- 1 x **NT1865DAA** 18V Gasless 15G DA Series Angled Finishing Nailer 34° 64mm
- 2 x **BSL36A18X** (380082) MultiVolt 18V/36V (5.0/2.5 Ah) Li-ion Slide Battery A
- 1 x **UC18YSL3** Rapid Cooling Charger with USB Port
- 2 x Stackable Carry Case IV

Accessories not included.

\$1,499^{RRP*}

36V | 5-Piece Brushless Combo

KC36D5P3HRZ (AU48000014)



- 1 x **DV36DC** 36V Brushless Impact (Hammer) Driver Drill
- 1 x **WH36DC** 36V Brushless 6.35mm (1/4") Impact Driver 215Nm
- 1 x **G3613DVF** 36V Brushless Angle Grinder Paddle (Deadman) switch with Brake 125mm
- 1 x **C3607DB** 36V Brushless Circular Saw 185mm
- 1 x **CR36DA** 36V Brushless Reciprocating Saw
- 2 x **BSL36A18X** (380082) MultiVolt 18V/36V (5.0/2.5 Ah) Li-ion Slide Battery A
- 1 x **UC18YSL3** Rapid Cooling Charger with USB Port
- 1 x Premium Site Bag

Accessories not included.

\$1,699^{RRP*}

36V/18V | Brushless 9 Piece Combo

KC36D9PHRZ (AU48000030)



- 1 x **DV36DC** 36V Brushless Impact (Hammer) Driver Drill
- 1 x **WH36DC** 36V Brushless 1/4" Impact Driver
- 1 x **C3607DB** 36V Cordless Circular Saw
- 1 x **CR36DA** 36V Brushless Reciprocating Saw
- 1 x **DH3628DA** 36V SDS Plus Rotary Hammer 28mm
- 1 x **G3613DVF** 36V Grinder with paddle switch 125mm
- 1 x **CV18DA** 18V Brushless Cordless Multi Tool
- 1 x **UR18DA** 18V Cordless Bluetooth Radio
- 1 x **RB18DC** 18V Cordless Blower
- 3 x **BSL36A18X** (380082) MultiVolt 18V/36V (5.0/2.5 Ah) Li-ion Slide Battery A
- 1 x **UC18YSL3** Rapid Charger with Cooling
- 1 x System Case 3
- 1 x Carry Bag

Accessories not included.

\$2,099^{RRP*}

ENERGISE YOUR PERFORMANCE

HiKOKI T-PWR BATTERY SERIES

THE NEW TABLESS CELL TECHNOLOGY



Ready for next-level energy?
The HiKOKI T-PWR battery is your power source, engineered to supercharge your performance and ready to conquer your challenging goals.

POWER + PERFORMANCE

2160W

MAX OUTPUT

8.0AH (18V)

4.0AH (36V)

21700

HIGH OUTPUT
TABLESS CELLS



BSL3640MVT
HIGH OUTPUT TABLESS BATTERY

1080W

MAX OUTPUT

5.0AH (18V)

2.5AH (36V)

18650

HIGH OUTPUT
CELLS



BSL36A18X
HIGH OUTPUT BATTERY

1440W

MAX OUTPUT

8.0AH (18V)

4.0AH (36V)

21700

HIGH OUTPUT
CELLS



BSL36B18X
HIGH OUTPUT BATTERY

MAKE. MOVE. GO

HiKOKI

COMPATIBLE WITH 180+ 36V AND 18V HIKOKI POWER TOOLS

**MORE
POWER**

**MAXIMIZE
YOUR PRODUCTIVITY**

Go for more power with the HiKOKI T-PWR battery, delivering ease and efficiency. You'll finish projects faster, giving you extra time to focus on new tasks or enjoy some personal time after a hard day's work.



**FASTER
WORKING**

**WORK SMARTER,
NOT HARDER**

Keep pushing, keep building, and let nothing slow you down. Complete heavy duty projects with fewer interruptions. Finish strong and make time for tackling your next big project or taking a break.



**LONGER
RUNTIME**


**GO
FURTHER**

Go further and keep your tools running cooler and stronger, ready to perform during heavy-duty tasks. Trust your gear, leave doubt behind, and face the toughest challenges head-on.




TABLESS CELL TECHNOLOGY

The HiKOKI T-PWR Tabless Battery (BSL3640MVT) has been built with less internal resistance allowing for more power to flow from the tabless battery to the power tool increasing both the overload capacity and tool speed.



Standard cell



Tabless cell

CHARGING + POWER ON THE GO!

PORTABLE USB POWER
CHARGER SET
UC18DAH4Z



NEW
INNOVATIVE MODEL



POWER CHARGING.

GO FURTHER.



PORTABLE USB POWER CHARGER SET UC18DAH4Z

Charge and power up on the move. Charge your HiKOKI 18V or MULTIVOLT Battery or use as a power bank for running devices. Includes integrated LED light.

Specifications:

- Output In/Out: USB-C (PD) 65W, 5-20V
- Output Out only: USB-C 5V/2.5A
- Includes: USB-C cable & AC power plug



FAST CHARGER UC36YSL2H0Z

The UC36YSL2 delivers lightning-fast charging, thanks to its advanced cooling system and overcharging and overheating protection. Its bright charge status light makes it easy to check the battery anywhere on the worksite, always signalling that you're ready to start your next project.



RAPID CHARGER UC18YSL3H0Z

Product Features:

- Approximately 38 minutes charging time (6.0Ah battery)
- Approximately 32 minutes charging time (5.0Ah battery)
- 18V Rapid charger with cooling and USB port
- Compatible with all HiKOKI 18V slide type li-ion batteries



4 PORT MULTI CHARGER UC18YTSLH0Z

This versatile charger offers the flexibility of "Rapid Charge (one by one)" or "simultaneous charge". Equipped with two USB ports, it's not just for power tools but also for your devices.

Product Features:

- Switch between "Rapid Charge (one by one)" or "simultaneous charge"
- 2 x USB ports
- Can be powered by engine generators
- 2 stage overcharge protection system
- Charge indicator lamp to check status of each battery



36V BATTERY ADAPTER ET36AH0Z

Enables seamless connectivity to AC power sockets for an endless runtime.

Product Features:

- Connect cordless MultiVolt tools[‡] to AC power socket for unlimited runtime
- Adaptor cord can be adjusted from 90 - 180 degrees for convenience

[‡]Not compatible with MultiVolt Grinders

HIKOKI

2ND GENERATION

CORDLESS

NAILERS

**GET
YOURS
NOW!**



**FASTER.
LIGHTER.
MORE
POWER.**



hikokipowertools.com.au