


bestrongworld bestrongworld global.bestrong.com info@bestrong.com

Muscle Groups Focus





Stepper on pillar


The Steppers are your perfect companion for robust outdoor workouts. Seamlessly blending form and function, this innovative stepper offered in three fixed heights (400, 500, 600 mm) to cater to varied exercise intensities. Its space-saving design retains the potency of traditional steppers, while its sturdy and slip-resistant construction ensures safety.

Attributes


Product code Certificate Age group Capacity Max. weight load Type Difficulty level

1-1-129 EN 16630 14 + years 1 person 99 kg Fitness Easy

Side View



Plan View



Installation information

Number of installers (concrete) At least 2 people Total installation time (concrete) 25-45 min. Number of installers (equipment) At least 2 people Total installation time (equipment) 10-15 min. Excavation volume $0.2 \, \text{m}^3$ Concrete volume $0.2 \, \text{m}^3$ 0,5 x 0,5 x 0,8 m Size of the base structure Anchoring options In-g
In combined structures, the volume of concrete required varies In-ground or surface

Technical specification

Safety surfice area
Net weight
Net weight
Safety Surfice area
Around 1,5 m radius
Safety Surfice area
Around 1,5 m radius
Arou

For more color options, discuss with your sales representative.

Warranty

Structure
Steel
Paint
Plastic
Rubber
Moving parts
Detailed information in the warranty document

25-15 years 5-10 years 2 years 5-10 years 1-3 years 2 years

Material specification





The element is made of high quality S235 steel, which has been cleaned via sandblasting. A corrosion resistant powder coating finish is then applied. Also available with galvanized surface for even greater protection and longevity!



The top surface of the device is covered with the highest quality non-slip HDPE.



The connecting ments are fastened with vandal-proof stainless steel screws and nuts.



The ends of the bars and posts are sealed with injection-moulded plastic caps.



The clamp system allows for easy assembly and extreme stability.













