Catalog No. 126 JONARD TOOLS® MADE FOR LIFE GUARANTEED FOR LIFE 65TH ANNIVERSARY ing in them



# JONARDTOOLS

**Premier Manufacturer Since 1958** 

# MADE FOR LIFE GUARANTEED FOR LIFE

# **OUR MISSION**

Engineering Innovative Tools That Move
The Industry Forward & Connect The World



# **ABOUT US**

Founded in 1958, Jonard Tools® manufactures tools for the Telecom, CATV, Fiber Optic, Home Automation, Security & Alarm, and Electrical markets. Jonard Tools is the global leader of Fiber Optic tools. We design and engineer patented products by utilizing customer partnerships to create innovative solutions for industry needs. New tools are released monthly and are Made For Life® and Guaranteed For Life. Through quality and innovation Jonard Tools aims to move the industry forward and connect the world. Our distribution covers all 50 United States and over 100 countries, our brand names are recognized throughout the world.

# **OUR STORY**

The company was founded by Bernard Osten and Renee Fersen Osten in 1958 headquartered in New York. Initially the company carried products such as specialty telecom tools, wrenches, adjusters, and alignment tools. As the industry grew, Jonard Tools grew and expanded their product line to over 800 products today. The headquarters of Jonard Tools is still located in New York with a strong growing global team located around the world.

# **MOVING FORWARD**

We're driven to continually anticipate our customers' changing needs and our dedication to the customer shows in everything we do. We manufacture over 800 unique products and ship 98.7% of all orders complete within 24 hours. We develop 2-3 new products each month. With our premium quality control standards and precise production, we feel confident to offer a lifetime guarantee that is unmatched by our competitors.










# SAVE YOUR FAVORITE TOOLS & SHARE!



# **Browse All Your Saved Products**



#### Easily Add an Item From a Product Page

CCB-34

#### Cable Comb® Cable Organizing Tool CAT6A/CAT7

Alignment, Adjustment, & Burnishers Networking & IT Oable Installation & Fishing

Register Product

+ My Toolbox

Neatly bundle your cables! Jonard Tools' Cable Comb™ Cable Organizing Tool substantially reduces the amount of time it takes to straighten, organize, and lash multiple cables together with ease. The Cable Comb also features the following:



REGISTER PRODUCTS



# REGISTER YOUR PRODUCTS FOR FREE SWAG & REWARDS



+ Register Products

Scan QR code for Video Instructions



or go to www.jonard.com/videotutorials



### Easily Register an Item From a Product Page

CCB-34

Cable Comb® Cable Organizing Tool CAT6A/CAT7

Alignment, Adjustment, & Burnishers Networking & IT Cable Installation & Fishing






Buy Now

Neatly bundle your cables! Jonard Tools' Cable Comb™ Cable Organizing Tool substantially reduces the amount of time it takes to straighten, organize, and lash multiple cables together with ease. The Cable Comb also features the following:

#### **View Your Registered Products**







#### MADE FOR LIFE®

<b>05</b>	Fiber Optic Tools	<b>95</b>	Cable & Wire Stripper & Slitters
33	CATV/COAX Tools	99	Insertion & Extraction Tools
49	Cable Installation	102	Soldering & Desoldering Tools
61	Solar	103	Kynar® Wire
63	Hand Tools	105	Wire Wrap Tools
80	Electrical	115	Alignment Tools
81	Bags & Pouches	117	Force Gauges
83	Network & Telecommunication Tools	118	Index








#### **Fiber Optic Strippers**

The Jonard fiber optic strippers use preset factory settings so no adjustments are required. This unique design eliminates human error and prevents nicks or scratches from occurring on the optical fibers. Our fiber optic strippers feature the following:

- . These tools are made of strong high carbon steel and the blades are ground and hardened for higher durability and longer life
- Ergonomic handle is made of TPR (thermoplastic rubber) for greater comfort
- JIC-125 and JIC-175 strips the 250 micron coating down to expose the 125 micron optical fiber
- JIC-180C strips the 180 micron coating down to expose the 125 micron optical fiber
- JIC-275 strips the 600-900 micron buffer coating, and 250 micron coating to expose the 125 micron glass fiber
- JIC-375 strips the 1.6 mm-3 mm fiber jacket, 600-900 micron buffer coating, and 250 micron coating to expose the 125 micron glass fiber

SPECS	JIC-125	JIC-175	JIC-180C	JIC-275	JIC-375
DESCRIPTION	Compact Fiber Optic Stripper, 250 micron	Ergonomic Fiber Optic Stripper, 250 micron	Ergonomic Fiber Optic Stripper, 180 micron	Fiber Optic Stripper, Two Hole	Fiber Optic Stripper Three Hole
STRIP DIAMETER	250 micron	250 micron	180 micron	250 micron, 600-900 micron	250 micron, 900 micron, 1.6-3.0 mm
NUMBER OF STRIPPING HOLES	1	1	1	2	3
QR CODE					





#### RocketRibbon® Cable Shaving Tool, 12-22 mm - RRS-1222

Designed to shave thick jacketed cable, such as Corning's armored and non-armored RocketRibbon® cable, this tool is perfect for making access windows on cables 0.47" to 0.87" (12-22 mm) in diameter.



Replacement Blades (Pack of 5): RRS-1222RB



#### Window Shaving Tool - WST-225

Designed to shave a longitudinal access window in round FTTH riser cables and microducts for mid-span access. This riser slitting tool is perfect for making access windows on cables 8-14 mm (0.33" to 0.55") in diameter without damaging the fiber inside.



Replacement Blades (Pack of 25): RST-RB25



#### Mid Span Shaving Tool (1.0 mm-3.3 mm) - MS-600

The MS-600 Mid Span Shaving Tool is designed to provide easy access to optical fibers in outer jackets and loose buffer tubes. With 6 precision grooves to handle various cable sizes, the sleek ergonomic design allows you to open a fiber jacket or buffer tube without damaging the fiber inside.



Replacement Blade Set: MS-600RB



#### **Round Cable Strip & Ring Tools**

The **PATENTED** Round Cable Strip & Ring Tools are designed for fast and precise removal of cable jackets from round cables. Triple action design makes longitudinal cuts for end stripping, spiral cuts for end and mid span stripping, and circular cuts for jacket removal.

SPECS	CST-900	CST-1140	CST-1900	CST-4000
CUT TYPE	Slit, Ring	Slit, Ring	Slit, Ring	Slit, Ring
CABLE DIAMETER	.0315" - 1.10" (8 mm-28 mm)	3/16" - 1 1/8" (4.5 mm-29 mm)	3/16" - 1 1/8" (4.5 mm-29 mm)	3/4" - 1 5/8" (19 mm-40 mm)
QR CODE	□ %;□ 2.2000 □ %;□		0 % 0 5 % 0 0 % 0	■ # 1



#### CableSaber™ Armored Strip & Ring - AST-200

The award winning CableSaber™ is the ultimate tool for gaining midspan access to armored or thick jacketed cables 4 mm-28.6 mm (0.157" to 1.125") in diameter.



Replacement Blades (Pack of 2): AST-200RB





#### CableSaber+™ Armored Cable & Fiber Duct Slitter - AST-210

The Jonard Tools **CableSaber+™** is the ultimate tool for gaining mid-span access to armored or thick jacketed cables 4 mm-30.0 mm (0.157" to 1.181") in diameter, such as Corning's 1728 RocketRibbon® cable.

Replacement Blades (Pack of 2): AST-210RB



# Precision Fiber Optic Stripper (180-330 Micron) - ST-300

Designed for precision fiber optic stripping, this tool is perfect for stripping the 180-330 micron acrylate coating to expose the 125 micron glass fiber of fiber optic cables.





# Precision Fiber Optic Stripper (600-1100 Micron) - ST-950

Designed for precision fiber optic stripping, this tool is perfect for stripping the 600-1100 micron buffer coating to expose the 250 micron acrylate-coated glass fiber of fiber optic cables.





#### **Fiber Drop Cable Strippers**


Designed to strip FTTH drop cables, these drop cable strippers strip the outer jacket of drop cables and cuts the strength members to expose the fiber inside.



- Works on cables with FRP or steel strength members
- Removes the outer jacket without damaging or nicking the fiber
- Fiber support is scaled to help determine strip length



FDS-216 - Strips FTTH drop cables sized 1.6 mm by 2.0 mm FDS-312 - Strips FTTH drop cables sized 3.1 mm by 2.0 mm



#### **Cable Slitting Pliers**

Designed with a spring-loaded ergonomic handle and ultra-sharp blades, these pliers are perfect for slitting open DAC cables and RPX® gel-free ribbon cables to access the fibers inside without damaging them. These cable slitting pliers also feature the following:

- Ultra-sharp blade slits through DAC and RPX® cable jackets with ease
- Blade is fixed to prevent damage to the internal fibers, with no adjustments needed
- Guide blocks hold the cable in place for accurate and precise cable slitting
- Spring-loaded ergonomic handles provide a comfortable grip and reduce hand fatigue
- Set screws on blade block makes it quick and easy to replace the blade

Kits include: Cable Slitting Pliers, Replacement Blades, Hard Carrying Case

SPECS	CSP-D5	CSP-D5K	CSP-D6	CSP-D6K	CSP-RPX
DESCRIPTION	Cable Slitting Pliers for DAC Cable, 5 mm	Cable Slitting Pliers Kit for DAC Cable, 5 mm	Cable Slitting Pliers for DAC Cable, 6 mm	Cable Slitting Pliers Kit for DAC Cable, 6 mm	Cable Slitting Pliers for RPX® Cable
CABLE TYPE	5 mm DAC	5 mm DAC	6 mm DAC	6 mm DAC	RPX®
REPLACEMENT BLADES	CSP-10RB	CSP-10RB	CSP-10RB	CSP-10RB	CSP-10RB
REPLACEMENT BLADE BLOCK SET	CSP-D5B		CSP-D6B		CSP-RPXB
QR CODE		回数型 回数型		回答(回 ) (2) (3) (4)	回法(B) (基本) (基本)





#### **Mid Span Slitters**

These **PATENTED** tools are designed to open fiber jackets and loose buffer tubes to provide easy fiber access. The buffer tube slitting is done without damage to the fiber. Blades are replaceable.

#### Simple to use:

- Select the correct groove. Grooves marked with the recommended fiber size
- Place the fiber in the groove to be used
  - NOTE: The arrow on the top of the tool indicates the pulling direction and the line indicates the blade location
- Close the tool making sure lock is engaged and pull to slit the fiber
  - For ring operation repeat steps above and, instead of pulling, rotate the tool 3-6 times to ring the cable

SPECS	MS-6	MS-26	MS-306	MS-316
DESCRIPTION	Mid Span Slitter (1.2 mm-3.3 mm)	Large Mid Span Slitter (2.9 mm-6.8 mm)	Mid Span Slit & Ring Tool (1.2 mm-3.3 mm)	Mid Span Slit & Ring Tool (2.9 mm-6.8 mm)
NO. OF PRECISION GROOVES	6 (Slitting Only)	5 (Slitting Only)	12 (6 Slitting, 6 Ringing)	10 (5 Slitting, 5 Ringing)
GROOVE SIZES (MM)	1.2-1.5, 1.5-1.8, 1.8-2.1, 2.1-2.5, 2.5-2.9, 2.9-3.3	2.9-3.6, 3.6-4.4, 4.4-5.2, 5.2-6.0, 6.0-6.8	1.2-1.5, 1.5-1.8, 1.8-2.1, 2.1-2.5, 2.5-2.9, 2.9-3.3	2.9-3.6, 3.6-4.4, 4.4-5.2, 5.2-6.0, 6.0-6.8
REPLACEMENT CARTRIDGE	MSB-1533	MSB-2968	MS-306RB	MS-316RB
QR CODE	回线回 类型 13 回线器		0% 0 22 0 0 0 0 0 0	820 20 33 82 82

SPECS	MS-326	MS-336	MS-426	MS-446
DESCRIPTION	Micro Duct Fiber Cable Slit & Ring Tool (5 mm-10 mm)	Mid Span Slit & Ring Tool (7.9 mm-11.0 mm)	Mid Span Slit & Ring Tool (5.8 mm-12 mm)	Mid Span Slit & Ring Tool (8.7 mm-14.6 mm)
NO. OF PRECISION GROOVES	10 (5 Slitting, 5 Ringing)	4 (2 Slitting, 2 Ringing)	8 (4 Slitting, 4 Ringing)	8 (4 Slitting, 4 Ringing)
GROOVE SIZES (MM)	5.0-5.6, 6.0-6.6, 7.2-7.8, 7.8-8.4, 9.4-10	7.9-8.2, 10.7-11.0	5.8-6.4, 7.8-8.4, 9.8-10.4, 11.2-12	8.7-9.1, 9.5-9.9, 11.8-12.2, 14.2-14.6
REPLACEMENT CARTRIDGE	MSB-5010	MS-336RB	MS-426RB	MS-446RB
QR CODE	回為(日 次(2)(5) 日(2)(6)	0%;0 0%;0	10 % (10 22 % (2) 10 % (2)	回第1回 深分標 回答與第

SPECS	MS-526	MS-600	MS-836	MS-ROC
DESCRIPTION	Mid Span Slit & Ring Tool (10.2 mm-18.2 mm)	Mid Span Shaver (1.0 mm-3.3 mm)	Mid Span Slit & Ring Tool for RocketRibbon® Cable (11.6 mm-22.6 mm)	ROC Drop Cable Slitter, Fiber Access Tool (4.2 mm-5.5 mm)
NO. OF PRECISION GROOVES	8 (4 Slitting, 4 Ringing)	6 (Slitting Only)	8 (4 Slitting, 4 Ringing)	(2) Shave
GROOVE SIZES (MM)	9.8-10.2, 11.8-12.2, 15.4-15.8, 17.8-18.2	1.0-1.4, 1.4-1.8, 1.8-2.1, 2.1-2.5, 2.5-2.9, 2.9-3.3	11.6-12.0, 14.5-14.9, 16.8-17.2, 22.2-22.6	4.2, 5.5
REPLACEMENT CARTRIDGE	MS-526RB	MS-600RB	MS-836RB	MS-ROCRB
QR CODE	□ <u>₩</u> □ ₩ 2 3 □ <b>2</b> 2	回洋田 変数化 回洋磁	回漢回 漢心能 回類羅	回送 回 2000年 回馬羅



#### Fiber Slit & Ring Tool for EZ!Fuse™ SC & LC Splice-On **Connectors - EZSR-23**

The **EZSR-23** Fiber Slit & Ring Tool has been specially designed to prepare 2 mm and 3 mm fiber optic cables for connecting with Fitel EZ!Fuse™ SC & LC Splice-On Connectors. This tool saves time and makes the connecting process extremely easy by having a ringing dial and slitting channel with preset lengths.





#### Cable Slit & Ring Tool - CSR-1575

Designed to slit and ring fiber optic cables from 1.2 mm-7.5 mm (0.05" to 0.3") in diameter, this cable slit and ring tool is perfect for slitting and ringing cables, buffer tubes, and jackets on fiber optic




Replacement Blade: CSR-2



#### **Compact Cable Slit & Ring Tools**

Designed to slit and ring fiber optic cables, these cable slit and ring tools are perfect for slitting and ringing cables, buffer tubes, and iackets on fiber optic cables.

CSR-125 - For fiber optic cables from 0 to 0.125" in diameter CSR-250 - For fiber optic cables from 0.125" to 0.250" in diameter CSR-316 - For fiber optic cables from 0.1875" to 0.3125" in diameter












#### Slit & Ring Tools - JIC-4366 & JIC-4377

The JIC-4366 Cable Slit & Ring Tool and the JIC-4377 Fiber Jacket Slit & Ring Tool are used as cable sheath and jacket slitters. Both tools have a ringing blade under the back handle and come with one spare ringing blade and one spare slitting blade. The JIC-4377 has a shorter L-shaped steel guide along the slitting blade allowing you to slit the OFS Minicord EZ-Bend and other similar cables.

Replacement Blades for Ring Cut (Pack of 6): RB-2060/6 Replacement Blades for Slit Cut (Pack of 6): RB-2878/6





#### Riser Slitting Tool - RST-8514

Designed to shave a longitudinal access window in round FTTH riser cables and microducts for mid-span access. This riser slitting tool is perfect for making access windows on cables 8-14 mm (0.33" to 0.55") in diameter without damaging the fiber inside.



Replacement Blades (Pack of 25): RST-RB25



#### Fiber Optic Drop Cable Slitter - FOD-2000

The Jonard Tools **PATENTED** and award-winning **FOD-2000** Fiber Optic Drop Cable Slitter simplifies the slitting of drop cable jackets at mid span or end sections and is perfect for FTTH technicians working with flat fiber drop cables



Replacement Blades (Pack of 25): FOD-RB25



#### Fiber Optic Round Cable Slitter - FOR-3000

The Jonard Tools **FOR-3000** Round Cable Slitter is designed to easily and safely open round fiber optic cable jackets from 9 mm to 19 mm in diameter. It is ideal for any FTTH or maintenance technician that needs to work with round fiber optic cables, whether mid span or end-run.



Replacement Blade: FOR-3000RB1



#### **Ratcheting Duct and Cable Slitters**

These ratcheting cable slitters are designed to dismantle heavy-duty cables. The **RCS-25** and **RCS-30** both slit and ring round cables greater than 1" (25 mm) in diameter, and the **RCS-30** can also be used to make window cuts in ducts up to 5 mm thick.

SPECS	RCS-25	RCS-30	
CUT TYPE	Slit & Ring	Window, Slit & Ring	
APPLICATION	Cables	Cables & Ducts	
REPLACEMENT BLADES	RCS-25RB	RCS-30RB	
QR CODE			



#### Submariner Cable & Large Duct Slitter - RCS-50

Designed to open the toughest heavy-duty cable jackets, the **RCS-50** is perfect for performing lateral and longitudinal cuts on submariner cables, large fiber ducts, or large count telephone cables at least 1 1/2" (3.81 cm) in diameter.



Includes the **H-20** rugged carrying case.



#### Microduct Sheath Slitting Tool - MDS-100

Designed with slim safety heads and high carbon steel blades, this microduct sheath is perfect for slitting the sheaths off microduct bundles to access the microducts inside.




- Unique slim head design gets in between microducts easily while preventing accidental nicks and cuts
- High carbon steel blade slices through microduct sheaths with ease



#### Buffer Tube Ringer (up to 6 mm) - BTR-6

The Jonard Tools **BTR-6** Buffer Tube Ring tool provides quick access to fibers inside buffer tubes up to 6 mm in diameter and will work with buffer tubes with wall thicknesses up to 1 mm. The tool is light and durable with a hardened steel blade for long life and includes a hole for tethering.





#### **Buffer Tube Binder Ripper Tool, Pack of 10 - BRT-100**

Designed to cut through the water blocking binders of buffer tube bundles or other thin ropes and strings, this binder ripper is a must-have tool for any fiber optic cable technician. This binding ripper features the following:



- Long handle for ergonomic grip while cutting through binders
- Super sharp blade cuts through water blocking binders with ease
- Included safety cap prevents accidental damage while stored



#### Rollable Ribbon Fiber Separator - RFS-100

Designed for use on Rollable or Spyder type ribbon fiber optic cables, this tool is perfect for separating the matrix of fibers in ribbon fiber optic cables quickly and easily.





#### Crimper w/ Fiber Optic Die - UC-8039

Designed for use with FC, ST, SC, LC, SMA, and MT-RJ connectors, this crimper is the perfect tool for crimping fiber optic connector collars.




#### Kit includes:


Universal Crimper Without Die **UC-8000** 



Fiber Optic Crimping Die **UCD-2685** 







#### Microduct Scoring Tools, 5-16 mm

The Jonard Tools Microduct Scoring Tools are perfect for scoring and ringing fiber optic microducts without damaging the fibers inside.

FS-1080 - For scoring & ringing 10/8 and 12/10 fiber optic microducts

For 1.0 mm-1.3 mm ducts

FS-1416 - For scoring & ringing 14/10 and 16/10 fiber optic microducts

For 1.3 mm-3.0 mm thick ducts

Replacement Blade Cartridge: FS-1416RB

Replacement Blade Cartridge: FS-1080RB

FS-2025 - For scoring & ringing 14/10 and 16/10 fiber optic microducts

For 2.0 mm-2.5 mm thick ducts

Replacement Blade Cartridge: FS-2025RB














#### Rapid Microduct Deburring Tool - DB-5

Designed to deburr the insides of microduct tubes, this rapid microduct deburring tool is perfect for preparing the inside of fiber optic microduct tubes for termination.



Replacement Blades (Pack of 5): DB-5RB



#### 360° Rotary Duct & Tube Cutters

Designed to ring large HDPE or other similar fiber optic ducts, these rotary duct and tube cutters are perfect for making circular cuts in large fiber ducts without damaging the fiber inside.

SPECS	RTC-2640	RTC-3652
DUCT DIAMETER	1" - 1.5" (26 - 40 mm)	1.4" - 2" (36 - 52 mm)
CUTTING DEPTH	0.157" (4 mm)	0.181" (4.6 mm)
REPLACEMENT BLADES	RTC-2640RB	RTC-3652RB
QR CODE	回沙 回 发现公司 回路器	



#### Tube Cutter 1/4"-3" (6.3 mm-76 mm) - TC-300

Designed to perform radial cuts on 1/4" to 3" (6.3-76 mm) copper, brass, aluminum and plastic tubes, this tube cutter is perfect for cutting open fiber optic ducts and other tubes without damaging anything inside them.



Cutting wheel can be removed easily without tools



#### Microduct Tube Cutter - MDC-14

Designed to cut microducts cleanly and straight, this microduct cutter is perfect for cutting most microducts including tubing made from PVC, Nylon, and other materials up to 14 mm (9/16") in diameter.



#### Microduct Cutter - MDC-28

Designed to create quick, clean, and straight cuts in fiber ducts up to 28 mm, this duct cutter is perfect for cutting PVC, CPVC, HDPE, and other plastic tubing.



Replacement Blade: MDC-28RB



#### Large Fiber Duct Cutter - MDC-64

Designed to cut large fiber ducts up to 64 mm (2.52") in diameter, this fiber duct cutter is perfect for cutting PVC, CPVC, PE, HDPE, PEX and other nonmetallic tubing. Length: 9.5" (241.3 mm)



Replacement Blade: MDC-64RB

# Large Fiber Duct Cutter w/ Extra Long Handles - MDC-125

Designed to cut large fiber ducts up to 64 mm (2.52") in diameter, this fiber duct cutter is perfect for cutting PVC, CPVC, PE, HDPE, PEX and other nonmetallic tubing. Length: 12.5" (31.75 cm)





#### **Duct Kit - TK-268**

Featuring our most popular slitting, ringing, and cutting tools, this Duct Kit provides a large range of tools needed to access ducts to repair or replace fiber optic cable.



#### Kit includes:

DB-5 Rapid Microduct Deburring Tool, FL-2000 LED Flashlight with Zoom Lens, FS-1080 Thin-walled Microduct Scoring Tool, 5-16 mm, FS-1416 Thick-walled Microduct Scoring Tool, 5-16 mm, H-90 Rugged 21 Pocket Tool Case, JIC-2288 High Leverage Diagonal Cutting Pliers, 8", KN-200INS Insulated Cable & Duct Sheathing Knife, MDC-14 Microduct Tube Cutter, MDC-28 Microduct Cutter, MDC-64 Large Fiber Duct Cutter, MDS-100 Microduct Sheath Slitting Tool, RCS-30 Ratcheting Duct and Cable Slitter, SD-41 4-in-1 Multi-bit Pocket Precision Screwdriver, SD-61 6-in-1 Multi-Bit Screwdriver with Phillips and Slotted Bits




#### Wire & Kevlar® Cutting Shears - JIC-186

The Jonard Tools **JIC-186** Wire and Kevlar® Cutting Shears are designed to cut Kevlar®, cabling insulation, tape, cable ties, and other materials with ease. These cutting shears feature the following:



 High carbon stainless steel blades are heat-treated to HRC 58-60 for longer life and durability



# Multi-function Kevlar® & Wire Cutting Shears, 7" - KWC-700

Designed with serrated blades, large cutting notch, non-insulated terminal crimpers, and spring-loaded handles the Jonard Tools **KWC-700** Multi-function Kevlar® & Wire Cutting Shears are the ultimate scissors for any fiber technician or electrician. These cutting shears feature the following:



- Blades made from 4034 Japanese stainless steel for the best cutting performance and long life
- Curved handle design with spring-loaded handles greatly reduce hand and wrist fatigue
- Serrated blade edge grips Kevlar<sup>®</sup> and other delicate materials firmly while cutting



#### Flush Cut Kevlar® Cutters - JIC-190

The Jonard Tools **JIC-190** Flush Cut Kevlar® Cutters are designed to cut Kevlar®, cabling insulation, tape, cable ties, and other materials flush to the surface.



 Spring-loaded TPR (thermoplastic rubber) handles return to the open position for enhanced ergonomics and reduced hand fatigue



#### Insulated Cable & Duct Sheathing Knife - KN-200INS

Designed with a curved blade and insulated handle, this cable sheathing knife is the perfect tool for slitting or cutting the sheathing off cables without damaging the conductor insulation inside.



Ultra sharp, dual-sided blade can cut cable or duct jacket sheath from either side by pushing or pulling the tool through the cable



## Insulated Cable Dismantling Knife w/ Blade Guard - KN-300INS

Designed with a blade guard and replaceable straight blade, this insulated cable knife is perfect for cutting around jacketed cables without the risk of accidental cuts and nicks.



Replacement Blades (Pack of 4): KN4-RB





#### Fiber Optic Scribe - FS-616

Designed with a 35° beveled edge and 6 mm wide carbide blade, this fiber optic scribe is the perfect tool for scribing optical fiber. This scribe features the following:



- Durable anodized aluminum housing provides a comfortable and durable grip
- Ideal for "scratch & pull" technique of scribing fiber



#### Fiber Cleaver - FC-220

Designed to cleave either 900  $\mu$ m buffered or 250  $\mu$ m coated fiber, this fiber cleaver's quick and easy three step operation is perfectly suited for mechanical splicing and quick field termination of fiber connectors.



Replacement Carbide Steel Blade: FC-4; Replacement Leaf Spring: FC-65



#### **Precision Fiber Optic Cleaver - FC-500**

The Jonard Tools **FC-500** Precision Fiber Cleaver is designed to provide a precise cleave and prepare a fiber to be fusion spliced for 250  $\mu$ m and 900  $\mu$ m coated optical fiber.



Replacement Blade: FC-500RB



# One Step Fiber Optic Cleaver w/ Auto-Rotating Blade - FC-600

The Jonard Tools **FC-600** Precision Fiber Cleaver is designed to provide a precise, one step cleave to prepare fiber to be fusion spliced. The one step design automatically cleaves the fiber, rotates the blade, and collects fiber scraps.



Replacement Blade: FC-600RB



#### **Fiber Connector Tools**

The **FCT-100** and **FCT-200** fiber connector tools are perfect for inserting and extracting and extracting fiber connectors in high-density patch panels. The unique jaws of the tools were specially designed to easily navigate tight spaces and grasp connectors firmly without damaging them or touching any surrounding connectors.

SPECIFICATIONS	FCT-100	FCT-200
FIBER CONNECTOR	LC, SC-Simplex, SC-Duplex, MU, MT-RJ	LC Simplex, SC Simplex, MU
QR CODE		



#### V-Groove Cleaning Brush, Metal & Nylon - VGB-100

Designed to clean the built-up acrylate coating in fusion splicer v-grooves, this double-ended brush is the perfect tool to clean and maintain fusion splicers. This brush also features the following:



- Angled stainless steel bristles on one side of the brush scrape any hard-to-clean debris out of v-grooves
- Nylon bristles on the other side of the brush gently push debris out of the way



#### Safety Glasses - SG-5

Jonard Tools' Safety Glasses are designed for working safely with glass fiber or where eye protection is needed. These glasses also feature the following:



- Anti-fogging design allows the lenses to breathe, preventing fog build up
- Soft plastic nose pieces prevent glasses from slipping



#### Fiber Optic Tweezers, 5" - FTW-5

Jonard Tools' Fiber Optic Tweezers are designed to handle electrical wire, fiber optic cable, and small electronic components without damaging them. These tweezers feature the following:



 Fine point tip with rounded edges for handling delicate components or fiber optic cable



#### Fiber Optic Polishing Work Mat, 22" x 14" - FWM-2214

Jonard Tools' Fiber Optic Polishing Work Mat is designed to increase the visibility of fiber scraps while providing a work space for fiber maintenance. This work mat also features the following:



 Made from a dual-sided black vinyl material which sticks to smooth surfaces on one side, while providing a comfortable work space on the other



#### Fiber Optic Safety Kit - FSK-5

Featuring our latest and greatest fiber optic safety equipment, this Fiber Safety Kit provides the essential gear needed to safely prepare or repair fiber optic cables.



#### Includes:

- FDC-66 Fiber Scraps Disposal Can
- FTW-5 Fiber Optic Tweezers, 5"
- **FW-5** Fiber Wipes, Wet (Pack of 5)
- FWM-2214 Fiber Optic Polishing Work Mat, 22" x 14"
- **SG-5** Safety Glasses
- H-22 Rugged Carrying Case with Straps





FLS-55 FPM-50A FPM-50S PON-50

#### **Fiber Optic Power Meters and Light Sources**

Jonard Tools makes fiber optic test equipment for many applications. Various adapter options are available to test all types of fiber connectors.

SPECS	FLS-50	FLS-55	FPM-50A	FPM-50S	FPM-55	FPM-70	P0N-50	PON-55
DESCRIPTION	Optical Light Source	Multi-mode & Single-mode Fiber Optic Light Source	Fiber Optic Power Meter	Mini Optical Power Meter, (-50 to +26dBm)	Fiber Optic Power Meter with Data Storage	Fiber Optic Power Meter	Passive Optical Network Power Meter	Passive Optical Network Power Meter
NETWORK TYPES	PC/UPC	PC/UPC	PC/UPC/APC	APC/PC/UPC	APC/PC/UPC	APC/PC/UPC	BPON/EPON/ GPON	BPON/EPON/ GPON, APC
CONNECTOR TYPES	LC, FC/SC	LC, FC/SC	FC, SC, LC	FC (APC/PC/UPC) & LC (PC/UPC)	FC, SC, LC	FC, SC, LC	FC/SC	FC/SC (APC)
WAVELENGTHS (NM)	1310, 1550	850, 1300, 1310, 1550	850, 980, 1300, 1310, 1490, 1550, 1625, 1650	1310, 1490, 1550	1310, 1490, 1550			
DETECTOR TYPE	N/A	N/A	InGaAs	InGaAs	InGaAs	InGaAs	InGaAs	InGaAs
MEASUREMENT RANGE	N/A	N/A	-50 dBm to +26 dBm	-50 dBm to +26 dBm	-50 dBm to +26 dBm	-70 dBm to +6 dBm	-35 dBm to +10 dBm at 1310 nm/1490 nm, -35 dBm to +20 dBm at 1550 nm	-40 dBm to +10 dBm
QR CODE	10 7 10 10 7 12				0.4		0 (d) 0 700 - 53 0 2 3 9	10% (I) 10% (I) 10% (I) 10% (I)



#### FTTH Prep Kit w/ Power Meter - TK-185

The Jonard Tools  ${\bf TK-185}$  FTTH Prep Kit w/ Power Meter offers cleaning and preparation products for use on 1.25 mm and 2.5 mm connector end-faces and bulkhead adapters.



Kit includes:


- **DW-90** Dry Wipes for Cleaning Fiber
- FCC-250 Fiber Connector Cleaner, 2.5 mm
- FC-500 Precision Fiber Cleaver
- FDC-66 Fiber Scraps Disposal Can
- FDS-312 Fiber Drop Cable Stripper
- **FPM-50A** Fiber Optic Power Meter w/ Adapters (**PON-50** also available)
- **JIC-186** Wire & Kevlar® Cutting Shears
- JIC-375 Fiber Optic Stripper, Three Hole
- H-22 Rugged Carrying Case with Straps
- VFL-150 Visual Fault Locator Kit



#### **Optical Fiber Identifier - OFI-50**

Designed to qutickly identify the direction of transmitted fiber and display the relative core power without damaging the fiber, this fiber identifier is the perfect tool for identifying fiber in network systems without disrupting the network.





# Advanced Optical Fiber Identifier w/ Power Meter & VFL - OFI-100

Designed to quickly identify the direction of light being transmitted in the fiber and display the relative core power without damaging the fiber. This fiber identifier is the perfect tool for identifying fiber in network systems without disrupting the network and includes a built-in VFL and Power Meter for convenience.





#### **Visual Fault Locator Kits**

Works on FC, SC, ST connectors and will work on LC connectors when used with the included adapter. Distance up to 5 km (3.1 miles).



- VFL-25 Visual Fault Locator
- VFL-25125 FC to LC Adapter for VFL-25
- (2) AAA Batteries

#### VFL-300 Includes:

- VFL-25125 FC to LC Adapter
- Carrying Pouch
- (2) AAA Batteries



VFL-150









#### **Thermal Strippers**

Designed to thermomechanically remove coatings from optical fibers with cladding, these Thermal Strippers are perfect for stripping extremely difficult or baked-on coatings with ease. These thermal strippers also features the following:

- Adjustable heater up to 200°C, with the ability to remove some fluoroacrylate undercoatings using high temperature
- Adjustable temperature and time settings allow it to adapt to a wide range of acrylate coatings and cladding sizes

#### TSAB-40 - Thermal Stripper, Adjustable Blade

 Supports optical fibers with cladding diameters from 30 μm to 1000 μm, with buffer diameters up to 1200 μm, including 250 μm, 400 μm, and 900 μm coated fibers



TSAB-40

#### TSFB-125 - Thermal Stripper, Fixed Blade

 Supports optical fibers with cladding diameter of 125 μm, with buffer diameters from 250 μm to 900 μm, including 250 μm, 400 μm, and 900 μm coated fibers



TSFB-125

#### TFS-100 - Handheld Thermal Stripper for Ribbon or Simplex Fiber

The Jonard Tools TFS-100 portable wireless thermal stripper is
designed to strip the jacket off single fiber and up to 12-strand
ribbon fiber cable. With an outstanding heating time of 4 seconds,
and a rugged aluminum housing, this is the perfect thermal
stripper for on-the-go use.



TFS-100

#### **Thermal Stripper Platforms & Universal Clamp**

For Fitel, Fujikura and Ericsson fiber holders use the corresponding platforms. For LDF and all others without fiber holders use the Jonard Tools Universal Clamp.



SPECS	TSPE-125	TSPF-125	TSUC-40
DESCRIPTION	Platform for Thermal Stripper Holders, Ericsson	Platform for Thermal Stripper Holders, Fitel/ Fujikura	Universal Clamp for Thermal Strippers
QR CODE			



# PRECISION TESTING



OTDR-1500

These Jonard Tools professional

# **Multi-Function OTDRs**

are the perfect all-in-one handheld devices for evaluating FTTx and access network construction and maintenance, identifying fiber breakpoints, measuring cable length, and calculating relative optical power losses.



**OTDR-1000** 



#### **OTDR-1500**

# PROFESSIONAL MULTI-FUNCTION OTDR, 1310/1550 NM

- 5 different testing functions
- Large, bright 7.5" color LCD touch screen makes it quick and easy to evaluate data
- More accurate testing with a 32/30 Dynamic Range
- Dual wavelength testing (see both 1310 & 1550 wavelengths simultaneously)
- Handy stylus to keep LCD screen fingerprint free
- 200 MB internal storage with MicroSD/TF card slot for additional memory
- On-board Wi-Fi connectivity for data transfers or live viewing of data (for Android devices)
- Includes FC/APC & SC/APC OTDR adapters, LC/UPC adapter for OPM, downloadable software, power adapter, calibration certificate, instruction manual, and convenient unit kickstand

SCAN THE QR CODES FOR ADDITIONAL INFORMATION & SOFTWARE DOWNLOAD!



#### OTDR-1000

# MULTI-FUNCTION MINI PRO OTDR

- 8 different testing functions
- Bright 3.5" color LCD screen makes it quick and easy to evaluate data
- 600 MB internal storage with MicroSD/TF card slot for additional memory
- Includes FC, SC, and LC (PC/UPC) OTDR adapters for fiber optic cables, downloadable software, power cord with plug adapters, alcohol wipes, instruction manual, and carrying case

#### **BOTH DEVICES ALSO FEATURE:**

- Rubberized hard plastic case is shock-proof and drop-proof for maximum durability
- Built-in rechargeable lithium ion battery provides power on-the-go
- Can be charged or connected to a computer for data transfer via included micro-USB cable







#### **Multi-Function OTDR - OTDR-1000**

Jonard Tools' Mini Pro OTDR is the perfect all-in-one handheld device for evaluating FTTx and access network construction and maintenance, identifying fiber breakpoints, measuring cable length, and calculating relative optical power losses. This Mini Pro OTDR also features the following:

- Includes 8 different functions for testing and evaluating fiber optic and network cables
- Bright 3.5" color LCD screen makes it quick and easy to evaluate data
- Rubberized hard plastic case is shock-proof and drop-proof for maximum durability
- 600 MB internal storage with MicroSD/TF card slot for additional memory
- Built-in rechargeable lithium ion battery provides power on-the-go
- Includes FC, SC, and LC (PC/UPC) OTDR adapters for fiber optic cables, downloadable software (also featured in the download section of this product page), power cord with plug adapters, alcohol wipes, and instruction manual



## Professional Multi-Function OTDR, 1310/1550 nm - OTDR-1500

Jonard Tools' Professional Multi-Function OTDR is the perfect all-in-one handheld device for evaluating FTTx and access network construction and maintenance, identifying fiber breakpoints, measuring cable length, and calculating relative optical power losses. This OTDR also features the following:

- Includes 5 different functions for testing: 1310/1550 nm OTDR module, 1310/1550 nm Light Source module, Power Meter module, Visual Fault Locator module, and Help module
- Large, bright 7" color LCD touch screen makes it quick and easy to evaluate data
- More accurate testing with a 32/30 Dynamic Range
- Features Dual Wavelength Testing (see both 1310 & 1550 wavelengths simultaneously)





#### Singlemode Fiber Optic Launch Boxes

Designed with unique compact housings and 20-1000 meters of fiber, these launch cables are perfect for eliminating dead zones in reflectometric tests using an OTDR. These launch cable also features the following:

- Compact housing and shoulder strap make this perfect for on-the-go use
- Terminated with an SC/UPC connector on one side and an LC/UPC connector on the other side for versatility
- Polishing types are color coded for quick and easy identification of the launch cable
- Convenient magnet on bottom of housing allows for quick and easy mounting to fiber racks
- Length of fiber is perfect for most OTDR testing applicationss

SPECS	FLC-202	FLC-1001	FLC-1005	FLC-1006	FLC-1007	FLC-3501	FLC-3505
FIBER LENGTH	20 m	1000 m	1000 m	1000 m	1000 m	350 m	350 m
CONNECTOR TYPES	SC/APC, SC/APC	SC/UPC, LC/UPC	SC/APC, SC/UPC	SC/UPC, SC/APC	SC/UPC, LC/APC	SC/UPC, LC/UPC	SC/UPC, SC/APC
QR CODE	回菜(回 菜炒菜) 回湯(選	020 200-33 020-34	国演画 光源文 国家基	回然间 交易交 回路提		0 X 0 X	







#### **Fiber Connector Cleaners**

Designed to provide exceptional cleaning performance by cleaning connectors beyond the critical fiber core area and cleaning deep into the contact area of a bulkhead adapter or connectors on fiber optic cables. The tethered dust cap provides protection for the micro fiber cleaning fabric and is an adapter for connector end face cleaning.

- Features a **PATENTED** 360 degree Rotational Tip for extra wide cleaning
- Slide-Guide™ non-slip micro tape feeder guarantees consistent cleaning
- Dual rotational tip and one-push operation makes cleaning ferrule end-faces quick and easy
- Flip-open cap makes it easy to insert connectors for cleaning
- The **FCC-120** provides 500+ cleanings and both the **FCC-125** and **FCC-250** provide 800+ cleanings.

SPECS	FCC-120	FCC-125	FCC-250	
DESCRIPTION	Fiber Connector Cleaner MPO	Fiber Connector Cleaner 1.25 mm	Fiber Connector Cleaner 2.5 mm	
NO. OF CLEANINGS 500+		800+	800+	
FIBER CONNECTORS	MPO	LC	FC, SC, ST	
QR CODE				



#### Fiber End-Face Ferrule Cleaners, Angled Head

Fiber End-Face Ferrule Cleaners are designed to provide exceptional cleaning performance on fiber optic connectors. They clean ferrules in recessed fiber optic adapters or individual connectors. These tools feature the following:

- FCCN-125 cleans 1.25 mm ferrules in recessed fiber optic adapters or individual LC or MU connectors.
- FCCN-250 cleans 2.5 mm ferrules in recessed fiber optic adapters or individual FC, SC, or ST connectors.
- Adjustable angled head (up to 45°) is perfect for getting into hard-to-reach places.

SPECS	FCCN-125	FCCN-250
DESCRIPTION	1.25 µm End-Face Ferrule Cleaner	2.50 µm End-Face Ferrule Cleaner
NO. OF CLEANINGS	350+	350+
FIBER CONNECTORS	LC, MU	FC, SC, ST
QR CODE		



#### **Universal Fiber Connector Cleaner - FCC-300**

Featuring **PATENT-PENDING** Slide-Guide<sup>™</sup> technology that provides stable and consistent cleaning performance, the **FCC-300** Universal Fiber Connector Cleaner is the perfect tool for cleaning a large variety of fiber connectors.





#### **Fiber Inspection Microscopes**

Fiber inspection microscopes have a focus wheel and feature 2.5 mm and 1.25 mm adapters for use on most fiber connectors. The achromatic lens offers excellent imaging and integrated laser filters for safety (not intended for use with illuminated fibers). Coaxial illumination provides clear view of connector face and fiber.





The FIM-200 has 200x magnification The FIM-400 has 400x magnification





After Cleaning



#### QuickSleever® - PSI-15

An award winning design to make loading protection sleeves onto fiber quick and easy, the PSI-15 QuickSleever® tool is perfect for aligning fiber to the holes of protection sleeves and is a real timesaver.





JONARDTOO

DRY CLEAN WIPES

#### Fluid Dispenser for 220 mL Fiber Cleaning - FD-220

Designed to store and dispense cleaning fluids, such as isopropyl alcohol, to clean the end-faces of fiber optic cables.





#### **Fiber Optic Cleaning** Fluid - FCF-3

This quick-drying, nonflammable cleaning fluid is perfect for cleaning bare fiber, connector end-faces, and electronic components.





#### Fiber Wipes (Pack of 50) - FW-50

Alcohol Wipes. Pure 91% Isopropyl Alcohol.

- Excellent Cleaner for optical surfaces, glass fibers, and connector end faces
- Fast evaporating, residue-free solvent
- Mild, non-abrasive solvent
- Compatible with most plastics, glass and metals
- Convenient, safe package



**Dry Wipes** (90 Pcs) - DW-90

Made from a lint-free polyester fabric packaged in a convenient dispenser, these fiber optic wipes are perfect for cleaning bare fiber, connector end-faces, and electronic components.



#### Fiber Scraps Disposal Can - FDC-66

This can allows safe disposal of cleaved fiber ends. The twist lock cover locks scraps in the disposal can for safe and easy disposal.





#### **Fiber Optic Scissor Kits**



JONARD P/N	DESCRIPTION	TK-325	TK-350	TK-355	TK-375
		Scissor & Pouch Kit	Fiber Stripper & Kevlar® Shears Kit, Molded Pouch	Fiber Stripper & Kevlar® Shears Kit, Leather Pouch	Fiber Stripper & Scissors Kit
ES-1964	Electrician's Scissors				Х
H-25	Molded Tool Pouch	X			
H-36	Molded 2 Pocket Tool Pouch				Х
H-45	Leather 2 Pocket Tool Pouch			X	
H-60	Molded 2 Pocket Tool Pouch		X		
JIC-186	Wire & Kevlar® Cutting Shears	X	X	Х	
JIC-375	Fiber Optic Stripper, Three Hole		X	X	Х
QR CODE				回然 回 安認 回次是	回 ※ 回 を を は に に に に に に に に に に に に に





#### Fiber Cleaning Kit - TK-283

The Jonard Tools **TK-283** Fiber Cleaning Kit provides all the tools needed for cleaning fiber connector end faces. This kit is a must have for any fiber optic technician.



#### Kit includes:

- **DW-90** Dry Wipes for Cleaning Fiber
- FCF-3 Nonflammable Fiber Cleaning Fluid
- H-20 Rugged Carrying Case
- JIC-186 Wire & Kevlar® Cutting Shears
- JIC-375 Fiber Optic Stripper, Three Hole



#### Fiber Optic Cleaning Kit+ - TK-287

The Jonard Tools **TK-287** Fiber Optic Connector Cleaning Kit+ offers cleaning products for use on connector end-faces and bulkhead adapters.



#### Kit includes:

- DW-90 Dry Wipes for Cleaning Fiber
- FCC-120 Fiber Connector Cleaner, MPO
- FCC-125 Fiber Connector Cleaner, 1.25 mm
- **FCC-250** Fiber Connector Cleaner, 2.5 mm
- FCC-300 Universal Fiber Connector Cleaner
- FCF-3 Nonflammable Fiber Cleaning Fluid

H-20 Rugged Carrying Case



#### Fiber Optic Prep & Clean Training Kit - TK-615

Featuring our most popular fiber optic tools, this tool kit provides a large array of tools needed to access and prepare fiber optic cables for termination.



#### Kit includes:

- BLONGNOSE Long Nose General Use Pliers
- **BTR-6** Buffer Tube Ringer (up to 6 mm)
- **CST-1900** Round Cable Strip & Ring Tool
- DW-90 Dry Wipes for Cleaning Fiber
- FCF-3 Nonflammable Fiber Cleaning Fluid
- FDC-66 Fiber Scraps Disposal Can
- **FIM-200** Fiber Inspection Microscope 200x Magnification

- FTW-5 Fiber Optic Tweezers, 5"
- **FWM-2214** Fiber Optic Polishing Work Mat, 22" x 14"
- H-60 Molded 2 Pocket Tool Pouch
- H-90 Rugged 21 Pocket Tool Case
- **JIC-375** Fiber Optic Stripper, Three Hole
- **JIC-186** Wire & Kevlar® Cutting Shears
- **KN-7** Ergonomic Cable Splicing Knife
- MDC-28 Microduct Cutter
- VFL-150 Visual Fault Locator Kit



#### **Fiber Connector Cleaning/Inspection Kits**

Provides you with all the tools needed for cleaning and inspecting fiber connector end faces.



JONARD	DESCRIPTION	TK-182	TK-183	TK-184	TK-184A
P/N		Fiber Cleaning Kit; Replacement Refill Kit: TK-182RF	Fiber Optic Connector Clean & Prep Kit, w/ Cleaver	Fiber Optic Connector Clean & Prep Kit, Precision Cleaver	Fiber Optic Connector Clean & Prep Kit+
DW-90	Dry Wipes for Cleaning Fiber	X			
FW-50	Fiber Wipes (Pack of 50)		Х	Х	X
FC-220	Fiber Cleaver		X		
FC-500	Precision Fiber Cleaver			X	X
FCC-125	Fiber Connector Cleaner 1.25 mm	X			
FCC-250	Fiber Connector Cleaner 2.5 mm	X			
FCF-3	Nonflammable Fiber Cleaning Fluid	X			
JIC-186	Wire & Kevlar® Cutting Shears				X
JIC-375	Fiber Optic Stripper, Three Hole		Х	X	X
JIC-63020	9" Curved Jaw Cable Cutter				X
H-20	Rugged Carrying Case	X	Х	X	
H-22	Rugged Carrying Case w/ Straps				X
VFL-150	Visual Fault Locator Kit				X
VFL-25	Visual Fault Locator		Х	Х	
QR CODE			0757 2596 0350	回流(B) 第90000 回流(B)	

JONARD	DESCRIPTION	TK-186	TK-188	TK-189
P/N		Fiber Connector Cleaning Kit	Fiber Connector Cleaning & Inspection Kit 200x Magnification	Fiber Connector Cleaning & Inspection Kit 400x Magnification
FCC-125	Fiber Connector Cleaner 1.25 mm	X	X	X
FCC-250	Fiber Connector Cleaner 2.5 mm	Х	X	X
FCC-300	Universal Fiber Connector Cleaner		X	X
FCT-100	Fiber Connector Insertion and Removal Tool	Х	X	X
FIM-200	Fiber Inspection Microscope 200x Magnification		X	
FIM-400	Fiber Inspection Microscope 400x Magnification			X
FL-2000	LED Flashlight with Zoom Lens	X	X	X
FW-50	Fiber Wipes (Pack of 50)	X	X	X
H-90	Rugged 21 Pocket Tool Case	Х	X	X
QR CODE				

Not all products shown.

#### Fiber Optic Mid Span Slit & Ring Tool Kits

Provides an array of tools designed to provide easy access into fiber optic cables and buffer tubes.



JONARD	DESCRIPTION	TK-107	TK-107B	TK-108
P/N		Fiber Optic Mid Span Slit & Ring Tool Kit (1.2 mm-18.2 mm)+	Backpack Fiber Optic Mid Span Slit & Ring Tool Kit (1.2 mm-18.2 mm)+	Fiber Optic Mid Span Slit & Ring Tool Kit (1.2 mm-18.2 mm)
AST-200	CableSaber™	X	Х	
BP-100	Technician's Tool Bag Backpack		Х	
BTR-6	Buffer Tube Ringer (up to 6 mm)	X	Х	
CSR-1575	Cable Slit & Ring Tool			Х
CST-1900	Round Cable Strip & Ring Tool	Х	Х	
F0D-2000	Fiber Optic Drop Cable Slitter	X	Х	Х
JIC-186	Wire & Kevlar® Cutting Shears	X	Х	
JIC-375	Fiber Optic Stripper, Three Hole	Х	Х	
H-20	Rugged Carrying Case			X
H-90	Rugged 21 Pocket Tool Case	X		
MS-306	Mid Span Slit & Ring Tool (1.2 mm-3.3 mm)	X	Х	X
MS-316	Mid Span Slit & Ring Tool (2.9 mm-6.8 mm)	X	Х	Х
MS-326	Mid Span Slit & Ring Tool (5 mm-10 mm)	X	X	X
MS-336	Mid Span Slit & Ring Tool (7.9 mm-11 mm)	X	Х	X
MS-426	Mid Span Slit & Ring Tool (5.8 mm-12 mm)	X	Х	Х
MS-446	Mid Span Slit & Ring Tool (8.7 mm-14.6 mm)		Х	
MS-526	Mid Span Slit & Ring Tool (9.8 mm-18.2 mm)	X	Х	Х
RCS-25	Ratcheting Cable Slitter	X		
RCS-30	Ratcheting Duct and Cable Slitter		Х	
RST-8514	Riser Slitting Tool	X		
QR CODE			国州 国 2006年 国务部	□ Xi □ □ Z:□





#### **Fiber Prep Kits**

Provides you with all the tools needed to access and prepare a fiber optic cable for termination.

- TK-105 Fiber Optic Mid Span Slit & Ring Tool Kit
- TK-106 Fiber Optic Mid Span Slit & Ring Tool Kit+
- TK-121 Fiber Prep Kit+
- TK-121B Backpack Fiber Prep Kit+
- TK-151 Fiber Prep Kit with Connector Cleaner, Fiber Cleaver,
   & Visual Fault Locator+
- TK-161 Fiber Prep Kit with Connector Cleaners, Visual Fault Locator+
- TK-170 Fiber Prep Kit with Small & Large Mid Span Slitters
- TK-179 Advanced Fiber Prep Kit
- TK-179B Advanced Backpack Fiber Prep Kit
- TK-199B Ultimate Backpack Fiber Prep Kit



Not all products shown.

#### **Fiber Prep Kits**

JONARD P/N	DESCRIPTION	TK-105	TK-106	TK-121	TK-121B	TK-151	TK-161	TK-170	TK-179	TK-179B	TK-199B
H-90	Rugged 21 Pocket Tool Case		Х	Х		Х	Х	Х	Х		
H-20	Rugged Carrying Case	Х									
BP-100	Technician's Tool Bag Backpack				Х					Х	Х
AST-200	CableSaber™		Х								Х
BTR-6	Buffer Tube Ringer (up to 6 mm)		Χ	Χ	Х	Х	Х		Х		Х
CG-100	COAX Cable Gripping Tool										Х
CSR-1575	Cable Slit & Ring Tool	Х						X	Х	X	X
CST-1900	Round Cable Strip & Ring Tool		Х	Х	X	X	Х	X	Х	X	X
FC-500	Precision Fiber Cleaver					Х					
FCC-125	Fiber Connector Cleaner, 1.25 mm					X	Х				Х
FCC-250	Fiber Connector Cleaner, 2.5 mm					X	X				X
FDS-312	Fiber Drop Cable Stripper		Х								
FL-2000	LED Flashlight with Zoom Lens			Χ	Х	X	X		Х	X	X
F0D-2000	Fiber Optic Drop Cable Slitter	Х	Х	Х	Х	Х	Х			Х	Х
FW-5	Fiber Wipes, Wet (Pack of 5)			X	Х	Х	Х				
JIC-186	Wire & Kevlar= Cutting Shears		Х	Х	Х	Х	Х	Х	Х	Х	Х
JIC-375	Fiber Optic Stripper, Three Hole		Х	X	Х	Х	Х	X	Х	X	Х
JIC-842	Long Nose and Side Cutting Pliers			Х	Х	Х	Х	Х	Х	Х	Х
JIC-1022	Wire Stripper 10-22 AWG							Х	Х	Х	Х
JIC-2288	High Leverage Diagonal Cutting Pliers, 8"			Х	Х	Х	X	Х	Х	X	Х
JIC-22035	Insulated Probe Picks								Х	X	
JIC-63050	High Leverage Cable Cutter										X
KN-7	Ergonomic Cable Splicing Knife							Х	X	X	X
MDC-14	Microduct Tube Cutter								X	X	Х
MDC-28	Microduct Cutter								X	Х	
MDC-64	Large Fiber Duct Cutter										X
MS-6	Mid Span Slitter (1.2 mm-3.3 mm)							X			
MS-26	Mid Span Slitter (2.9 mm-6.8 mm)										
MS-306	Mid Span Slit & Ring Tool (1.2 mm-3.3 mm)	X	X	X	X	X	X		Х	X	X
MS-316	Mid Span Slit & Ring Tool (2.9 mm-6.8 mm)	Х	Х						Х	X	Х
MS-326	Mid Span Slit & Ring Tool (5 mm-10 mm)	Х	Х						Х	Х	Х
MS-426	Mid Span Slit & Ring Tool (5.8 mm-12 mm)		Х						X	X	Х
MS-526	Mid Span Slit & Ring Tool (9.8 mm-18.2 mm)										Х
RCS-25	Ratcheting Cable Slitter		Х								
RCS-30	Ratcheting Duct and Cable Slitter										Х
RST-8514	Riser Slitting Tool		Х								Х
SD-61	6-in-1 Multi-Bit Screwdriver w/ Phillips & Slotted Bits			Х	X	Х	Х	Х	Х	Х	Х
UST-500	Universal Cable Stripping Tool for COAX, Network, and Telephone Cables							Х			
VFL-150	Visual Fault Locator Kit					Х	Х				
VFL-300	Rugged Visual Fault Locator Kit										Х
QR CODE											







#### **COAX Stripping Tools**

The UST Series creates a two step strip on a multitude of cables (and the **UST-175** provides a three step strip). These tools include a Velcro® strip for folding back the braided shield of the cable. Blade cartridges are interchangeable and last over 5,000 strips.

SPECS	UST-1596	UST-100	UST-125	UST-135	UST-150	UST-175	UST-185
DESCRIPTION	COAX Stripping Tool with Twin RG59/6 Blade	RG59/6 & 7/11 COAX Stripping Tool	COAX Stripping Tool For RG59/6 & 7/11 with Cable Stop	COAX Stripper for RG7/RG11	CAT/TP & RG59/6 Cable Stripping Tool	Mini COAX Cable Stripper	Mini COAX Cable Stripping Tool
HANDLE COLOR	Blue	Blue	Blue Blue		Blue	Yellow	Blue
CABLE TYPE	COAX	COAX	COAX	COAX	COAX COAX		Dual/Quad Shield Mini COAX
CABLE SIZE	RG59 and RG6	RG59 and RG6, RG7 and RG11	RG59 and RG6, RG7 and RG11	RG7 and RG11	G11 RG59 and RG6, Mini COAX UTP		Mini COAX
BLADE CARTRIDGE	UST-210	UST-205	UST-225	UST-235	UST-215	UST-220	UST-230
QR CODE							

SPECS	UST-500	UST-525	UST-540	UST-596
DESCRIPTION	Universal Cable Stripping Tool	Universal Cable Strip Tool with UST-225 Blade	Universal Cable Stripper for RG59 & RG6	Universal Cable Stripping Tool RG59/6
HANDLE COLOR	Blue	Blue	Yellow	Blue
CABLE TYPE	COAX, Network, Flat Telephone Cable	COAX, Network, Flat Telephone Cable	COAX, Network, Flat Telephone Cable	COAX, Network, Flat Telephone Cable
CABLE SIZE	RG-59/6/7/11 COAX, CAT3/4/5E/6/6A Network, up to 1 cm wide Flat Cable	RG-59/6/7/11 COAX, CAT3/4/5E/6/6A Network, up to 1 cm wide Flat Cable	RG-59/6 COAX, CAT3/4/5E/6/6A Network, up to 1 cm wide Flat Cable	RG-59/6 COAX, CAT3/4/5E/6/6A Network, up to 1 cm wide Flat Cable
BLADE CARTRIDGE	UST-205	UST-225	UST-240	UST-210
QR CODE	国数: 国 数据数 回数据	回玩。回 2000 回次是《		

















UST-225

UST-235

UST-240



















CSS-105 CSS-110 CSS-115 CSS-120 CSS-125 CSS-130 CSS-135

#### **COAX Stub End Strippers**

The CSS Series tools are coaxial cable strippers specifically designed to strip a stub end of a COAX cable in a wall outlet box, which eliminates the need to run new cable, saving time and money. Each CSS tool provides a two step strip of an RG59/6 cable to a specific braid length and center conductor length (shown in the chart below). The built-in strip stop insures the strip lengths are consistent.

#### Easy to use:

Squeeze handles to open jaws and insert cable, release to close jaws, rotate like a screwdriver and remove. Tool will not cut the braid or score the center conductor.

Blade cartridges are easily changed and replaced.

SPECS	CSS-596	CSS-5097	CSS-5110	CSS-5127	CSS-5156	CSS-5610	CSS-59M
DESCRIPTION	COAX Stub End Stripper (RG59/RG6)	COAX Stub End Stripper (9 mm/7 mm)	COAX Stub End Stripper (10 mm/10 mm)	COAX Stub End Stripper (12 mm/7 mm)	COAX Stub End Stripper (15 mm/6 mm)	COAX Stub End Stripper (6 mm/10mm)	Mini COAX Stub End Stripper (9 mm/7 mm)
BLADE CARTRIDGE	CSS-105	CSS-115	CSS-120	CSS-110	CSS-130	CSS-125	CSS-135
BLADE CARTRIDGE COLOR	Black	Light Blue	Blue	Grey	Brown	Burgandy	Orange
BRAIDED STRIP LENGTH	1/4"	9 mm	10 mm	12 mm	15 mm	6 mm	9 mm
CENTER CONDUCTOR STRIP LENGTH	5/16"	7 mm	10 mm	7 mm	6 mm	10 mm	7 mm
QR CODE							



#### **CAT/TP Cable Stripper - CSR-56**

The Jonard Tools **CSR-56** CAT/TP stripping tool is designed to strip CAT-5, CAT-5E, CAT6, and other similar sized twisted pair cables for quick and easy termination. This CAT/TP stripping tool features the following:



- Removes jacket from CAT5, CAT5E, and CAT6 network cables
- Compact design is great for on-the-go use
- Large finger loop provides smooth rotation during use
- Ergonomic handles make loading cable quick & easy



#### **COAX Cable Kit - TKRG-64**

The Jonard Tools **TK-RG64** Complete COAX Cable Kit provides an array of tools needed to access and prepare coaxial cables for termination.



#### Kit includes:

- **CAT-16** Cable Cutter r is perfect for cutting twisted pair network cables quickly and easily
- CST-92 Coaxial Cable Stripper for stripping RG59, RG6, RG6 Tri & Quad shield, N48, RG7, and RG11
- CTF-180M Compression Tool compresses long F connectors for RG59 and RG6 COAX cables
- **RG6-10** Universal F Connectors for coaxial cable termination (Pack of 10)



# **COAX Tool Kits**

Service kits for CATV technicians to repair and maintain  ${\sf COAX}$  cable networks.

JONARD P/N	DESCRIPTION	TK-78	TK-82	TK-83	TK-85	TK-86	TK-87	TK-89
CT-200	Universal Compression Tool				Х	Х		Х
CTF-180	360 Degree Compression Tool for RG59/6	Х						
CTF-200	Compression Tool Fixed - Long		Х					
CTF-230	Dual Compression Tool						Х	
CTF-300	Compression Tool Fixed - Short			Х			Х	
FL-2000	LED Flashlight with Zoom Lens	Х	Х	Х	Х	Х	Х	Х
H-85	Molded 8 Tool Pouch	Х	Х	Х	Х	Х	Х	Х
JIC-2288	Plier, Diagonal, Cutter, 8"	Х	Х	Х	Х	Х	Х	Х
PT-300	Pocket Continuity Tester & Toner	Х	Х	Х	Х	Х	Х	Х
SD-61	Screwdriver Multi-Bit 6-in-1	Х	Х	Х	Х	Х	Х	Х
TWAF-71630	Torque Wrench, Full Head 7/16", 30 in-lb	Х	Х	Х	Х	Х	Х	Х
UST-125	Cable Stripper RG59/6 & RG7/11 w/ Cable Stop	Х	Х	Х	Х		Х	
UST-150	COAX RGB59, RG6, & CAT/TP Twisted Pair Cable Stripper					Х		
UST-185	Mini COAX Cable Stripper							Х
QR CODE						0 % 0 0 % 0 0 % 0 0 % 0		

Not all products shown.







# **Compression Tools**

Many different fittings are used to terminate RG6 and RG59 COAX cables. Jonard offers compression tools to work with all types of (BNC, PPC, Beldon, and more). See jonard.com for a list of all compatible connectors.

**CT-200** - Universal Compression Tool designed for use on most F connectors (RG59, RG6, & RG11), BNC connectors (RG59 & RG6) and RCA connectors (RG59 & RG6).

**CTF-200** - Compression tool with a fixed design for use on the longer style F connectors (such as PPC® EXXLWS Aquatight connector, EX-XL and other similar length connectors).

**CTF-200CG** - Compression tool with a fixed design for use on Corning Gilbert connectors. Tool also works with brands such as PPC & Thomas Betts.

**CTF-230** - This dual compression tool is two tools in one, combing the features of the **CTF-200** and the **CTF-300**. It is designed for use on either short or long F connectors (such as PPC EX6 and PPC EX6XL), and also works on most RG11 connectors. The green ring side of the plunger is for the "short" PPC EX6 style.

**CTF-300** - Compression tool with a fixed design for use on the shorter style F connectors (such as PPC Aquatight Connector EX or shorter connectors and other similar length connectors).

**CTF-360XL** - Designed to hold and compress connectors requiring a full 360 degree support. Perfect tool for long F connectors for RG59/6 cables and for RG7/11 cables.

SPECS	CT-200	CTF-200	CTF-200CG	CTF-230	CTF-300	CTF-360XL
DESCRIPTION	Universal Compression Tool	Compression Tool Fixed - Long	Compression Tool Fixed - Long CG	Dual Compression Tool - Short and Long	Compression Tool Fixed - Short	360° Compression Tool for Long RG6, & RG11 Style F connectors
CONNECTOR TYPE	Adjustable	Fixed	Fixed	Fixed	Fixed	360, F Long
CONNECTOR LENGTH	Short & Long	Long	Long	Short & Long	Short	Long
HANDLE COLOR	Green/Blue	Blue	Blue	Green/Blue	Green	Red
REPLACEABLE PLUNGER P/N	21881	N/A	N/A	21912	N/A	N/A
QR CODE			回於回 泛於 回落 <b>以</b>			





# 360° Compression Tool - RG59 and RG6 Connectors - CTF-180

The Jonard Tools 360° Compression Tool is designed for use on both short and long style F connectors. The tool is ideal for installing CATV network cables.



Compatible Connectors: PCT or other brand short and long style F connectors



#### 360° Compression Tool for Short RG6 & RG11 Style F Connectors - CTF-360

Using specially designed jaws to hold connectors in place while compressing, this PATENTED CTF-360 is designed to hold and compress connectors requiring a full 360° support. Perfect tool for short F connectors for RG59/6 cables and F connectors for RG7/11 cables.





# Web Slitter & Shaving Tool - WSS-4625

Designed to slit and shave the webbing off messengered hardline COAX cables and figure 8 fiber cables, the Jonard Tools WSS-4625 Web Slitter and Shaver is the perfect tool for working with aerial messenger cables ranging from 0.400" to 0.625" in diameter.



Replacement Blade Cartridge: WSS-4625RB



# **COAX Cable Gripping Tool - CG-100**

Designed to grip RG59, RG6, RG7, and RG11 cables, this COAX cable gripping tool facilitates the stripping, slitting, splicing, and other functions of coaxial cables.



- Soft rubber material conforms to the shape of the cable to grip it tightly
- Compact shape and belt loop hole make it convenient for storage and transport



#### **RG6 Connectors**


Designed for RG6/6 Quad COAX cable for quick and easy termination of cables for satellite, cable TV, and cable modems. These connectors have a large hex nut for guick and easy to install and a 360° cable gripping sleeve and watertight "0-ring" to keep connections secure.




RG6-10 Connectors (Pack of 10) RG6-50 Connectors (Pack of 50)

**BNC Connectors** 

Designed for use with most major brands of RG6 cable, these BNC connectors are perfect for terminating cables for CCTV or other video applications guickly and easily.







# Coring Tool Jacket Stripper

# **Hardline Strip & Core Tools**

These coring tools will strip and core hardline COAX cable of all sizes and can be used with or without a drill. These coring tools will strip and core hardline COAX cable of all sizes and can be used with or without a drill.

Note: the stripper in the QR series must be used separately but can be stored on the coring tool for convenience.

	SPECS	HSC- 50	HSC- 75	HSC- 625	HSC- 875	HSC- 540QR	HSC- 715QR	HSC- 860QR
	DESCRIPTION	Hardline Strip & Core Tool 1/2"	Hardline Strip & Core Tool 3/4"	Hardline Strip & Core Tool 5/8"	Hardline Strip & Core Tool 7/8"	Hardline Strip & Core Tool Kit 540QR	Hardline Strip & Core Tool Kit 715QR	Hardline Strip & Core Tool Kit 860QR
-IIV-OIVE	SIZE OF CABLE	1/2" (12.7 mm)	3/4" (19.05 mm)	5/8" (15.86 mm)	7/8" (22.23 mm)	QR540 (13.72 mm)	QR715 (18.16 mm)	QR860 (21.84 mm)
ALL	REPLACEMENT PARTS	HS-RB, HC-RB, HCB-50	HS-RB, HC-RB, HCB-75	HS-RB, HC-RB, HCB-625	HC-875, HS-875	HS-RBQR, HC-RBQR, HCB- 540QR	HS-RBQR, HC-RBQR, HCB- 715QR	HS-RBQR, HC-RBQR, HCB- 860QR
	QR CODE							



	SPECS	HS-50	HS-75	HS-625	HS-875	HS- 540QR	HS- 715QR	HS- 860QR
STRIPPERS	DESCRIPTION	Hardline Jacket Stripper 1/2"	Hardline Jacket Stripper 3/4"	Hardline Jacket Stripper 5/8"	Hardline Jacket Stripper 7/8"	Hardline Jacket Stripper 540QR	Hardline Jacket Stripper 715QR	Hardline Jacket Stripper 860QR
JACKET	SIZE OF CABLE	1/2" (12.7 mm)	3/4" (19.05 mm)	5/8" (15.86 mm)	7/8" (12.7 mm)	QR540 (13.72 mm)	QR715 (18.16 mm)	QR860 (21.84 mm)
	REPLACEMENT PARTS	HS-RB	HS-RB	HS-RB	HS-RB	HS-RBQR	HS-RBQR	HS-RBQR



	SPECS	HC-50	HC-75	HC-625	HC-875	HC- 540QR	HC- 715QR	HC- 860QR
CORING	DESCRIPTION	Hardline Coring Tool 1/2"	Hardline Coring Tool 3/4"	Hardline Coring Tool 5/8"	Hardline Coring Tool 7/8"	Hardline Coring Tool 540QR	Hardline Coring Tool 715QR	Hardline Coring Tool 860QR
100	SIZE OF CABLE	1/2" (12.7 mm)	3/4" (19.05 mm)	5/8" (15.86 mm)	7/8" (22.23 mm)	QR540 (13.72 mm)	QR715 (18.16 mm)	QR860 (21.84 mm)
	REPLACEMENT PARTS	HC-RB, HCB-50	HC-RB, HCB-75	HC-RB, HCB-625	HS-875	HC-RBQR, HCB- 540QR	HC-RBQR, HCB- 715QR	HC-RBQR, HCB- 860QR



# **COAX Center Conductor Cleaner - CC-120**

Designed to remove excess dielectric from the center conductor of distribution or trunk cables without damaging the center conductors.

CC-120

Includes the CC-4 set of flat blades and saw tooth blades.






# **Torque Wrenches**

The full head Torque Wrenches behave like traditional open end wrenches. Designed for F connectors, these wrenches help prevent over tightening. An audible click tells you the F connector has been torqued to the proper torque requirement.

These wrenches all have angle heads, sized for 1/2", 7/16", 9/16" applications, and are designed with an ergonomic cushioned handle for user comfort and protection. These wrenches work in tightening mode only. Note: Speed Head wrenches are designed to act like a ratcheting wrench, skipping over corners of nuts/bolts (allowing for continuous turning).

SPECS	TWAF-71620	TWAS-71620	TWAF-1220	TWAF-91620	TWAF-71625	TWAF-1130	TWAF-71630
TORQUE		20 in-lb an	d 2.26 N-m	25 in-lb and 2.82 N-m	30 in-lb and 3.39 N-m		
WRENCH SIZE	7/16" (11.11 mm)	7/16" (11.11 mm)	1/2" (12.7 mm)	9/16" (14.29 mm)	7/16" (11.11 mm)	11 mm	7/16" (11.11 mm)
HEAD TYPE	Full	Speed	Full	Full	Full	Full	Full
QR CODE						□3:□ □3:9:	

SPECS	TWAS-71630	TWAF-91630	TWAF-71640	TWAF-91640	TWAF-2244	TWAF-2288	TWAF-22176
TORQUE	30 in-lb and 3.39 N-m		40 in-lb and 4.52 N-m		44 in-lb and 5 N-m	88 in-lb and 10 N-m	176 in-lb and 12 N-m
WRENCH SIZE	7/16" (11.11 mm)	9/16" (14.29 mm)	7/16" (11.11 mm)	9/16" (14.29 mm)	7/8" (22 mm)	7/8" (22 mm)	7/8" (22 mm)
HEAD TYPE	Speed	Full	Full	Full	Full	Full	Full
QR CODE					回提回		







#### Torque Wrenches w/ Swivel Head

Designed to reach shielded F connector fittings with preset torques, these right angle swivel torque wrenches provide a perfectly calibrated amount of torque to prevent damage from over-tightening or signal loss from under-tightening.

The TWAFST-71622 is set at 22 in-lb and 2.49 N-m The **TWAFST-71630** is set at 30 in-lb and 3.39 N-m

SPECS	TWAFST-71622	TWAFST-71630
DESCRIPTION	Torque Wrench w/ SST 7/16", 22 in-lb	Torque Wrench w/ SST 7/16", 30 in-lb
TORQUE	22 in-lb and 2.49 N-m	30 in-lb and 3.39 N-m
QR CODE		



# Right Angle Torque Wrench, Swivel Head, 40 in-lb - TWSW-40



Designed with a preset torque of 40 in-lb, this swivel head torque wrench is perfect for cable shield bond connectors and other ground connections.



3/8" Socket for TWSW-40 (Pack of 10) - TWS-38/10




Designed to be used on 3/8" shield bond connectors with an appropriate driver, these sockets are perfect for communication cables and other ground connections.



#### **Connector Torque Wrenches - CTW-7163812**


Designed for torquing F connectors to a preset torque of 30 in-lb



# This torque wrench includes:

- **CTW-H** F Connector Torque Wrench Handle
- CTW-7168 F Connector Torque Wrench Shaft, 8"
- CTW-71612 F Connector Torque Wrench Shaft, 12"
- CTW-71638 F Connector Torque Wrench, 30 in-lb, 8" (includes CTW-H and CTW-7168)
- CTW-716312 F Connector Torque Wrench, 30 in-lb, 12" (includes CTW-H and CTW-71612)
- CTW-7163812 F Connector Torque Wrench, 30 in-lb, 8" and 12" (includes CTW-H, CTW-7168, and CTW-71612)

SPECS	CTW-7168	CTW-71612	CTW-71638	CTW-716312	CTW-7163812
LENGTH	8"	12"	8.63" (21.91 cm)	13" (33.0 cm)	8.625" (21.91 cm) and 13" (33.0 cm)
PARTS INCLUDE	N/A	N/A	CTW-H and CTW-7168	CTW-H and CTW-71612	CTW-H, CTW-7168, and CTW-71612
QR CODE		回数回 交換器 回数器	国数(B) 数(B) 国数(B)		




# **Speed Wrenches**

Our **PATENTED** speed wrenches are designed to get your job done more efficiently. This line of speed wrenches is made to work on splitters, F connectors, and all 7/16" connections. These wrenches are made of chrome vanadium steel, chrome plated, and polished to a high gloss finish.

Speed heads make tightening and loosening quick and easy while the circular hole in the tool allows you to add this to your carabiner and/or tool belt.

SPECS	ASW-12	ASW-716	ASW-916	ASW-R12	ASW-R716	ASW-7916	ASWS-716	ASWS-R716
DESCRIPTION	Angled Head Speed Wrench 1/2"	Angled Head Speed Wrench 7/16"	Angled Head Speed Wrench 9/16"	Ratcheting Speed Wrench 1/2"	Ratcheting Speed Wrench 7/16"	Double-Ended Speed Wrench 7/16" & 9/16"	Angled Speed Wrench Stubby 7/16"	Ratcheting Stubby Speed Wrench 7/16"
WRENCH TYPE	Speed	Speed	Speed	Combination, Speed, Ratcheting	Combination, Speed, Ratcheting	Speed	Speed	Combination, Speed, Ratcheting
QR CODE								



# **Combination Wrenches**

These combination wrenches measure 7/16" at both ends and have an angled offset (15°) to ease access in confined areas. Chrome plated, polished to a high gloss finish and made of chrome vanadium steel. The ratcheting end of the **CWRR-716** allows you to toggle from tightening to loosening.

SPECS	CWS-716	CW-716	CWRR-716	OW-38716
DESCRIPTION	Combination Stubby Wrench 7/16"	Combination Wrench 7/16"	Ratcheting Reversible Combination Wrench 7/16"	Open-Ended Wrench 3/8" & 7/16"
QR CODE				







#### **Terminator Tools**

Jonard creates tools for all kinds of locking terminators. Termination is essential when running cable to ensure a quality service and prevent theft.

Our tools provide ergonomic handles for greater leverage and superior grip. Jonard's termination tools are made of stainless steel and are available in several lengths and termination styles.

The TT-7V and TT-7PT have pronged ends on the shaft to work with pronged terminators.




SPECS	TT-4	TT-7PT	TT-7	TT-7V
DESCRIPTION	Terminator Tool 4-1/2"	Terminator Tool For PPC & T&B	Terminator Tool 7"	Terminator Tool w/ Prongs 9"
TERMINATION STYLE	Spring Ears	Spring Ears	Spring Ears	Spring Ears, 2 Prong
USED ON	Gilbert Morlock, PCT LT, PPC PST, Signal Vision LT, Signal Vision SV-LTA	Gilbert Morlock, PCT LT, PPC PST, Signal Vision LT, Signal Vision SV-LTA, PPC 502, T&B CLF, TRL	Gilbert Morlock, PCT LT, PPC PST, Signal Vision LT, Signal Vision SV-LTA	Gilbert Morlock, PCT LT, PPC PST, Signal Vision LT, Signal Vision SV-LTA, Viewsonics 2 Prong, Viewsonics 3 Prong
LENGTH	4-1/2" (114.3 mm)	7-1/2" (190.5 mm)	8" (203 mm)	9" (228.6 mm)
QR CODE				



# **Cam Style Locking Terminator Tools**

Designed with a cam style locking terminator tip for use on Corning Gilbert style terminators, this tool is perfect for use on the Gilbert NS-5762-3 or other similar types of terminators.









# **Trap And Security Combo Tool - TTS-716**

Two tools in one, the TTS-716 combines a trap wrench with a security sleeve tool to make it the perfect combo tool for all standard traps and all sizes of security sleeves. This combo tool features the following:



- Security wrench fits all metal 7/16" hex "F" fittings
- 2 prong termination style



#### Terminator Tool for PPLT-75 & PPLT-LR - TT-PPLTT4

This terminator tool is designed for use with PPLT Series locking terminators, specifically the PPLT-75 and PPLT-LR. Specially designed to overcome problems of theft and tool breakage. Ideal 0.218" plunger diameter is sized to accommodate PPLT locking terminators. Aluminum body for high strength and durability and belt loop included for convenience.





#### **Barrel Lock Plunger Key - TTB-6**

The Jonard Tools TTB-6 Barrel Lock Plunger Key is designed to unlock Channell LK03029817 and Highfield 93180775-S CATV barrel locks quickly and easily. It only works with these 2 types of locks with inside diameters from 0.176" to 0.196".

jonard.com



This key may also fit other locks used in the electric, gas and water utilities. Know your lock size before purchasing.



# **Barrel Lock Plunger Key Size #6 - TTBW-158**

Specifically designed to unlock Highfield 93180128 and 93180124 locks, this #6 key is able to unlock utility box locks with inside diameters of 0.158".



- Made from High Carbon alloy steel for heavy-duty use
- Smooth plunger operation and heavy-duty spring designed for high strength and durability



#### **Outer Conductor Flaring Tool - FT-2075**

The Jonard Tools **FT-2075** Outer Conductor Flaring Tool is specially designed to flare outer conductors on Eupen 7168, A7168, and CommScope CA519 75 Ohm corrugated copper cable.



- Ergonomic screwdriver-like handle for more comfortable gripping and easier flaring
- Made of high carbon steel with a black oxide finish for maximum durability



#### Flaring & Insertion Tool - FT-6

The Jonard Tools FT-6 Flaring & Insertion Tool is designed to facilitate the expansion of cable. This flaring tool is the perfect tool for spreading COAX cable jackets, which allows easy insertion of F connectors.



Perfect for use on polyethylene jacketed, plenum, tri-shield, and quad-shield RG6 cables



#### **Crimper with COAX Die - UC-8012**

Designed for use with RG-59/RG-6 CATV F connectors, this crimper is the perfect tool for crimping COAX connector collars.



Kit includes:

UC-8000 Universal Crimper Without Die

UCD-2045 COAX Crimping Die







# Ubiquiti® Wifi Access Point Unlock & Reset Tool - UUT-425

Designed for unlocking or resetting Ubiquiti® Wifi Access Points, the UUT-425 is the perfect tool for releasing the tedious tabs that lock Ubiquiti® access points or pressing hard-to-reach reset buttons.







# Star Keys & Star Key Slam Lock Sets

The **SSK-716** can wrench is specifically designed to work with all of our SSK Series Keys. The **SSK-716** can wrench has two 7/16" hex sockets 1 1/2" deep on either end and can be used to open enclosures that require a 7/16" socket.



# Star Key Kits:

SPECS	SSK-950	SSK-876	SSK-850	SSK-900	SSK-750	SSK-800	SSK-700
SSK-716 CAN WRENCH	X	X	X	X	X	X	X
SSK-85	X	X	Х				
SSK-90 P-KEY	X			X			
SSK-75		Х			Х		
SSK-80						X	
SSK-70							X
QR CODE		□ X □			□ <b>3</b>		□ 34 □ 26 0 0 □ 34 0

For authorized personnel only.

# Star Keys:

SPECS	SSK-70	SSK-75	SSK-80	SSK-85	SSK-90
KEY PATTERN	LB 8 point star & LK flower	LC 7 point star & LG flower	LB 8 point star & LG flower	LB 8 point star & LS 5 point star	P Key
QR CODE		回数 (B) (2) (B) (B)			



# P Key For Self Lock Pedestal Lock - TTK-225

The Jonard Tools P Key (also known as a skeleton key) is designed to work with Channell locks and other similar pedestal locks. It can be used on many popular pedestals and opens most heavy duty spring-lock cabinets.



Made of high quality brass for increased durability



#### Pocket Continuity Tester & Toner - PT-100

Designed to identify cables in an MDU and detect troublesome short circuits, this pocket continuity tester and toner is perfect for testing cables up to 5,000 ft (1,500 m) on the go.



Replacement Speaker for Pocket Toner: PT-350 Piezo Speaker



# Pocket Continuity Tester & Toner w/ Voltage Protection - PT-300

Designed to identify cables in an MDU and detect troublesome short circuits, this pocket continuity tester and toner is perfect for testing cables up to 5,000 ft (1,500 m) on the go. Features manual ON/OFF switch & voltage protected up to 52V.



Replacement Speaker for Pocket Toner: PT-350 Piezo Speaker



#### Cable Mapper Pro - CM-100

Designed for finding and identifying up to 8 COAX and network cables in main cable boxes, this cable mapper and toner is the perfect tool for use on cables for CATV, network installations, satellite installations, telephone systems, audio-video equipment, CCTV, and security & alarm installations.



#### Kit includes:

Cable Mapper/Tester/Toner, 8 COAX Identifiers, 8 Network Cable Identifiers, 2 Data Patch Cords, Coax Patch Cord, Network Cable Remote, Rugged Nylon Case, 2 AA Batteries, and an Instruction Sheet



#### **Cable Mappers & Toners**

Find and identify multiple coax cables in main cable boxes. For use on COAX Cables for CATV, Satellite Installations, Audio Video Equipment, CCTV and Security & Alarm Installations. These COAX Cable Mappers & Toners are designed to quickly find and identify multiple cables and easily map runs to and from a central cable bundle.



CIM-8

#### CM-8 Kit contains:

Cable Mapper and Toner, 8 numbered & color-coded cable identifiers (#1 White, #2 Red, #3 Black, #4 Blue, #5 Green, #6 Yellow, #7 Purple, #8 Brown, (2) Alligator Clip Sets, Rugged Nylon Case, and an Instruction Sheet

Replacement Cable Identifiers: CMI-SET8 (Set of 8)

#### CM-17 Kit contains:

Cable Mapper & Toner 8 Way Kit CM-8 & CMI-RJ45 RJ45 Adapters (Set of 9)



## Modular Cable Tester - MCT-468

Designed to test the continuity of RJ45, RJ12, and RJ11 connectorized cables, this cable tester checks and troubleshoots pin connections in network and telecom cables.



MCT-468

- Tests for opens, shorts, and miswiring of RJ45, RJ12, and RJ11 terminated cables
- Full LED indication lights on both main and remote unit



#### Telephone Butt Set w/ ABN, Analog - TBS-100

Designed to facilitate the installation, service, and maintenance of analog telephone lines, this telephone butt set has all the essential functions for testing telephone lines such as detecting dial tone, making and receiving calls, and tone and pulse modes. This telephone test set also features the following:



- Dial, ring, talk, mute, or redial using this telephone line tester
- Sends signals via dial tone (DTMF) or dial pulse
- Angled Bed-of-Nails (ABN) Clips clamp connections securely
- Includes telephone line tester, RJ11 test cord, and an extra fuse
- Waterproof housing protects the unit from inclimate weather
- RJ11 switchbox can test telephone lines directly by plugging them in
- Battery free! No need for batteries as the unit operates using the ABN hook up or is powered by the telephone line



## Non-Contact Dual Range Voltage Detector Pen, 24-1000VAC & 90-1000VAC w/ LED Flashlight - VT-1100




Designed to identify the presence of AC voltage in outlets, switches, circuit breakers, fuses, wires, and cables, this voltage tester is the perfect tool for verifying low and high voltage in live circuits.

- Low Voltage Detection between 24 to 1000 VAC
- High Voltage Detection between 90 to 1000 VAC



#### Cable Tester Tone & Probe Kit - TETP-800





#### Kit includes:

**TEP-100** Tone Tracing Probe

- Plastic probe tip prevents accidental shorts
- Adjustable volume knob to work silently or to hear tone more easily
- Works with many other manufacturers' analog tone generators

TET-600 Cable Tester & Toner

- Provides tone via RJ11 connector or alligator clips
- Works with our **TEP-100** tracing probe or others to identify cables
- Able to test the continuity of cables and the polarity of telephone lines



#### Cable Tester Tone & Probe Kit+ w/ ABN - TETP-901

Designed to identify, trace, and test the continuity of BNC & F connectorized COAX cables, network cables using RJ45 connectors, and telephone lines using 6P2C/4P2C plugs. This multi-function cable tester tone and probe kit is the perfect kit for any Voice Data Video (VDV) professional.



#### Kit includes:

TET-700BC Cable Tester & Toner+ w/ ABN

- Plastic probe tip prevents accidental shorts
- LED light provides a visual indication of signal strength

**TEP-200** Tone Tracing Probe+

- Remote terminator can be used to test network cables with ease
- Provides tone via RJ45 and BNC connectors or test clips
- TET-6 Accessory Kit for Cable Testers & Toners+




#### **Compact BNC Connector Tool - RBNC-3**

Designed to provide easy access to BNC connectors, this 2.25" BNC Connector Tool is perfect for installing or removing BNC connectors in high-density locations. This tool features the following:




- Compact design allows you to reach connectors in hard-to-reach places
- Knurled handle provides a secure grip while using the tool
- Steel loop can easily attach to a carabiner or key ring



#### **Connector Tools**

The **RBNC-12** is designed to install or remove BNC connectors in high density locations. The **RF-12** and **RF-18** perform the same function but for F connectors and feature an insertion device on the back of the handle to aid in making connections.



 Made from high-quality materials for maximum durability and long life

**RNBC-12** - 12" long **RF-12** - 12" long **RF-18** - 18" long



RBNC-12



RF-12





#### Extra Force F Connector Tool, 12" - RFX-12

Designed with a nut on the base of the handle and a short head with a heavy duty weld, this 12" F Connector Tool is perfect for installing or removing rusted or corroded F connectors in high-density locations.



 Short head design allows it to grasp connectors in high density locations where cables may be twisted or bent



# **Security Shield Tools**

**SST-716** Security Shield Tool 7/16" & **SST-716AT** Security Shield Tool Water Tight are used with 7/16" hex shielded F connectors. Design includes extended 7/16" shank for ease of use with Torque Wrenches in security shield applications. Black oxide finish. Knurled handle for secure gripping and includes a steel loop for turning leverage and carrying.

**SST-916** is designed to be used on 9/16" hex shielded F connectors (RG11), this security shield tool is perfect for use with torque wrenches to lock security shields onto connectors. Knurled handle for secure gripping. Steel loop included for better leverage and easy storage. Shaft length 1.625".



ST-716AT





Designed to tighten F connectors, this **PATENTED** indoor torque tool is perfect for connecting COAX connectors to consumer electronic devices with the proper amount of torque every time.



- Small and compact for getting into tight spaces: 1 3/8" tall and 7/8" diameter
- Helps prevent signal loss, ingress / egress








#### Adjustable Round Hole Cutter, 2.2"-10" - AHC-10

The Jonard Tools **AHC-10** adjustable hole cutter is designed for cutting round holes in ceilings, walls, and floors and is the perfect tool for installing recessed speakers, lighting, or other round objects.



Replacement Blades (Pack of 2): AHC-10RB





# Adjustable Round Hole Cutter w/ Vacuum Port, 2.2"-9" - AHC-19

Designed for cutting round holes in ceilings, walls, and floors without making a mess, the **AHC-19** is the perfect tool for installing recessed speakers, lighting, or other round objects. This adjustable hole cutter features the following:



- Can be hooked up to vacuums, with 2.5" (63.5 mm) diameter hose nozzles, to suck up debris as you go
- Cuts plywood, sheetrock, plasterboard, and acrylic sheet up to 1 1/16"
   (27 mm) thick
- Cutting depth is adjustable via hex locknut and compression spring
- Cuts hole sizes from 2.2" to 9" (56 mm 228.6 mm) in diameter
- Polycarbonate transparent dust shield collects dust and prevents chips from flying into eyes while cutting
- Rubber gasket provides surface protection against damage, tight seal against flat surfaces, and prevents fallout from debris
- Compression spring absorbs vibrations while cutting
- Can be used with any variable-speed drill
- Power drill and vacuum not included with hole cutter

Replacement Blades (Pack of 2): AHC-19RB



## **Telescoping Poles**

Designed to provide more control and accuracy than the competitors, these telescoping poles are perfect for installing or retrieving cables in drop ceilings or other hard to reach places. Includes: C & K hooks (to help grab/push cables), adapter (to replace the platform for navigating tight spaces), and small carrying pouch.





RDT-12K Length: 12'


RDT-18K Length: 18'

Accessory Replacement Kit for RDT-18K: RDT-3RH



#### Magtime™ Magnetic Cable Holder (Pack of 25) - MF-25/25

Made of neodymium (a rare earth magnet), these cable holders quickly and easily allow the technician to install cables without any drilling, screwing or nailing required. These powerful magnets can hold a substantial number of cables based on the size chosen. Hang wires in high places from the ground using a telescopic pole with the cable pole adapter.



# Magtime™ Cable Pole Bracket - MF-45

The MF-45 is the RDT-18K Telescopic Pole adapter to be used with the MAGTIME series of magnetic cable holders to place in locations typically requiring a ladder or other lifting device. The MF-45 is made from Tough ABS plastic and is flexible to allow for ease of use and rugged enough to withstand accidentally being dropped from heights over 10ft.



#### Standard J Hooks (Packs of 100)

Designed for heavy-duty hanging applications, these J hooks provide stress-free cable support while keeping your cable bundles neat and organized.

SPECS	JH12-100	JH21-100	JH32-100
DESCRIPTION	Size 12 for bundles up to 3/4" diameter	Size 21 for bundles up to 1 5/16" diameter	Size 32 for bundles up to 2" diameter
CABLE CAPACITY	Up to 16 CAT5E or 10 CAT5E/CAT6 cables	Up to 50 CAT5E or 32 CAT5E/CAT6 cables	Up to 80 CAT5E or 50 CAT5E/CAT6 cables
QR CODES		回波 (B 2000年 (B) (B)	





# Pulley for Low Voltage Electrical, Network, and COAX Cables (Pack of 2) - CP-475



The **CP-475** is a set of two cable pulleys designed to help install electrical, COAX, network, and other various low voltage cables. With their swivel snap hooks, deep grooves, and anti-friction bearings, these pulleys keeps cables aligned with the direction of the pull, preventing snags and kinks.

- Holds up to 20 CAT5/6 network cables
- Swivel snap hook installs easily and keeps pulley aligned with direction of pull to prevent kinks



# Cable Comb® Cable Organizing Tool - CCB-25



Neatly bundle your cables! Jonard Tools' Cable Comb® Cable Organizing Tool substantially reduces the amount of time it takes to straighten, organize, and lash multiple cables together with ease. The Cable Comb also features the following:

Compatible with any cables or wires up to 1/4" (6.35 mm) in diameter, such as: Coaxial (not RG6 Quad), Plenum, Control, CAT5/5E/6 Network, Speaker, and Alarm Cables and Wires

- Holds up to 24 cables (0.25" in diameter)
- Unique design allows individual cables to be loaded into the orange inner hub at any point during use without the need to find and thread the cable ends
- Cables can also be removed at any point during use by sliding the blue outer collar back and removing them through the large opening of the collar



# Cable Comb® Cable Organizing Tool CAT6A/CAT7 - CCB-34



Neatly bundle your cables! Jonard Tools' Cable Comb® Cable Organizing Tool Set substantially reduces the amount of time it takes to straighten, organize, and lash multiple cables together with ease. The Cable Comb® also features the following:

- Holds up to 24 CAT6A, CAT7, or other similar sized cables
- Compatible with any cables or wires up to 0.36" (9.14 mm) in diameter, such as: Coaxial (not RG6 Quad), Plenum, Control, CAT5/5E/6/6A/7 Network, Speaker, and Alarm Cables and Wires
- Unique design allows individual cables to be loaded into the green inner hub at any point during use without the need to find and thread the cable ends



#### Cable Comb® Cable Organizing Tool Set - CCB-2534



Neatly bundle your cables! Jonard Tools' Cable Comb® Cable Organizing Tool Set substantially reduces the amount of time it takes to straighten, organize, and lash multiple cables together with ease. The Cable Comb® also features the following:

Holds up to 24 cables

• Unique design allows individual cables to be loaded into the orange/green inner hub at any point during use without the need to find and thread the cable ends

## Set includes:

**CCBR-5** Cable Comb® Outer Ring (Blue)

CCBH-25 Cable Comb® Inner Hub (Orange)

**CCBH-34** Cable Comb® Inner Hub (Green)



#### **Fish Tapes**

Designed for easier payout and rewind, these Fish Tapes Reels are perfect for pulling wire or cables through conduit, walls, or under carpets. These also feature the following:

• Made from a high strength spring steel to handle heavy-duty wire pulls with ease

SPECS	FTS-50	FTS-240
DESCRIPTION	Fish Tape 50 Feet	Fish Tape, 240 Feet
DIMENSIONS	1/8" (3.2 mm) wide x 1/16" (1.6 mm) thick x 50 feet (15.2 m)	1/8" (3.2 mm) wide x 1/16" (1.6 mm) thick x 240 feet (73.2 m)
WEIGHT	2.5 lbs (1.13 kg)	6.8 lbs (3.08 kg)
QR CODES		



# Fiberglass Fish Tape Rodder, 100' - FTF-1125

The Jonard Tools **FTF-1125** has been designed to be the ultimate non-conductive fish tape dispenser and winder. With its built-in handle, fastening and anchoring system, center compartment, and two furling systems, this fish tape system is perfect for pulling wire or cables through conduit, walls, or under carpets. This fish tape system also features the following:



- Tape is made from a non-conductive nylon-coated fiberglass rod for ultimate flexibility and durability
- Ultra-smooth pay out and furling of fish tape using the built-in reel handle
- Transparent backing allows you to see how much tape is left
- Backing can be removed easily via metal lock pin to repair the tape quickly and easily
- Case is made from a high impact plastic material for superior durability, allowing you to stand on it for a hands-free experience



# Coated Fiberglass Rodder, 3/16" x 300' - ROD-3316

Lightweight and portable, this rodder unit is perfect for running conduit cable or wire through or along conduit drops as well as home drops from the hand-hole box to a building. This rodder also features the following:



- Lightweight and compact design for easy transport
- Can be pulled horizontally or vertically
- Made with a non-conductive fiberglass core with a yellow nylon coating for high visibility and flexibility
- Nylon coating on rod resists harsh environments and provides a low friction surface for easier pulling
- Drag brake for controlling pay out speed
- Triangular stand for stability
- Compatible with any conduit 3/4" or larger
- Includes: ROD-3316AK Accessory Kit containing flexible leaders with a pulling eye or ball tip




#### Cable Funnel Drop Ceiling Protector - CPF-215

Designed to prevent the snaring or snagging of cables in drop ceilings, this tool is perfect for protecting cables and ceiling grids while pulling cable. This tool also features the following:



- Protects any type of cable from being damaged while being pulled through a drop ceiling
- Prevents ceilings from being twisted or marred while cable is pulled
- Made from a smooth plastic material to minimize friction and make cable pulling easy
- Side slit and removal fin make removal quick and easy
- Works with standard 1" ceiling grids
- Lifetime Warranty



# Cable Roller for Cables up to 1" Diameter (Pack of 6) - CR-150/6

Designed to work on cables up to 1" diameter. The **CR-150/6** is simple and easy to use for pulling cable in overlash construction.



- Rugged design and built to last
- Supports cables up to 1" in diameter including fiber optic cable
- Cable roller design helps prevent snagging and catching
- Snaps over strand cable to install quick and easy for overlash construction
- Cable roller made from durable nylon plastic




# Cable Roller for Cables up to 1" Diameter (Pack of 4) - CR-210/4

Designed to work with two cables up to 1" diameter each. The **CR-210/4** is simple and easy to use for pulling cable in overlash construction.



- Supports cables up to 1" in diameter including fiber optic cable
- Cable roller design helps prevent snagging and catching
- Snaps over strand cable to install quick and easy for overlash construction
- Roller made from durable nylon plastic



# Cable Roller for Cables up to 3" Diameter (Pack of 4) - CR-300/4

Designed to work on cables up to 3" diameter. The  ${\bf CR-300/4}$  is simple and easy to use for pulling cable in overlash construction.



- · Rugged design and built to last
- Supports cables up to 3" in diameter including fiber optic cable
- Cable roller design helps prevent snagging and catching
- Snaps over strand cable to install quick and easy for overlash construction
- Roller made from durable nylon plastic



#### **Electrical Knockout Kit - WBK-100**

The Jonard Tools **WBK-100** Electrical Panel Knockout Kit is designed to open knockouts from electrical panels without damaging the panel or cutting holes in the drywall quickly and easily.



#### Kit includes:

(1) panel buddy and (1) modified screwdriver



#### **HDMI Cable Tester - HDMI-100**

Designed to test HDMI and Mini HDMI cables with ease, this HDMI Cable Tester is the perfect tool for evaluating HDMI cables that may have shorts, open circuits, or have wire pairs in the wrong order. This HDMI tester features the following:




HDMI-10

- Perfect for use on 1.2V, 1.3V, 1.4V, 2.0V HDMI or Mini HDMI cables
- Scan mode allows you to see each individual connection being tested
- Full Display mode shows all of the tested connections at once
- Remote can be detached from the main unit, allowing you to quickly and easily test HDMI cables that are installed or very long
- Auto-shutdown function after 10 minutes helps preserve battery life
- Includes (1) 9V battery required for operation



# Heavy Duty Cable Tie Gun, 3/16" - CTG-1000





- Cuts cable ties and zip ties up to 3/16" (4.76 mm) wide flush to the surface
- Tension adjustment knob with 4 tension levels (0-3) to prevent excess tightening on cables
- Automatically flush cuts cable ties when the set tension is reached
- Made from precision engineered parts for smooth operation
- Ergonomic handle design makes it comfortable and easy to use





# MAGNETRIEVER®

#### Kits include:

24" or 36" Flexible Magnetic Retriever
MRS-BC10 12' Ball Chain with 3/4" Stop Ring
MRS-RH20 Expandable Retriever Hook
Eyelet Retriever (MRS-36 only)
Storage Pouch

# MagneTriever® - MRS-24

The MRS-24 - MagneTriever  $^{\tiny\textcircled{\tiny 0}}$  is the ideal tool to effortlessly fish wires through walls.



MRS-2



# MagneTriever® Pro - MRS-36

The MRS-36 - MagneTriever® Pro is the professional tool to effortlessly fish wires through walls using its 36" magnetic retriever, bullet nose, and reinforced 12' ball chain.







### Magnamole Magnetic Cable Guide Kit - MM-800

Quickly threads wire and cable through cavity walls and void spaces. Threads at an angle and safely through other wire and cable obstacles. Saves time, saves money, and sharply reduces the risk of accidents.



#### Kit includes:

1 Magnetic Rod (17"), 2 Magnetic Extensions (14"), 5 Magnetic Caps, Storage Pouch

SPECS	MM-110	MM-120		
DESCRIPTION	Replacement Magnets (3 Magnetic Caps of Each Color)	Replacement Magnets (2 Magnetic Caps of Each Color)		
CAP COLOR & CABLE DIAMETER	(Red) 0.169" to 0.205"; (Blue) 0.230" to 0.295"	(White) 0.145" to 0.169"; (Gray) 0.173" to 0.201"; (Black) 0.205" to 0.232"		
CABLE USED WITH	CAT5 RG6, RG6 TRI, RG6 Quad	CAT3, 3.1 mm Simplex Fiber Optic Cable, CAT5, CAT5E, RG59, 12AWG Romex		
QR CODE	国旗国 报文部 国英县			



# **Magnetic Cable Retrieval Systems**

Designed with ultra-strong neodymium magnets and a cylindrical head with rubber-coated wheels, this magnetic cable retrieval system makes it quick and easy to pull wire through drywall, finished walls, and other tight spaces without damaging or scuffing the surface. **PATENTED**.



**Kits (MP-700) include:** Magnetic Retriever, 3/4" Drop Magnet with Pull Line, Convenient Carrying Case

JONARD P/N	DESCRIPTION
MP-700	MagneTriever® MaxForce+ Retrieval System
MP-220	3/4" Drop Magnet without Leader
MP-210	3/4" Drop Magnet with Leader
MP-100	1/2" Drop Magnet without Leader

#### **Glow Rods and Accessories**


These glow rods are 3/16" in diameter with medium flexibility and 8-32 size threads. The rods are made of luminescent fiberglass and the connectors are made of stainless steel. The **RDG-FLW** WhiskLight® is included in the **RDG-RP4A** accessory kit (and the **RDG-15A** and **RDG-30A**) are sold separately.




SPECS	RDG-5	RDG-15A	RDG-30A	RDG-9	RDG-515
OVERALL LENGTH	5 ft (1.52 m)	15 ft (4.57 m)	30 ft (9.14 m)	9 ft (2.74 m)	30 ft (9.14 m)
INDIVIDUAL GLOW ROD LENGTH	5 ft (1.52 m)	5 ft (1.52 m)	5 ft (1.52 m)	1.5 ft (0.457 m)	5 ft (1.52 m)
# OF RODS	1	3	6	6	15
INCLUDED ATTACHMENTS	N/A	RDG-RP4A	RDG-RP4A	Bullet Nose	N/A
WEIGHT	0.160 lb (72.6 g)	1.18 lb (0.535 kg)	1.18 lb (0.535 kg)	0.617 lb (0.28 kg)	2.4 lb (1089.6 g)
WEIGHT PER GLOW ROD	0.160 lb (72.6 g)	0.160 lb (0.0726 kg)	0.160 lb (0.0726 kg)	0.073 lb (33 g)	0.160 lb (0.0726 kg)
QR CODE					回源(E) (E) (E)



# 4 Piece Glow Rod Attachment Replacement Kit+ - RDG-RP4A









# WhiskLight® - RDG-FLW

Designed to illuminate dark areas and guide glow rods through acoustical ceilings or crawl spaces, the WhiskLight® is the perfect flashlight or whisk attachment head for glow rods and fish sticks.





# **Reference Point Locator - MP-800**


Designed with a precise signal transmitter and locator, this Reference Point Locator pinpoints the exact location to drill or cut through a wall, so no more guesswork.



# Kit includes:

Transmitter, Receiver, 2 9V Batteries, Tack Adhesive, Instruction Sheet, Carrying Case





#### **Wall Templates & Levels**

Designed specifically for cutting out old work boxes, this wall template level is perfect for ensuring the boxes are level every time.

SPECS	WTL-12	WTL-32M	WTL-34
DESCRIPTION	Wall Box Template & Level for Non-Metallic Boxes, 1-Gang and 2-Gang	Wall Box Template & Level for Metal Boxes, 1-Gang and 2-Gang	Wall Box Template & Level for Non-Metallic Boxes, 3-Gang and 4-Gang
ELECTRICAL BOX TYPE	Non-Metallic, Old Work	Metallic, Old Work	Non-Metallic, Old Work
NO. OF GANGS	1-Gang, 2-Gang	1-Gang, 2-Gang	3-Gang, 4-Gang
QR CODE			



#### **Electrical Wall Box Cutters**

Cuts drywall in seconds making installation of electrical boxes fast and easy. The **EBC-400** cuts a 2-3/8" x 3-3/4" hole for single gang boxes and the **EBC-800** cuts a 4" x 3-3/4" hole for double gang boxes.



#### EBU-40

#### **Available Kits:**

- EBW-412 kit includes the WTL-12 and EBC-400
- EBW-812 kit includes the WTL-12 and EBC-800






# **Steel Cable Caddies**

These sturdy cable caddies are constructed of 0.06" thick tubular steel that is 7/8" in diameter and feature the following:

- Folding mechanism for easy storage
- Sturdy steel construction with dual leg chains for increased stability and longer life
- Portable and compact design to make it easy to store and move around job sites
- Able to hold cable reels weighing up to 100 lb (45.4 kg)
- Easy setup by just placing cable caddy on the floor, removing the cotter pin, and loading the reel
- Slip-resistant rubber feet to prevent the caddy from slipping while also protecting floors from damage

SPECS	CC-2721	CC-2721WS	CC-2726	CC-2726WS	CC-5442
STYLE	Standard	With Wheels & Pull Strap	Standard	With Wheels & Pull Strap	Double Deck
OVERALL WIDTH	21" (53.3 cm)	21" (53.3 cm)	26" (66.0 cm)	26" (66.0 cm)	21" (53.3 cm)
OVERALL HEIGHT	27" (68.6 cm)	28" (71.1 cm)	27" (68.6 cm)	28" (71.1 cm)	27" (68.6 cm)
SPOOL ROD DIAMETER	5/8" (15.88 mm)	5/8" (15.88 mm)	5/8" (15.88 mm)	5/8" (15.88 mm)	5/8" (15.88 mm)
MAXIMUM SPOOL WIDTH	17" (43.2 cm)	17" (43.2 cm)	22" (55.88 cm)	22" (55.88 cm)	17" (43.2 cm)
MAXIMUM SPOOL DIAMETER	20" (50.8 cm)	20" (50.8 cm)	20" (50.8 cm)	20" (50.8 cm)	20" (50.8 cm)
MAXIMUM SPOOL WEIGHT	100 lb (45.4 kg)	100 lb (45.4 kg)	100 lb (45.4 kg)	100 lb (45.4 kg)	100 lb (45.4 kg)
QR CODE			回答题 1000 1000 1000 1000 1000 1000 1000 10	回禁回 交換 回為提	□ (1□ □ (1)




# Combination, Bellhanger and High Speed Steel Drill Bits

Designed to drill through metal, wood and masonry walls for installing computer, security, phone, and cable small wire systems, these drill bits eliminate the need to carry multiple drill bits with you, perfect for any installer. These drill bit also features the following:

- Aggressive tips drill through metal, wood, masonry, and other similar materials with ease
- Holes on the bit head and chuck allow for pulling of wires after drilling
- Black oxide coated shaft and powder coated blue for greater rigidity, durability, and rust resistance

SPECS	DBB-3812	DBB-3824	DBB-3836	DBC-144	DBC-1218	DBC-1224	DBC-3818	DBC-3824
DESCRIPTION	High Speed Steel Bellhanger Bit	High Speed Steel Bellhanger Bit	High Speed Steel Bellhanger Bit	Combination Bit	Combination Bellhanger Bit	Combination Bellhanger Bit	Combination Bellhanger Bit	Combination Bellhanger Bit
USED FOR	Metal & Wood	Metal & Wood	Metal & Wood	Wood & Masonry	Wood & Masonry	Wood & Masonry	Wood & Masonry	Wood & Masonry
OVERALL LENGTH	12"	24"	36"	4"	18"	24"	18"	24"
DIAMETER	3/8"	3/8"	3/8"	1/4"	1/2"	1/2"	3/8"	3/8"
QR CODE			9% B		19 (A) 19 (A) 19 (A)		<b>見添担</b> 日外班	日本日 注意(2) 日本日本

SPECS	DBF-1224	DBF-1412	DBF-1418	DBF-1424	DBF-3812	DBF-3818	DBF-3824	DBF-3836	DBF-3872
DESCRIPTION	High Speed Steel Flex Bit								
USED FOR	Metal & Wood								
OVERALL LENGTH	24"	12"	18"	24"	12"	18"	24"	36"	72"
DIAMETER	1/2"	1/4"	1/4"	1/4"	3/8"	3/8"	3/8"	3/8"	3/8"
QR CODE				□ 35 □ 54 □ 25 □ 27 □	回次回 2000年 回外提		国第国 第0条 第	国際国 英心公 国英雄	







#### Straight Cable Sewing Needle - JIC-284

Designed for cable sewing, this "Chicago type" straight metal needle is made from cold-rolled strip steel, perfect for anyone in the cable industry looking to sew or lace cable.



- Needle is .016" thick.
- Overall Length 12"




# Metal Cable Sewing Needle - JIC-287

The Jonard Tools **JIC-287** Cable Sewing Needle is designed to harness or lace multiple lead bundles quickly and easily. Overall length 5 3/4".



- Curved notched sewing needle made from durable spring steel
- Anodized aluminum handle for long life and durability

Replacement Needles (Pack of 6): RB-287/6




#### **Insulated Cable Sewing Needle - JIC-3209**

The Jonard Tools **JIC-3209** Cable Sewing Insulated Needle is designed to harness or lace multiple lead bundles quickly and easily. Overall length 5 1/2".



- Curved notched sewing needle harnesses or laces multiple lead bundles
- Made from durable spring steel with xylan insulated coating



#### Insulated Wire Loop Puller, 4 1/2" - JIC-2257

The Jonard Tools **JIC-2257** Insulated Wire Loop Puller facilitates pulling wire through terminal blocks, rings on main frames, or fanning strip holes. Loop is 4 1/2" long. Overall length 8".



- Fully insulated to prevent accidental shorts and damage to electronic components
- Used in the Jonard Tools WWK-CO Wire Wrap Kit




#### Metal Wire Loop Puller, 4 1/2" - JIC-2257M

The Jonard Tools  ${\bf JIC-2257M}$  Metal Wire Loop Puller facilitates pulling wire through terminal blocks, rings on main frames, or fanning strip holes. Loop is 4 1/2" long. Overall length 8 1/2".



• Durable red anodized aluminum handle is comfortable and easy to hold

Replacement Loops (Pack of 6): RB-2257/6




#### Metal Wire Loop Puller, 12" Long - JIC-2257M-12

The Jonard Tools **JIC-2257M-12** Metal Wire Loop Puller facilitates pulling wire through terminal blocks, rings on main frames, or fanning strip holes. Loop is 12" long. Overall length 15".



- Loop is crimped for a more narrow profile and is easier to use in tight terminal blocks
- Coated with blue xylan to prevent shorts and electrical shocks



# Cable Pulling Rod, 12" - CPR-12

Designed to pull cables or wires through walls, floors, and ceilings, this cable pulling rod is perfect for pulling cable without requiring sheath stripping. This rod also features the following:



- Pushes wires through old holes that could be partially blocked
- Stiff rod makes it easy to manipulate wire and cable through walls



# Pull Line Blower for 3/4" to 2" (18-50 mm) Conduit - PLB-1000

Designed to blow or suck pull line through 3/4" to 2" (18-50 mm) conduit for cable pulling, this pull line blower is perfect for running wire or cable through conduits multiple times a day. With its unique design, it makes short work of bends and kinks in conduit, saving a huge amount of time compared to mule tape or jet line. This pull line blower also features the following:

- Blows or sucks pull line without the need for a compressor
- For all commercial and residential pipe work with internal diameters from 3/4" to 2" (18-50 mm)
- Lightweight and ergonomic for superior accessibility, even in confined spaces
- Works great on flexible conduit
- Saves a tremendous amount of time compared to mule tape or jet line

Replacement Pull Line (900 m): PLB-1000PL

#### Kit includes:

- PLB-1000 Pull Line Blower (aka Stringing Gun)
- 2 Pull line rolls (Ø 1 mm, tensile strength approx. 24 kg, length approx. 900 m)
- 1 Suction device

- 1 Components set A: 2 joints 1/2" reducer 19/12 mm plus nozzle int. Ø 9,5 mm
- 1 Components set B: 3 joint 3/4" nozzle int. Ø 16 mm plus nozzle int. Ø 19 mm
- 1 Special nozzle black, for int. Ø from 25 to 50 mm
- 1 Special nozzle with 90° angle,
   Ø ext. 12 mm
- 3 Beads (round) of Ø 11mm
- 3 Beads (round) of Ø 13mm
- 3 Beads (round) of Ø 16mm
- Operating Manual







# Solar Panel Crimper w/ Included MC4 Die - SPC-MC4

Designed to crimp **MC4 connectors** onto 14, 12, or 10 AWG  $(2.5 / 4.0 / 6.0 \text{ mm}^2)$  solar panel wire, the **SPC-MC4** solar panel crimper is the perfect tool for installing and maintaining solar panel connectors. This crimper features the following:



- Parallel jaws with adjustable pressure-regulating gear and self-locking design crimp solar panel connectors perfectly every time
- Built-in ratchet makes crimping quick and easy
- Made of hardened carbon steel with a black oxide finish for strength and durability.
- Dual component grip provides greater comfort and ergonomics
- Able to crimp MC3 connectors using an MC3 die (SPD-MC3), sold separately



Solar Panel MC3 Crimper Die SPD-MC3



Solar Panel MC4 Crimper Die SPD-MC4

SPECS	SPD-MC3	SPD-MC4
DESCRIPTION	Solar Panel MC3 Crimper Die	Solar Panel MC4 Crimper Die
CONNECTOR TYPE	MC3 Connectors	MC4 Connectors
DIMENSIONS:	1.28" x 1.40" x 0.391" (32.5 mm x 35.7 mm x 9.91 mm)	1.28" x 1.40" x 0.391" (32.5 mm x 35.7 mm x 9.91 mm)



# Solar Panel Spanners for MC4 Connectors (Pack of 2) - SPS-2

Designed to lock and unlock MC4 connectors for termination or removal, these solar panel spanners are ideal for solar panel installers when terminating or replacing a new MC4 solar panel connector.






# Solar Panel MC3 & MC4 Crimping Tool Kit w/ Insulated Screwdrivers

The Jonard Tools **SPK-100** Solar Panel Crimping Tool Kit w/ Insulated Screwdrivers is designed to facilitate the installation and maintenance of solar panels. It includes a variety of tools to make installing and maintaining solar panels quick and easy.

# Kit includes:

JONARD P/N	DESCRIPTION	SPK-100		
INS-2100	Phillips Insulated Screwdriver, #2 x 4"	Х		
INS-475	Cabinet Slotted Insulated Screwdriver, 1/8" x 3" X			
JIC-625	Copper COAX & Network Cable Cutter X			
SPC-MC4	Solar Panel Crimper with included MC4 Die	X		
SPD-MC3	Solar Panel MC3 Crimper Die	X		
SPS-2	Solar Panel Spanners for MC4 Connectors (Pack of 2)	X		
TKC-110	Rugged 11 Pocket Tool Case	X		
WS-822	Wire Stripper and Cutter, 8-22 AWG	X		
QR CODE		回》》: [2] (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4		






All Jonard pliers are heat treated and made of chrome vanadium or high carbon alloy steel for increased strength and precision cutting. These ultra durable pliers have machine cut edges to provide exceptionally smooth action and are made to exceed ASME/ANSI standards.





# Copper COAX & Network Cable Cutter - JIC-625

Jonard's cable cutters are made of Chrome Vanadium Steel and are heat treated for maximum strength and durability.



cut solid, stranded, and flexible cables up to 6 AWG

Jaw Thickness: 0.4" (10.2 mm), Overall Length: 6" (16.51 cm)





#### **COAX Cable Cutter Steel - JIC-725**

A plier designed specifically for coax cables with a steel center conductor. This plier has been tested (over 25,000 cuts) on cables with steel centers, and specifically CCSC (copper clad steel center) conductor cables without degradation to the cutting blades. Plier will also cut many other cable types.

Jaw Thickness: 1/4" (6.35 mm), Overall Length: 6 1/4" (158.75 mm)





# 3/4" COAX Cable Cutter - JIC-750

Designed to cleanly cut up to 3/4" hard line coaxial cable and larger fiber cables without compressed or frayed ends.



 Ergonomically designed handle with dipped plastic grip for greater comfort and torque





## 1" COAX Cable Cutter - JIC-755

Designed to cut up to 1" coaxial cable. This tool works like a tube cutter to eliminate cable deformation during cable preparation. Tool provides precision one-handed cutting action. Not designed for ACSR or other steel cables.

Cable Diameter: 1" (25.4 mm), Overall Length: 8 1/4" (209 mm)





# High Leverage Diagonal Cutting Pliers, 8" - JIC-2288

Crafted for heavy-duty wire cutting and use for the most demanding applications, precision machined cutting edges provide exceptionally smooth action.



Jaw Length: 7/8" (22.2 mm), Overall Length: 8 1/4" (210 mm)



# High Leverage Diagonal Cutting Pliers, Angled Head, 8" - JIC-2488

Crafted with a 13° angled head for heavy-duty wire cutting in confined spaces. Use for the most demanding applications, precision machined cutting edges provide exceptionally smooth action.



Jaw Length: 13/16" (20.6 mm), Overall Length: 8" (203 mm)



#### Telecom Diagonal Cutting Pliers, 6 1/4" - JIC-7858

Tapered nose diagonal cutting pliers with standard bevel knives with .030" and .045" skinning holes, with crusher used for multi-purpose wire work, with two V-shaped stripping notches.



Jaw Length: 7/8" (22.2 mm), Overall Length: 6 1/4" (158 mm)



#### Diagonal Tapered Nose Cutting Pliers, 6 1/4" - JIC-600

Tapered nose diagonal cutting pliers with standard bevel knives. Includes crusher for multi-purpose wire work. The handles are 6 1/4" long. Made to exceed ASME/ANSI standards.



Jaw Length: 7/8" (22.2 mm), Overall Length: 6 1/4" (158 mm)



# **Diagonal Crushing Slitting Pliers - DIABVNOTCH**

Used for cutting soft copper conductors. Has a "V" shaped notch between jaws, near the joint, for crushing the flameproof type of insulation on distributing frame wire. Also provides a "W" shaped notch on the pliers jaws for slitting textile insulation.



Jaw Length: 3/4" (19.1 mm), Overall Length: 5 1/8" (130 mm)




## **Diagonal General Use Pliers - DIAGB5**

These are plain diagonal pliers for general use, including cutting soft copper conductors.



Jaw Length: 3/4" (19.1 mm), Overall Length: 5 1/8" (130 mm)



# **Diagonal Stripping Pliers - DIAGB6**

Tapered nose diagonal cutting pliers with standard bevel knives with one .045" hole, crusher used for multipurpose wire work, and two V shaped stripping notches.



Jaw Length: 7/8" (22.2 mm), Overall Length: 6 1/2" (158 mm)




#### Flush Cut Pliers - JIC-2755

Made of high carbon steel, this lightweight flush cutter can be used on wire up to 18 AWG while minimizing fly-off. Cantilevered spring automatically opens the plier, and the head fits easily in confined work areas.



Jaw Length: 1/2" (12.7 mm), Overall Length: 5" (127 mm)



#### Semi-Flush Cut Pliers - JIC-453

A close cutting pliers used to trim conductors from the 710 connector modules without leaving exposed conductors. Ideal for close trimming of gates and sprue on injection molded plastic parts. Jaw design aids in use in confined areas.



Jaw Length: 5/8" (15.9 mm), Overall Length: 4 1/2" (114 mm)



#### 9" Curved Jaw Cable Cutter - JIC-63020

High leverage design for superior cutting ability. The curved jaws provide superior holding for a cleaner and more concentric cut. Tool is for cutting aluminum and soft copper and not for use on steel or ACSR type cables. The shear type jaws cuts up to 100-pair cables (24 AWG). Lock has a unique feature where lock is released by squeezing handles together.



Jaw Length: 1" (25.4 mm), Overall Length: 9" (228 mm)



#### High Leverage Cable Cutter - JIC-63050

High leverage design for superior cutting ability. Designed with a shear-type jaw for cutting aluminum and soft copper. Not for use on steel or ACSR type cables. Cuts up to 100-pair cables (24 AWG).



Jaw Length: 1 3/8" (34.93 mm), Overall Length: 9 1/4" (234 mm)



## Lineman's Side Cut Pliers - JIC-683

Designed for heavy duty use in construction and maintenance work. These pliers are high leverage for cutting bolts, nails, and many gauges of wire including high-strength wire. Cutting edges cut clean and remain sharp. The cushioned-grip, comfortable handles are approximately .007".







# Lineman's Pliers w/ Fish Tape Puller & Crimper - JIC-685

Designed for heavy duty use in construction and maintenance work.

These pliers are high leverage for cutting bolts, nails, and many gauges of wire including high-strength wire. Fish tape pulling feature easily pulls 1/8" or 1/4" steel fish tape without damaging the tape. Built in crimper feature works best on non-insulated connectors, lugs and terminals. Cushioned grip, comfortable handles are coated to approximately .007".



# **Connector-Crimper Pliers - JIC-891**

Connector-Crimping Pliers with Side Cutters designed to press UG, UR, UY, 709 series connectors, crimping "B" type connectors, and AMP tel splice connectors. A special stop behind cut out prevents damage to connectors. Utilized on combinations of plastic and pulp insulated 19, 22, 24 and 26 gauge copper conductors as well as 20 gauge plastic insulated copper steel wire.








### Long Nose Switchboard Pliers - JIC-203

Pliers are for general use looping, bending and cutting. Grips small wires and parts and reaches into tight spaces. Jaws are knurled, serrated and have side cutting blades. Two stripping holes for 19 and 22 AWG wire. Cushion gripped handles.







#### **Telecom Long Nose Pliers - JIC-21257**

This Long nose pliers has side cutting blades, a crushing slot, one .030" stripping hole, and a thin knurled nose to facilitate handling of the wire at the central office terminals. The comfortable handles are cushion gripped.

Jaw Length: 1 7/8" (47.63 mm), Overall Length: 6 7/8" (174 mm)





#### Combo Crimper, Long Nose Pliers - JIC-22148

**Five tools in one**. Combines the functionality of a long nose plier with a crimper, stripper, cutter, and crusher. Crimper works for UR/UY/UG, AMP tel splice connectors, 709 series connectors, and crimping "B" type connectors. Stripping hole is .030".

Jaw Length: 1 7/8" (47.63 mm), Overall Length: 6 7/8" (174 mm)





# **Curved Long Nose Pliers - JIC-3026**

Nose is bent 70° for maximum visibility. Used in confined areas. Design includes knurled jaws for sure wrapping and looping. Comfortable ergonomic plastic handles.

Jaw Length: 2" (50.80 mm), Overall Length: 6 7/8" (174 mm)





# Long Nose and Side Cutting Pliers - JIC-842

Pliers are for general use looping, bending and cutting. Grips small wires and parts and reaches into tight spaces. Jaws are knurled, serrated and have side cutting blades. Cushion gripped handle.



Jaw Length: 1 7/8" (47.63 mm), Overall Length: 6 3/4" (171 mm)



# Long Nose General Use Pliers - BLONGNOSE

Chain nose pliers for general use. Inner surface of the jaws are knurled near the end to facilitate gripping wire, binding post nuts etc. Cushion gripped handle.



Jaw Length: 2" (50.8 mm), Overall Length: 6 7/8" (174 mm)



# **Long Nose Gripping Pressing Pliers - ELONGNOSE**

Long nose pliers for gripping and pressing. Inner surface of the jaws are knurled near the end to facilitate gripping wire, binding post nuts etc. Aluminum oxide insulation coating on the outside nose surface.

The inside gripping jaws are provided with mated grooves near the joint for use in pressing .032/.035" brass sleeves. One stripping hole .054" diameter.



Jaw Length: 1 7/8" (47.63 mm), Overall Length: 6 7/8" (174 mm)



#### **Short Nose B Type Plier - BSHORTNOSE**

Intended for use in skinning 22-24 AWG wire and crushing insulation in nose slot. The front portion of the jaws is narrowed, and a portion of the inner face of one jaw is relieved to skin insulation from wire. The inner surface of the jaws are serrated to facilitate gripping wire.



Jaw Length: 1 1/2" (38.10 mm), Overall Length: 6 1/2" (165 mm)




# L3 Type Cut Crush Strip Pliers - KS21257L3

Long nose with side cutter, crushing slot, one 0.03" stripping hole and a thin knurled nose to facilitate handling wire at the terminals.



Jaw Length: 1 1/2" (38.1 mm), Overall Length: 6 1/2" (165 mm)





#### Slip Joint Side Cut Pliers - BCOMB

For heavy-duty use. Black phosphate finish, machined gripping teeth and 3/8" hardened wire cutter. Cushion gripped handle.

Number of Positions: 2, Overall Length: 7 5/8" (194 mm)





#### **Curved Needle Nose Pliers - JIC-3385**

Nose is bent 60° for maximum visibility. Used in confined areas for bending and forming fine wire. Inside jaws and jaw edges are polished to prevent nicking the wire. Plier has a spring loaded ergonomic design with cushion gripped handle..




Bend Angle: 60°, Overall Length: 5 1/2" (139 mm)



#### Flat Nose Pliers - FNP-165

Flat nose stripping pliers feature an induction-hardened straight steel jaw for long reach and durability. The 2 piece thermoplastic grip provides maximum comfort and torque for gripping semi-con, and finesse for delicate electronics work with maximum control.





# Flush Cutting Pliers for Large Cable Ties, 6.5" - CTG-500

Designed to flush cut plastic objects, this flush cut plier is perfect for cutting large cable ties (up to 0.50" wide), Delta straps, Deltec cable support systems, flashing, or other plastic parts.



Induction-hardened cutting edge to provide a clean cut every time



## Single-Ear Hose Clamp Pliers, Straight Jaw - ECP-100

Designed to crimp single-ear clamps, these ear crimp pliers are perfect for crimping single-ear clamps, as well as clamps on CV boots, cooler and fuel lines, air pressure systems, and compressors. These pliers also feature the following:



- Prevents damage to press points on ear clamps
- Slim head allows access in tight spaces



## **Tabbing Shears - TS-850**

Jonard's Tabbing Shears are made of chrome vanadium steel and are heat treated for maximum strength and durability. These tabbing shears feature the following:



Precision ground cutting blades for easier cutting

Overall Length: 8 1/2" (216 mm)



# **Electric Lug and Terminal Crimper - TCC-1416**

Designed to prep electrical cables, this Electrical Lug and Terminal Crimper is perfect for cutting and stripping wires, and crimping insulated and non-insulated lugs and terminals. This crimper features the following:



- Strips16-22 AWG (0.6 to 1.3 mm) electrical wires
- · Ergonomic spring-loaded comfort grip handles reduce hand fatigue



# Ratcheting Cable Cutters - RC-500 & RC-600

These Ratcheting Cable Cutters are designed to cleanly cut copper and aluminum power cables and other similarly sized multi-conductor cables.



- Made of heat-treated carbon steel with induction-hardened cutting edges for maximum strength and durability
- Unique design allows you to hold and cut cables guickly and easily
- Spring-loaded mechanism on handles for automatic opening
- Ergonomically designed handle with cushioned rubber grip for greater comfort and leverage
- This cable cutter is not designed for use on ACSR or other steel cables



### Ratcheting Cable Cutter - RC-336ACSR

Designed for heavy-duty use, this cable cutter is designed to cut 336 MCM (170 mm²) ACSR, 400 MCM (202 mm²) copper, or 600 MCM (304 mm²) aluminum cables, and most cables up to 30 mm in diameter.



Maximum Cut Capacity: 1 3/4" (4.4 cm), Overall Length: 12" (30.5 cm)



# Wire Rope and Cable Cutter - WRC-14

The Jonard Tools **WRC-14** Wire Rope & Cable Cutter is ideal for cutting soft and hard wire rope, spring wire, and copper/aluminum cable.



MaterialMax. Wire Rope SizeSoft Wire Rope1/4" (6 mm)Hard Wire Rope3/16" (5 mm)Spring Wire3/32" (2.4 mm)Copper/Aluminum Cable3/16" (5 mm)



Manufactured with a secure tongue and groove design for a non-slip grip (even under heavy pressure). Made from high quality tool steel, with a smooth positive interlock between halves.



SPECS	JIC-5026	JIC-50210	JIC-50212	
DESCRIPTION	Pump Pliers 6", 4 Positions	Pump Plier 10", 6 Positions	Pump Plier 12", 7 Positions	
MAX JAW OPENING	1" (25.4 mm)	1 3/4" (44.5 mm)	2 1/4" (57.2 mm)	
LENGTH	6" (152 mm)	10" (254 mm)	12" (305 mm)	
QR CODE				










#### **Adjustable Wrenches with Extra Wide Jaws**

Jonard's Adjustable Wrenches are made from high carbon steel and are heat treated for maximum strength and durability.

SPECS	AW-4	AW-6	AW-8	AW-10	AW-12	AW-15	AW-18
DESCRIPTION	Adjustable Wrench 4" with Extra Wide Jaws	Adjustable Wrench 6" with Extra Wide Jaws	Adjustable Wrench 8" with Extra Wide Jaws	Adjustable Wrench 10" with Extra Wide Jaws	Adjustable Wrench 12" with Extra Wide Jaws	Adjustable Wrench 15" with Extra Wide Jaws	Adjustable Wrench 18" with Extra Wide Jaws
QR CODE							



# High Leverage Ratcheting Lineman's Wrench - RLW-100

Designed with a ratcheting square socket and built-in hammer, this Bell System Type wrench is perfect for telecom and datacom work applications. This lineman's wrench also features the following:



- Ratcheting square socket works with 3/4", 1", and 1 1/8" square hardware
- Built-in hammer head provides a dedicated flat surface for hammering



## High Leverage Ratcheting Lineman's Wrench - RLW-600

Designed with a ratcheting square socket and twelve point sockets on the other end, this Bell System Type wrench is perfect for telecom and datacom work applications. This wrench also features the following:



 Ratcheting square socket works with 3/4", 13/16", 1", and 1 1/8" square hardware



#### Fuse Puller - FP-600

Designed for installing and extracting fuses from line amplifiers and other cylindrical shaped components including heat coils. The thin nosed jaws allow for easy access to tight restricted areas. Works great on automotive mini fuses that are packed tight. Handle is cushion gripped.



Jaw Length: 1 13/16" (46 mm), Overall Length: 5" (127 mm)



The Jonard Slotted, Phillips and Robertson Screwdrivers are made of special alloy steel for exceptional strength, long life and are corrosion resistant. Soft rubber handles offer comfort and greater torque. The end of the handles are marked to identify the tool's size, and the tips are magnetic. Meets and exceeds applicable ASME/ANSI specifications.

# SCREWDRIVERS



#### **Slotted Screwdrivers**

Jonard's Keystone Slotted Screwdrivers are made with an S2 steel shank and a chrome finish for exceptional strength and long life.

SPECS	SDC-3163	SDC-3166	SDC-144	SDC-3810	SDC-5166
SHAFT	3/16" x 3"	3/16" x 6"	1/4" x 4"	3/8" x 10"	5/16" X 6"
OVERALL LENGTH	6 3/4" (171 mm)	9 3/4" (248 mm)	8 11/32" (212 mm)	14 3/8" (365 mm)	10 3/8" (264 mm)
QR CODE					



#### **Phillips Screwdrivers**

Jonard's Phillips Screwdrivers are made with an S2 steel shank with a chrome finish for exceptional strength and long life.

SPECS	SDP-1	SDP-2	SDP-3	SDP-28
SHAFT	#1 x 3"	#2 x 4"	#3 x 6"	#2 x 8"
OVERALL LENGTH	6 3/4" (171 mm)	8 5/16" (211 mm)	11" (279 mm)	12" (305 mm)
QR CODE				



#### **Robertson Screwdrivers**

Jonard's Robertson Screwdrivers are made with an S2 steel shank with a chrome finish for exceptional strength and long life.

SPECS	SDR-24	SDR-34
SHAFT	#2 x 4"	#3 x 4"
OVERALL LENGTH	8 1/2" (216 mm)	8 1/2" (216 mm)
QR CODE	日秋日 50000 日本最	



# 4-in-1 Mini All-Purpose Screwdriver (Pack of 10) - S-41/10

This is a mini multi-bit screwdriver made for everyday use and includes four head types (#0 & #00 Phillips head and 1/8" & 1/16" Cabinet slotted head).





#### 4-in-1 Multi-bit Pocket Precision Screwdriver - SD-41

Designed with four standard non-magnetic tips, this 4-in-1 precision screwdriver is perfect for use on electronics and other small equipment.







## Precision Screwdriver Phillips #00 x 60mm (Pack of 10) - SD-00/10

This Precision Screwdriver has a #00 Phillips tip and a 3 mm diameter by 60 mm long shaft. Shaft is made from SU11 steel. The handle is made from polypropylene and thermoplastic rubber for added comfort with a swivel at the end for ease of use. Overall tool length is 6" (152 mm). Tips are magnetic.





## Precision Screwdriver Slotted 2mm x 60mm (Pack of 10) - SD-080/10

This Precision Screwdriver has a slotted tip 2 mm wide and a 3 mm diameter by 60 mm long shaft. Shaft is made from SU11 steel. The handle is made from polypropylene and thermoplastic rubber for added comfort with a swivel at the end for ease of use. Overall tool length is 6" (152 mm). Tips are magnetic.





#### Phillips #00 & Cabinet-Tip Slotted Precision Screwdriver Set - SDKP-2

#### Includes:

- **SD-00** Phillips Precision Screwdriver, #00 x 60 mm
- **SD-080** Cabinet Slotted Precision Screwdriver, 2 mm x 60 mm



SDKP-




#### 8 Piece Screwdriver Set - SDK-8

Made of special alloy steel for exceptional strength and long life. The shafts are corrosion resistant and the soft rubber handles offer user comfort with greater torque. The tips are magnetic and the size and style are marked on the end of each handle.



Kit includes:

- **SDP-1** Screwdriver Phillips #1 x 3"
- **SDP-2** Screwdriver Phillips #2 x 4"
- **SDP-3** Screwdriver Phillips #3 x 6"
- **SDSP-2** Screwdriver Phillips #2 Stubby
- **SDSC-14** Screwdriver Slotted 1/4" Stubby
- SDC-144 Screwdriver Slotted 1/4" x 4"
- SDC-3163 Screwdriver Slotted 3/16" x 3"
- SDC-5166 Screwdriver Slotted 5/16" x 6"



#### Phillips Screwdriver, #3 x 24" - SD-243

Designed to reach diodes in the back of rectifiers, this 24" extra long #3 Phillips Screwdriver is made with a chrome vanadium steel shank and a matte finish for exceptional strength and long life.



Overall Length: 27" (685 mm)



#### 6-in-1 Multi-Bit Screwdriver w/ Phillips & Slotted Bits - SD-61

The Jonard Tools 6-in-1 Multi-Bit Screwdriver eliminates the need for multiple tools in your belt. This tool can be configured to 6 types of driving heads.



Kit includes: SD-RB1 Phillips Bit #1 Slot 3/16", SD-RB2 Phillips Bit #2 Slot 9/32"; SD-RB12 Replacement Bit Set includes: SD-RB1 & SD-RB2



#### **Cabinet Slotted Screwdriver, Fiber ONT** (Pack of 10) - SD-63/10

Designed for terminating battery backup wires in Optical Network Terminals (ONT), this screwdriver is the perfect tool for terminating battery backup sensor wires as well as many other applications.



Overall Length: 4" (101 mm)



#### 2 Piece Stubby Screwdriver Set - SDS-142

Jonard's Stubby Cushion Gripped Screwdrivers are made with an S2 steel shank with a chrome finish for exceptional strength and long life.



Overall Length: 3 1/2" (89 mm) each

Kit includes: SDSP-2 Phillips Screwdriver, #2 X 1.5" & SDSC-14 Cabinet Slotted Stubby Screwdriver, 1/4" x 1.5"



#### 6-in-1 Robertson Screwdriver - SD-1223

The Jonard Tools 6-in-1 Multi-Bit Robertson Screwdriver eliminates the need for multiple tools in your belt. This tool can be configured to 6 types of driving heads.



Overall Length: 7 1/2" (190 mm)

Kit includes: SD-RB1 Phillips Bit #1 Slot 3/16", SD-RB3 Replacement Bit S1 & S2



#### Magnetizer & Demagnetizer Tool - MAG-100

Using powerful Rare-Earth magnets, this magnetizer is perfect for magnetizing or demagnetizing screwdrivers, tweezers, tool bits, nut drivers, or other metal tools. This magnetizer also features the following:



- Converts any metal tool into a magnetic retriever, great for picking up screws, nuts, and other small metal objects
- Wide openings allow a variety of tools and objects to be magnetized
- Compact and rugged design makes it perfect for any toolbag or toolcase





#### **Hollow Shaft Nut Drivers**

These are full length hollow shaft nut drivers intended for working with long bolts. They are designed with cushion gripped ergonomic color coded handles. Handles provide greater torque and user comfort. Overall length 7". ASME Standard/YR: B107.12-2004.

SPECIFICATIONS	ND-6301132	ND-63012	ND-63014	ND-630316	ND-63038	ND-630516	ND-630716	ND-630916
DRIVER SIZE	11/32" (8.7 mm)	1/2" (12.7 mm)	1/4" (6.4 mm)	3/16" (4.8 mm)	3/8" (9.5 mm)	5/16" (7.9 mm)	7/16" (11.1 mm)	9/16" (14.29 mm)
COLOR CODE	Green	Red	Red	Black	Blue	Yellow	Brown	Orange
QR CODE	国新国 東京公民	92/8 2/8/2/2 9/8/2/2					■ <b>3</b> = 2	
	直接提	回為黑	面與影	<b>10%298</b> 2	直線器	自然是		回遊場



#### 7 Piece Nut Driver Set - ND-631

Jonard's Nut Drivers have a full length hollow shaft, making them a great tool to use on stacked circuit boards and long bolts/studs.



 Ergonomically designed handle with thermoplastic rubberized grip for greater comfort and torque

#### Kit includes:

- ND-63012 1/2" Hollow Nut Driver, 3" Shaft
- ND-63014 1/4" Hollow Nut Driver, 3" Shaft
- ND-63038 3/8" Hollow Nut Driver, 3" Shaft
- ND-630316 3/16" Hollow Nut Driver, 3" Shaft
- ND-630516 5/16" Hollow Nut Driver, 3" Shaft
- ND-630716 7/16" Hollow Nut Driver, 3" Shaft
- ND-6301132 11/32" Hollow Nut Driver, 3" Shaft



#### LED Flashlight w/ Zoom Lens - FL-2000

Powered by a single AA alkaline battery, this high strength LED flashlight is perfect for illuminating dark places and features the following:



- Ultra-bright 120 lumen LED can be easily adjusted by simple in-and-out movement and the zoom lens can focus the light to hone in on a specific area, or zoom out to flood the area with light
- Rugged aluminum housing with clip-on lanyard keeps this flashlight secure





**NEXT GEN LIGHTING** 



# 230° OF ILLUMINATION IN A FLEXIBLE AND FOLDABLE HEADLAMP

- ✓ 5-in-1 Lighting functions
- ✓ Foldable to pocket size
- Motion sensor activated
- ✓ Rechargeable





# UNRIVALED VERSATILE AND POWERFUL WORKLIGHT

- ✓ 7-in-1 Lighting functions
- 360° articulating carabiner clip with magnets
- ✓ Power bank capability/USB-C
- Rechargeable





# BATTLE THE DARK WITH A TACTICAL 1500 LUMENS FLASHLIGHT

- Crosshaired telescoping zoom
- Power bank capability/USB-C
- Powerful base magnet
- ✓ Rechargeable





# TRI-BEAM INTENSITY ADJUSTABLE HEADLAMP

- UL-H2
  - 3 light settingsMotion sensor activated
  - Adjustable body
  - Sweat proof headband



#### **Smart Phone & Tablet Repair Tool Kit - TK-19**

This product is a repair tool kit for opening and repairing all series of smartphones and tablets. This kit contains all the tools you need to take apart these highly specialized electronic devices and also repair or replace broken screens. It's perfect for DIY repair jobs as well as the repair technician. This kit is also suitable for other repair work where fine-tipped screwdrivers are required such as eyeglass repair.



#### Kit includes:

- Ergonomic Screwdriver Handle
- (13) 4 mm bits: PH00, PH0, PH1;
   SL1.5, SL2.0; Torx: T4, T6, T8,
   T10; Hex 1.5, Hex 2.0; Pentalobe 0.8 & 1.2
- 2 Plastic Prying Tools
- Guitar Pick
- Opening Tool
- Suction Vacuum Opener
- SIM Eject Tool
- Tweezer
- Storage Case


#### **Burnishers**

Designed for use on relay contacts, this pocket burnisher is the perfect tool for removing the oxide layer from the precious metals of relay contacts. These burnishers feature the following:

- Blade length and rigidity is adjustable by varying the depth of the blade in the chuck
- Plastic housing allows it to be used on live contacts without any shocks or shorts
- Removes the oxide layer or corrosion off contacts without leaving filings or debris



Pocket Burnisher PB-7 Shown



#### **Pocket Type Burnishers**

Adjustment of flexible blade-length and rigidity is possible by varying depth in chuck. Supplied with replaceable blades stored in pen barrel at other end.



JONARD P/N	PB-3	PB3-R	PB-7
DESCRIPTION	Pen w/ 6 Blades .0035" Thick	PB-3 plus 6 Abrasive Rods .020"	Pen w/ 6 Blades .007" Thick
REPLACEMENT BLADES/RODS	<b>B-3/25</b> (Pack of 25)	<b>B-3R/25</b> (Pack of 25)	<b>B-7/25</b> (Pack of 25)

# JONARD N.Y. 0B-2 JONARD N.Y. 0B-3 JONARD N.Y. 0B-3

#### **Contact Burnishers**


Plastic insulated handles for working on live contacts. Available in four styles for fine, extra sensitive, general purpose and industrial use.



JONARD P/N	DESCRIPTION
0B-1/3	Relay Contact Burnisher Files, Fine (Pack of 3)
0B-1/12	Relay Contact Burnisher Files, Fine (Pack of 12)
0B-2/12	Relay Contact Burnisher Files, Extra Sensitive (Pack of 12)
0B-3/12	Relay Contact Burnisher Files, General Purpose (Pack of 12)
0B-4/12	Relay Contact Burnisher Files, Industrial (Pack of 12)

#### **Insulated Tool Kits**

Perfect for Tech Professionals and Electricians, these pliers and screwdrivers are tested to 10,000 VAC and rate to 1,000 VAC live use. They are VDE approved, made from 60 CRV (chrome vanadium steel) for strength and durability and insulated to IEC 60900 Standards. Lifetime mechanical warranty and one year insulation warranty.



# TK-70INS 7 Piece Insulated Screwdriver Set

#### Kit includes:

- INS-180 #1 x 3" Phillips Screwdriver
- INS-2100 #2 x 4" Phillips Screwdriver
- INS-3150 #3 x 6" Phillips Screwdriver
- INS-4100 5/32" x 4" Slotted Screwdriver
- INS-475 1/8" x 3" Slotted Screwdriver
- INS-6150 1/4" x 6" Slotted Screwdriver
- INS-8175 5/16" x 7" Slotted Screwdriver
- **TKC-70** Rugged 7 Pocket Tool Case



#### TK-110INS 11 Piece Insulated Tool Set

#### Kit includes:

(All tools included in **TK-70INS** with these additions):

- INP-1072 Lineman's Combo Plier 7 1/4"
- INP-2065 Long Nose Plier 6 1/2"
- INP-3062 Diagonal Plier 6 1/4"
- **INP-4065** Wire Stripper 6 1/2"
- TKC-110 Rugged 11 Pocket Tool Case



#### **Insulated Screwdrivers**

Jonard's Insulated Screwdrivers are made of heat treated chrome vanadium steel with a black oxide finish for maximum strength and durability. They are insulated to keep you safe from potentially hazardous voltages. These screwdrivers feature the following:

- Meets and exceeds IEC 60900, ASTM F1505-01, and VDE standards for high voltage protection
- Tested to 10,000 VAC and rated to 1,000 VAC live use
- Ergonomic dual-colored TPE cushion grip handle provides greater comfort and torque
- Narrow insulated shaft provides access in hard-to-reach locations
- Black oxide finished magnetic tip to prevent corrosion and magnetized to hold fasteners for easy removal and installation

					,		
SPECS	INS-180	INS-2100	INS-3150	INS-4100	INS-475	INS-6150	INS-8175
DESCRIPTION	Phillips Insulated Screwdriver, #1 x 3"	Phillips Insulated Screwdriver, #2 x 4"	Phillips Insulated Screwdriver, #3 x 6"	Cabinet Slotted Insulated Screwdriver, 5/32" x 4"	Cabinet Slotted Insulated Screwdriver, 1/8" x 3"	Cabinet Slotted Insulated Screwdriver, 1/4" x 6"	Cabinet Slotted Insulated Screwdriver, 5/16" x 7"
HEAD TYPE	Phillips	Phillips	Phillips	Cabinet Slotted	Cabinet Slotted	Cabinet Slotted	Cabinet Slotted
SHANK LENGTH	3" (76.2 mm)	4" (101.6 mm)	6" (152.4 mm)	4" (101.6 mm)	3" (76.2 mm)	6" (152.4 mm)	7" (177.8 mm)
QR CODE							



#### Insulated 19 Piece Metric Socket Set - INSS-19M


The **INSS-19M** Insulated Socket set features 15 sockets (6-20 mm), 3 extensions, and a 72-tooth ratchet designed to meet the needs of any application. Rigorously tested for protection up to 1000V with dual color insulation for confident protection.



- Sockets and extensions are manufactured from chrome vanadium and then coated twice to ensure long-life
- Deluxe, laminated foam, and blow molded polyethylene storage case ensures VDE tools stay, organized and protected
- High Contrast Marking for easy identification
- Dual Color injection molded insulation provides easy identification when insulation is compromised

#### Kit includes:

72-tooth 3/8" Drive Ratchet w/ Quick Release 15 Sockets (6-20 mm) 3 Extensions 3", 6" and 10"



#### **Insulated Fuse Puller - FP-600INS**

Jonard's Fuse Pullers are made of heat treated chrome vanadium steel for maximum strength and durability and feature the following:



- Knurled jaws allow fuses to be removed without being damaged
- Fully insulated grips are VDE approved to IEC 60900 standards up to 1000V

Overall Length: 6 3/4" (171 mm)








#### 1000A Digital Clamp Meter - ACM-1000

Clamp Meter with automatically ranging true mean squared (TRMS) technology for increased accuracy. This product features the following:



- Test leads measure AC/DC voltage, resistance, continuity, frequency and capacitance and tests diodes
- CAT IV 600V, CAT III 1000V, Class 2, Double insulation safety rating
- 45MM clamp opening for a wide range of applications
- Unique design with grooved housing for superior grip
- Non-contact voltage tester integrated into the clamp



#### **Automatic Intelligent Digital Multimeter - AMM-600**

Intelligent, auto-function volt meter is capable of gauging both the required range and the required function based on the test lead input, providing the simplest experience and the most accurate results. Simply plug in the leads and connect to your test subject and let the **AMM-600** take the guess work out of testing.



- Tests AC and DC voltage, AC and DC current, resistance, capacitance, frequency, diode, duty cycle, continuity, automatic current input detection, live testing, non-contact voltage detection (NCV)
- Provides maximum/minimum/average readings, relative measurements
- CAT IV 600V, Class 2, Double insulation safety rating
- Backlit display for low light, and highlight environments
- Unique design with grooved housing for superior grip
- Includes hard carrying case



#### **GFCI Outlet Tester - GFC-1**

The GFCI Tester detects the most common wiring problems in standard and GFCI receptacles



- Works on GFCI outlets and confirms operation of the ground fault protective device
- Durable, hard shell built to withstand a 6.6-foot (2m) drop
- Nominal Voltage: 110/125V AC at 50/60Hz in 3-wire outlet
- Easy to read lights make determining faults a breeze
- Built in GFCI trip tests outlet protection





#### Technician's Tool Bag Backpack - BP-100

Jonard Tools' Technician's Tool Bag Backpack features 36 organizer pockets and 12 pocket straps to hold all your tools in place with a durable water resistant base to protect it from the elements. It also has a hard, molded front pocket for delicate items, like safety glasses, and a front zipper to hold loose parts.



- Hard, molded front pouch protects safety glasses or other delicate items
- 20" high bag provides ample room for long screwdrivers and tools



#### Rugged 21 Pocket Tool Case - H-90

The **H-90** is a rugged and versatile 21 pocket tool case with a removable top, made from special heavy duty material for greater durability and long life.



- Reinforced with a tough, thick backing material to maintain its shape even when loaded with tools
- Sturdy metal handle with a cushion grip and ergonomic design for easy carrying. Handle also rotates for easy access to tools inside



# Professional Rolling Tool Bag, 18 Pockets, 16" - RTB-18

Jonard Tools' Professional Rolling Tool Bag is the ultimate tradesman tool bag. It is made from a durable 1680d ballistic material, features large treaded wheels to handle rough terrain, and has 18 organizer pockets to hold all your tools.



- Made from an ultra strong 1680d ballistic material to resist scratches
- Brilliant blue interior makes it quick and easy to find your tools



SPECS	H-20	H-22	H-36	H-50	H-60
DESCRIPTION	Rugged Nylon Carry Case	Rugged Carrying Case with Straps	Molded 2 Tool Pouch	Molded 5 Tool Pouch	Molded 2 Tool Pouch
SECURING METHOD	Carabiner Loop	Carrying Handles	Metal Belt Clip	Belt Loop	Metal Belt Clip
QR CODE	□ \$\frac{1}{2} \tag{2} 2				

SPECS	H-75	H-85	H-125	H-1000
DESCRIPTION	Molded 7 Tool Pouch	Molded 8 Tool Pouch	25 Pocket Tool Roll Up Pouch	Rugged Nylon 5 Pocket Tool Pouch
SECURING METHOD	Metal Belt Clip	Metal Belt Clip	Carrying Handle	Belt Loop
QR CODE	□34□ 3000 □343	□ <b>3</b> (□) (0) (1) (1) (2) (3) (4) (4) (5) (6) (7) (7) (8) (8) (9) (9) (9) (9) (9) (9) (9) (9		





# **NETWORK & TELECOM TOOLS**

Telecom is the transfer of data through electromagnetic signals while networking is connecting devices to one main system. In both methods of communication cabling tools are critical to ensure devices transmit signals properly and bring us television, telephone, radio, internet, and more.

#### CONTENTS

- **Connectors & Crimpers 85** 
  - **Punchdown Tools 87** 
    - Wrenches 89
    - Scissors 90
  - Knives & Sharpeners 91
- Splicer & Telecom Kits 92
  - Socket Wrenches 93
    - Network Tools 93
  - Security & Alarm Kit 94



#### **Pass-Through Connectors**

These high quality connectors are used to terminate network cables with a pass-through crimper. They use gold plating on contact surfaces and tripoint prongs for greater signal strength.

SPECS	RJ45-R510	RJ45-525	RJ45-550	RJ45-5100	RJ45-625	RJ45-650	RJ45-6100
QUANTITY	10	25	50	100	25	50	100
NETWORK CABLE TYPE	CAT5, CAT5E Cables	CAT5, CAT5E Cables	CAT5, CAT5E Cables	CAT5, CAT5E Cables	CAT6, CAT6A Cables	CAT6, CAT6A Cables	CAT6, CAT6A Cables
QR CODE		8 37 8 12 9 3					



# RJ11 Pass-through Connectors (Pack of 100) - RJ11-100

The Jonard Tools **RJ11** Pass-Through Connectors are used by network installers/technicians in order to terminate telephone cables with a pass-through crimper. They are used in households and businesses and are ideal for terminating flat or round telephone cable or even replacing an existing connector (CAT3 or other similar). These connectors feature the following:

- 50 µin gold plating on contact surfaces provides greater signal quality than the competition
- Standard two point prongs allow you to use stranded or solid CAT3 cables
- Simplify twisted pair network cable termination by allowing the wires to pass through the connector



# 6-in-1 Crimping Tool, RJ45 Pass-through & RJ11/12 Modular - UC-4569

Designed to crimp RJ11/12 and RJ45 connectors onto CAT3, CAT5/5E, and CAT6 cables, this pass-through connector crimper is perfect for any network installer. This crimper features the following:



- Easily crimps pass-through RJ45 connectors without any measuring needed
- Crimps 4, 6, and 8 position modular connectors (RJ11/12 and RJ45)
- Cleanly trims the wires flush to the end face of pass-through RJ45 connectors
- Intended for use with 28-22 AWG flat/round, solid/stranded telephone and data cables
- Ratcheted, ultra-stable platform for consistent terminations with low hand force

Replacement Blade Set (Pack of 6): UC-4569RB



#### Modular 6-in-1 Crimping Tool - UC-864

Designed for cutting, stripping, and crimping RJ11, RJ12, RJ22, and RJ45 connectors onto CAT3, 5E, and CAT6 cables, this connector crimper is perfect for any network installer. This crimper features the following:



- Ratcheted, ultra-stable platform for consistent terminations with low hand force
- Tool includes built-in jacket strippers for round and flat cables 22-28 AWG (0.32-0.64 mm diameter)
- 2 crimping slots: one for 8 position modular connectors and one for 6 and 4 position modular connectors

Cable Parameters: 22-28 AWG (0.32 mm-0.64 mm diameter) flat or round, solid or stranded, telephone or data



#### RJ45 & RJ11/12 Modular Pass-through Crimper w/ Tail Crimping Slots - UC-4511

Designed to crimp RJ11/12 and RJ45 pass-through connectors with additional crimping slots for shielded connector tails, this crimping tool is perfect for any network technician working with CAT3, CAT5, CAT5E, CAT6, or CAT6A cables.





#### Solderless Ring and Lug Terminal Kit, 178 Pcs. - TCK-178

The Jonard Tools Terminal Ring and Lug Kit is perfect for any technician or DIYer who needs to terminate electrical wires. These connectors feature the following:



Includes a variety of insulated ring, fork, and spade terminals as well as butt splices for 10 - 22 AWG electrical wires



#### Solderless Ring/Lug Terminal Kit w/ Crimper - TCK-178X

The Jonard Tools Solderless Ring/Lug Terminal Kit with Crimper is perfect for any technician or DIYer who needs to terminate electrical wires. This kit features the following:



Includes a variety of insulated ring, fork, and spade terminals as well as butt splices for 10 - 22 AWG electrical wires.

#### Kit includes:

- TCC-1416 Electric Lug and Terminal Crimper
- TCK-178 Solderless Ring and Lug Terminal Kit, 178 Pcs.



#### Connector-Crimper Pliers - JIC-891

Jonard's pliers are made of heat treated carbon steel with inductionhardened cutting edges for maximum strength and durability.



Designed to press UR/UY/UG, 709 series connectors, crimping

"B" type connectors, and AMP Tel-Splice connectors




#### Combo Crimper, Long Nose Pliers - JIC-22148

Jonard's long nose pliers are made of heat treated chrome vanadium steel with induction-hardened cutting edges for maximum strength and



5-in-1 tool: crimper for UR/UY/UG, AMP Tel-Splice connectors, 709 series connectors, crimping "B" type connectors, and long nose pliers





#### **Telephone Splice Connector Kit - TK-U3**

Designed for stripping, splicing, and crimping telephone connectors, the **TK-U3** Telephone Splice Connector Kit is the ideal compact tool kit for telephone installers and technicians.



#### Kit includes:


- JIC-22148 Combo Crimper, Long Nose Pliers
- UR-25 UR 3-Port Telephone Splice Connector (Pack of 25)
- **UY2-25** UY2 2-Port Telephone Splice Connector (Pack of 25)



# UR 3-Port Telephone Splice Connector (Pack of 25) - UR-25

Designed to splice three wires together quickly and easily, these splice connectors are perfect for splicing 19-26 AWG (0.91 - 0.40 mm) telephone wires.





# UY2 2-Port Telephone Splice Connector (Pack of 25) - UY2-25

Designed to splice two wires together quickly and easily, these splice connectors are perfect for splicing 22-26 AWG (0.64 - 0.40 mm) telephone wires.





#### **Picabond Crimping Tool - PIC-G**

This VS-3 style hand tool is designed to crimp various AMP Picabond connectors onto 19-28 AWG wires.



 Compatible with AMP Picabond Connectors with the following stripe colors: Orange, Green, Purple, Green/Amber, Purple/Amber, Red, and Yellow



#### Picabond Crimping Tool, MR-1 - PIC-MR1

This vise-style MR1 hand tool is designed to crimp various AMP Picabond connectors onto 19-28 AWG wires.



Repair Kit: MR1-RK

Includes (2) Replacement Guides, (2) Replacement Wire Supports, (4) Screws, and (1) 3/32" hex key



#### Picabond Connector, Green, (Box of 1000) - PAB-CG

Designed for splicing multi-conductor telephone cable, these connectors provide a lightweight and compact solution for splicing solid core wire.



- Made from tin-plated bronze with bonded polymer insulation for superior splicing and connectivity
- · Color coded green for wire size and weather resistance
- Can be used with any solid core wire, 28-19 AWG (0.32 to 0.9 mm), with pulp, paper or plastic insulation
- Can be used to make straight, butt, tap and bridge splices





#### **EPD Series Punchdown Tools**

Sleek ergonomic design for easy effective wire termination. Tested up to 100,000 cycles at high-impact setting. Use to properly set, seat and terminate wire. Simply position the wire, push tool, and listen for confirming click. Wire is properly seated.



- Hi/Low impact setting
- Combination Hook/Spudger stored in the chassis
- Color coded yellow on the CUT side
- Enlarged blade storage compartment
- **EPD-914** Punchdown Tool without blade (shown in picture)



#### **EPDS Series Punchdown Tools w/ Grip**

Designed for use with our EPB-series blades or other similar brands, this punchdown tool is perfect for any telecom or data communications installer. This punchdown tool features the following:



- Hi/Low impact setting
- Combination Hook/Spudger stored in the chassis
- Color coded yellow on the CUT side
- Enlarged blade storage compartment
- **EPDS-914** Punchdown Tool without blade (shown in picture)

#### **Punchdown Tool Kits**

JONARD P/N	EPD-914	EPDS-914	EPB-66	EPB-110	EPB-116	EPB-630	EPB-KR	EPB-KRONE
EPD-91461	Х		Х	Х				
EPD-91466	Х		Х					
EPD-914110	Х			X				
EPD-914116	Х				X			
EPD-914630	Х					X		
EPD-914KR	Х						Χ	
EPD-9KRONE	Х							X
EPDS-91461			X	X				
EPDS-91466		X	X					
EPDS-914110		X		X				
EPDS-914116		X			X			
EPDS-914KR		X					Χ	
EPDS-9KRONE		X						X

#### **Punchdown Tool Blades**

JONARD P/N	DESCRIPTION
EPB-66	66 Blade with & without Cutter
EPB-110	110 Blade with & without Cutter
EPB-116	66 & 110 Blade Combined with Cutter
EPB-KR	Krone Blade with & without Cutter
EPB-630	Punchdown Blade For 630 Modular Jack with & without Cutter
EPB-KRONE	Krone Blade Scissor Style















#### **BIX Punchdown Tool - EP-16A**

Designed to terminate cables, pigtails, and jumper wires, this punchdown tool is perfect for use on all BIX, GigaBIX, and UMOXS cross-connect system connectors. This punchdown tool features the following:



- Single action and spring activated for ease of use
- Terminates 22-26 AWG plastic insulated solid copper conductor wires



#### Non-Impact Punchdown Tool - ENI-110

Designed as an economical option for inserting wire, this patented non-impact punchdown tool is perfect for small do-it-yourself jobs on a 110-terminal block. This non-impact punchdown tool features the following:



- Small and lightweight design for ergonomics and storage
- Singlehandedly switch between cutting and non-cutting blade



# Multi-Pair Punchdown Tool for 4 Pair Wire Seating - MPD-4

Designed to terminate 4 pairs of wires simultaneously, this punchdown tool is perfect for terminating multiple wires on 110-terminal blocks quickly and easily.



Replacement Blade: MDP-4RB



## Non Impact Punchdown Tool, 110 Blade w/ Cutter - PD-110

Designed as an economical option for seating and trimming wire in 110 type punchdown blocks, the **PD-110** is perfect for small do-it-yourself jobs on 110-terminal blocks.





#### Punchdown Tool Kit for Data & Telecom - TK-17

Designed to prepare and connect wire onto 66-type and 110-type punchdown terminal blocks, this punchdown tool kit has the tools needed for maintaining telecommunications and data communications networks.



#### Kit includes:

- CST-1i Cyclops Wire Stripper, can use on UTP/STP Cable
- **EPD-91461** Punchdown Tool with 2 Blades (66 & 110)
- **ES-1964ERG** Ergonomic Electrician's Scissors
- **FL-2000** LED Flashlight with Zoom Lens
- H-75 Molded 7 Pocket Pouch with Belt Clip
- JIC-22035 Probe Pick
- JIC-22148 Combo Crimper, Long Nose Pliers
- SD-61 Screwdriver Multi-Bit 6-in-1 w/Phillips and Slotted Bits






#### **Termination & Removal Tool - EP-QTH38B**

The **EP-QTH38B** tool is used for terminating, bridging, and removing wires from 2-beam or 3-beam, insulation-slicing, quick-clip terminals found on QCM486 (MPC) and 391Q connectors, and on Versa blocks with quick-clip pins.






#### **Quick Clip Insertion Tool - JIC-950C**

Designed to cut and insert 22 and 24-gauge wire into terminal blocks, this multipurpose wire insertion tool is the perfect tool for performing several critical functions for wire insertion.



Replacement Blade: JIC-955



#### **Booth Wrenches**

Designed for use on communication and pedestal boxes, this booth wrench is perfect for opening 5/32" hex tamper-proof fasteners. These wrenches are heat treated carbon steel for maximum durability.







#### Lineman's B Wrench - JIC-650

Designed with two open-ended wrench heads and an oval hole for turning pole steps, this Bell System Type wrench is perfect for telecom and datacom work applications and features the following:



- Large end of the wrench accommodates 5/8" and 3/4" bolts
- Small end of the wrench accommodates 3/8" bolts, 1/2" bolts, and 1/2" drive screw heads



#### **Can Wrenches**

These double ended can socket wrenches are designed to fit over long binding posts and open telephone box fasteners. They can tighten nuts on binding-post terminals and access tight spaces such as locking devices on terminals and cabinets. 7" long.



JONARD P/N	DESCRIPTION	
M-216C/EX	Ergonomic Hex 7/8" Diameter Handle Hex Socket	
M-216C/REX	Ergonomic Round 7/8" Diameter Handle Round Socket	
M-216C/RX	Standard Round 11/16" Diameter Handle Round Socket	
M-216CKIT	Security Key Kit 7/8" Diameter Handle Hex Socket	
M-216CS22	Ergo, w/ Wire Stripper 7/8" Diameter Handle Hex Socket (Built-in 22-24 AWG Wire Stripper)	
SK-51632	Security Key Insert for Hex Security Screws 5/16", 5/32"	
SSK-600	Star Key Can Wrench Kit for LQ & LB Patterns	



#### **T Handle Security Wrenches**

Designed for use on tamper-proof hex-type security screws or other hex-type screws, this security wrench is the perfect tool to use when dealing with 5/16" and 1/2" hex tamper-proof fasteners.

**BW-512** T Handle Security Wrench 5/16" **BW-516** T Handle Security Wrench 1/2"









#### **Electrician's Scissors**

Designed for heavy duty use, these electrician's scissors are made of chrome vanadium steel and reinforced with a special hardening process for greater durability and cutting performance.

SPECS	ES-1964	ES-1964DS	ES-1964ERG
DESCRIPTION	Traditional Electrician's Scissors	Features a Free-Fall Fingertip Operation	Features an Ergonomic Handle
QR CODE			



#### **Stainless Steel Communication Scissors - JIC-195**

Designed for telecom and electrical applications, these heavy duty scissors are the perfect tool for cutting cables up to 1/4" diameter and for other objects as well.



- One blade is serrated for a tight and secure grip while cutting
- High carbon stainless steel blades for maximum strength and durability



#### Fiber Optic Kevlar® Cutting Shears - KCS-4

The Jonard Tools **KCS-4** Kevlar® Cutting Shears are designed to cut Kevlar®, cabling insulation, tape, cable ties, and other materials with ease.



- High carbon steel blades are heat-treated to HRC 46-48 for longer life and durability
- · Serrated blade for gripping as well as sharp and durable cutting




#### Heavy Duty Scissors w/ Wire Stripper - JIC-183

Designed to cut copper, aluminum, leather, plastic, and other materials, these heavy duty scissors are the perfect tool for cutting cables up to 1/4" in diameter. These scissors feature the following:



- One blade is serrated for a tight and secure grip while cutting
- Wire stripper accommodates 12 AWG, 14 AWG and 18 AWG (2.0, 1.5 and 1.0 mm<sup>2</sup> cross sectional area) wire
- Dual component polypropylene (PP) and thermoplastic rubber (TPR) grip for greater comfort and ergonomics
- Includes a safety locking mechanism and adjustment screw for convenience
- Not for use on stainless steel or other hardened/heat treated metals



#### **Ergonomic Cable Splicing Knife - KN-7**

Designed with an extremely sharp cutlery steel blade, this cable splicing knife is perfect for cutting through some of the strongest types of cables including many types of insulation. This knife features the following:



- Short 1 3/4" blade with 6 1/4" handle for better control and reduced hand fatigue
- Coping blade is made from high strength cutlery steel and is tempered to maintain its edge with repeated use



#### Insulated Cable & Duct Sheathing Knife - KN-200INS

Designed with a curved blade and insulated handle, this cable sheathing knife is the perfect tool for slitting or cutting the sheathing off cables without damaging the conductor insulation inside.



 Ultra sharp, dual-sided blade can cut cable or duct jacket sheath from either side by pushing or pulling the tool through the cable



#### **Heavy-Duty Utility Knife - UKN-3**

Designed for heavy duty use, this utility knife is the perfect addition to any tradesman or technician's tool kit.



Replacement Blades: UKN-50RB



#### Knife and Scissor Sharpener - KSS-1

Designed to restore the edges of knives and scissors in one convenient tool, this knife and scissor sharpener is made of diamond-polished high grade tungsten-carbide steel. This knife and scissors sharpener features the following:



 Diamond-polished high grade tungsten-carbide steel blades will restore the edges of scissors or knives with only 3-4 strokes



#### Splicer's Kit - TK-400

Featuring an ergonomic cable splicing knife and electrician's scissors in a comfortable leather pouch, the **TK-400** Splicer's Kit is the perfect compact tool kit for cable splicing needs.



#### Kit includes:

- ES-1964 Electrician's Scissors
- H-40 Leather 2 Pocket Tool Pouch
- KN-7 Ergonomic Cable Splicing Knife



#### Telephone Installer Splicer's Kit - TK-22148

Designed for stripping, splicing, and crimping telephone or electrical cables, the **TK-22148** Telephone Installer's Splicer Kit is the ideal compact tool kit for telephone installers and technicians.



#### Kit includes:

- **ES-1964** Electrician's Scissors
- **H-36** Molded 2 Pocket Tool Pouch
- JIC-22148 Combo Crimper, Long Nose Pliers



#### 5 Piece Telecom Installer's Kit - TK-50

The Jonard Tools **TK-50** 5 Piece Telecom Installer Kit is the perfect kit for simple installations and includes the basic necessary tools for telecom installers.



#### Kit includes:

- ES-1964 Electrician's Scissors
- **H-50** Molded Five Tool Pouch
- JIC-22035 Probe Pick
- KN-7 Ergonomic Cable Splicing Knife
- M-216CS22 Ergonomic Can Wrench with Wire Stripper



#### **Network Tool Kit - TK-RJ45**

This kit provides all the necessary tools for cutting, crimping, punching, and terminating network and telephone cables.



#### Kit includes:

- CSR-56 CAT/TP Cable Stripper
- PDK-110 Non Impact Punch Down Tool, 110 Blade with Cutter
- **RJ45** Connectors (Pack of 10)
- RJ12 Connectors (Pack of 10)
- **UC-468** Modular 6-in-1 Crimping Tool



#### **VDV** Installation Took Kit - TK-RJ550

This kit provides all the necessary tools for cutting, crimping and terminating CAT5 and CAT5E network cables.



Kit includes:

JONARD P/N	DESCRIPTION		
CST-1i	Cyclops Wire Stripper		
EPD-914	Punchdown Tool without Blade		
EPB-110	Punchdown Blade, 110 with & without Cutter		
ES-1964ERG	Ergonomic Electrician's Scissors		
H-20	Rugged Carrying Case		
RJ45-550	RJ45 CAT5E Pass-Through Connectors (Pack of 50)		
UC-4569	RJ11/12, RJ45 Pass-through Modular Crimping Tool 6-in-1		





#### Right Angle Torque Wrench, Swivel Head, 10 in-lb - TWSW-10SK

Designed to properly torque 5/32" security screws with a preset torque of 10 in-lb, this swivel head torque wrench is perfect for Network Interface Device (NID) mounting. This torque wrench features the following:


Can be used with any 3/8" drive sockets, including our TWS-532 (sold separately)



#### 5/32" Hex Security Socket 3/8" Drive (Pack of 10) - TWS-532/10

Designed to be used on 5/32" security screws with an appropriate driver, these hex security sockets are perfect for Network Interface Device (NID) mounting. These drive sockets include the following:











#### RJ45 8-Position Modular Adapter - BAN-800

The Jonard Tools **BAN-800** 8P Modular Adapter, also known as an 8P Banjo, is perfect for connecting butt sets, telephone test sets, tone generators and network test equipment to data and telephone lines using modular plug connections in order to test the data and signals being carried. This 8P Modular Adapter also features the following:



- Holed copper contacts keep alligator clips secured while testing
- Easy-to-read wire layout with clear markings indicating the different wire positions
- Reinforced ABS plastic body with belt clip for convenience
- Includes an easily removeable patch cord with rugged jack clips
- Can be used to test RJ11, RJ12, and RJ45 plugs





#### 16 Piece Security & Alarm Tool Kit+ - TK-611





#### Kit includes:

JONARD P/N	DESCRIPTION
EPD-91461	Punchdown Tool with 2 Blades (66 & 110)
CST-1900	Round Cable Strip & Ring Tool
CT-200	Universal Compression Tool
H-90	Rugged 21 Pocket Tool Case
JIC-186	Wire & Kevlar® Cutting Shears
JIC-683	Lineman's Side Cut Pliers
JIC-22148	Combo Crimper, Long Nose Pliers
KN-7	Ergonomic Cable Splicing Knife
MCT-468	Modular Cable Tester for RJ45, RJ12, RJ11 Cables
MRS-24	MagneTriever™
RBNC-3	Compact BNC Connector Tool
SD-61	6-in-1 Multi-Bit Screwdriver with Phillips and Slotted Bits
TETP-800	Cable Tester Tone & Probe Kit
UC-4569	RJ11/12, RJ45 Pass-through Modular Crimping Tool 6-in-1
UST-500	Universal Cable Stripping Tool for COAX, Network, and Telephone Cables
WSC-826	Wire Stripper & Crimper, 8-26 AWG







#### **Round Cable Strip & Ring Tools**

The **PATENTED CST-1900** and **CST-4000** Round Cable Strip & Ring Tools are designed for fast and precise removal of cable jackets from round cables. Triple action design makes longitudinal cuts for end stripping, spiral cuts for end and mid span stripping, and circular cuts for jacket removal.

SPECS	CST-1900	CST-4000
CUT TYPE	Slit & Ring	Slit & Ring
CABLE DIAMETER	3/16" - 1 1/8" (4.5 mm-29 mm)	3/4" - 1 5/8" (19 mm-40 mm)
QR CODE		■# <b>■</b>



# Round Cable Strip & Ring Tool for Cables 4.5-29 mm in Diameter - CST-1140

The **CST-1140** Round Cable Strip & Ring Tool is designed for fast and precise removal of cable jackets from round cables that are 3/16" -  $1\ 1/8$ " ( $4.5\ \text{mm}$ - $29\ \text{mm}$ ) in diameter.



Replacement Blades (Pack of 3): CST-1140RB



#### Round Cable Strip & Ring Tool, 8-28 mm - CST-900

Designed for the fast and precise removal of round cable jackets 8-28 mm in diameter. This round cable stripper features the following:



- Blades are coated with Titanium-Nitride (TIN) for longer life, faster cutting, and less wear
- Large adjustment screw allows for precise blade depth adjustments
- Specially designed blade automatically adjusts from ringing to slitting

Replacement Blades (Pack of 3): CST-900RB



#### CableSaber™ Armored Strip & Ring - AST-200

The award winning **CableSaber™** is the ultimate tool for gaining midspan access to armored or thick jacketed cables 4 mm-28.6 mm (0.157" - 1.125") in diameter.



Replacement Blades (Pack of 2): AST-200RB





# CableSaber+™ Armored Cable & Fiber Duct Slitter - AST-210

The Jonard Tools **CableSaber+™** is the ultimate tool for gaining mid-span access to armored or thick jacketed cables 4 mm-30.0 mm (0.157" - 1.181") in diameter, such as Corning's 1728 RocketRibbon® cable.





#### Cable Ring Tool - JIC-2060

Designed to ring and remove the sheathing off plastic, fabric, and rubber-covered cables from 3/16" - 1/2" (4.7 mm-12.7 mm) in diameter.



Replacement Blades (Pack of 6): RB-2060/6



#### **Precision Cable Strippers**

The **CST-25** is designed to slit and ring hard outer sheathes on cables and plastic tubes, and the **CST-28** is designed to slit and ring cables and plastic tubes. These are the perfect tools for opening cables and ducts.

SPECS	CST-25	CST-28
CUT TYPE	Slit & Ring	Slit & Ring
CABLE DIAMETER	1/4" - 1" (6 mm-25 mm)	1/4" - 1 1/8" (6 mm-28 mm)
REPLACEMENT BLADES	CST-25RB	CST-28RB
QR CODE		国际 国际 国际



#### **Ratcheting Duct and Cable Slitters**

These ratcheting cable slitters are designed to dismantle heavy-duty cables. The **RCS-25** and **RCS-30** both slit and ring round cables greater than 1" (25 mm) in diameter, and the **RCS-30** can also be used to make window cuts in ducts up to 5 mm thick.

SPECS	RCS-25	RCS-30
CUT TYPE	Slit & Ring	Window, Slit & Ring
APPLICATION	Cables	Cables & Ducts
REPLACEMENT BLADES	RCS-25RB	RCS-30RB
QR CODE		





#### **Submariner Cable & Large Duct Slitter - RCS-50**

Designed to open the toughest heavy-duty cable jackets, the **RCS-50** is perfect for performing lateral and longitudinal cuts on submariner cables, large fiber ducts, or large count telephone cables at least 1 1/2" (3.81 cm) in diameter.



Includes the **H-20** rugged carrying case.



#### Cable Stripper for 14/2 & 12/2 NM Cable - WSC-1412

Designed to strip the jacket and insulated conductors from 12/2 and 14/2 NM cables. Includes stripping holes for removing insulation on 12 and 14 AWG wire, wire looping / bending holes to aid in wire prep, and shears 6-32, 8-32, 10-32 screws.





#### Wire Stripper and Cutter, 8-22 AWG - WS-822

Easily strips 8-20 AWG solid wire and 8-22 AWG stranded wire, can remove up to 1" of insulation in a one-step operation. Built-in cutting blades make it easy and convenient to cut and prep wire. Gripping and stripping jaws grab, hold, and strip wire with one squeeze of the handle.





#### Cyclops Wire Stripper - CST-1i

Fast easy removal of outer insulation from all unshielded twisted pair, shielded twisted pair and multicore cables. The Cyclops features a self adjusting blade and is perfect for PVC and plenum type insulation, plus other materials without damaging the inner braids, foils or conductors. Cable performance is not impacted using this cable stripper. **PATENTED**.





#### **Electric Lug and Terminal Crimper - TCC-1416**

Designed to prep electrical cables, this electrical lug and terminal crimper is perfect for cutting and stripping wires, and crimping insulated and non-insulated lugs and terminals. This crimper features the following:



• Strips 22-16 AWG (1.3 mm-0.6 mm) electrical wires



#### Wire Stripper & Crimper, 8-26 AWG - WSC-826

The Jonard Tools **WSC-826** is a multi-function wire stripper designed to cut and strip wire from 8-26 AWG (3.26 mm-0.40 mm) without any adjustments needed.





# Heavy-Duty Wire Stripping Pliers, 10-16 AWG - WSC-1016

Designed to strip the most commonly-used stranded and single conductor wires, this wire stripper is the perfect tool for cutting, stripping, and crimping 10-16 AWG (2.6 mm-1.3 mm) wire.





#### Adjustable Wire Stripper & Cutter - WS-5

Designed with a precision-ground "V" notch blade and adjustable blade stop for superior stripping, this adjustable wire stripper and cutter is perfect for stripping and cutting 10-30 AWG (2.6-0.25 mm) solid and stranded wire.





#### **Adjustable Wire Strippers**

These precision wire strippers feature an adjustment dial that allows the operator to select one of the six different settings. These adjustable wire strippes are the perfect tool for stripping wires quickly and easily.



SPECS	ST-450	ST-500	ST-500ESD	ST-550
WIRE GAUGE	26-36 AWG	20-30 AWG	20-30 AWG, ESD Safe	18-28 AWG
QR CODE				



#### **Self Adjusting Wire Stripping Tools**

The perfect solution for stripping PVC and other insulated wire. This innovative squeeze and strip design uses precision carbon steel laminated stripping blades that automatically grasp the insulation to provide quick and accurate wire stripping.

SPECS	WSA-1024	WSA-1430
WIRE GAUGE	10-24 AWG (2.6 mm-0.2 mm)	14-30 AWG (1.6 mm-0.3 mm)
REPLACEMENT BLADES	WSA-1024RB	WSA-1430RB
QR CODE	国際国 文章 国际起	国 (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4



#### **Wire Strippers**

Wire strippers and cutters with coil spring openings to reduce fatigue, wire looping and bending holes, black oxide finish, locking mechanism, and cutting surfaces that are hardened, tempered and ground for superior performance.

SPECS	JIC-1022	JIC-1626	JIC-2030
WIRE GAUGE	10-22 AWG (2.60-0.64 mm)	16-26 AWG (1.29-0.40 mm)	20-30 AWG (0.81-0.25 mm)
QR CODE			



## Stainless Steel Curved Wire Stripper, 10-20 AWG - WSS-1020

Designed to cut and strip the most commonly used stranded and single conductors, this wire stripper is the perfect tool for cutting and stripping solid wires from 10-20 AWG (2.60-0.81 mm) and stranded wires from 12-22 AWG (2.05-0.65 mm).







#### **Insertion & Extraction Tool Kits**

These tools service virtually all connectors with front release contacts. These tools contain strong, durable, stainless steel probes & color coded handles. Items sold individually as well in kits.

#### **Insertion Tool Kit - KA-260**

Inserts front release contacts made by: Amp, Amphenol, Bendix, Burndy, Cannon, Cinch, Continental, Elco, Flight, Pyle National, and Deutsch

SPECS	KA-260	A-4598	A-4599	A-4600
DESCRIPTION	Insertion Tool Kit (Includes: A-4598, A-4599, A-4600)	Insertion Tool Contact Size 20	Insertion Tool Contact Size 16	Insertion Tool Contact Size 12
QR CODE			回表(回 ) (2) (2) (3)	



#### **Extraction Tool Kit - KR-260**

This Extraction Tool Kit is perfect for removing front release contacts made by most manufacturers.

SPECS	KR-260	R-4601	R-4602	R-9461
DESCRIPTION	Removal Tool Kit (Includes: R-4601, R-4602, R-9461)	Removal Tool Contact Size 20	Removal Tool Contact Size 16	Removal Tool Contact Size 12
QR CODE				

Both kits are supplied in a Jonard Tools leather tool case.



## Insertion & Extraction Tool, Contact Size 20 - AR-910672

This tool is perfect for inserting and extracting size 20 front release contacts made by most manufacturers.



- Probes constructed from brass to prevent damage to contacts
- Housing made from color-coded ABS: Red side is for insertion and white side is for extraction



#### Pin Removal Tool, Contact Size 16-20 - R-5926

Compatible with nearly all AMP-style pin connectors between contact sizes 16-20, this tool is perfect for extracting AMP CPC pins from the back of connector blocks. This insertion tool features the following:



- Smooth built-in plunger makes removal of pins quick and easy
- Pushes pins out from behind the connector blocks for contact sizes 16-20



#### **Precision Crimper - CMP-1226**

Designed for use with our **CMP-3** turret head and most other turret heads, this precision crimping tool is perfect for crimping front release connector contact pins onto 12-26 AWG wire. This crimper features the following:



- This tool is compatible with most other turret heads, including our CMP-3 turret head
- Creates 4-indent 8-impression crimps, which assure maximum tensile strength
- 8 position selector knob allows you to control the crimp depth with ease
- Smooth precision ratchet ensures the same accurate crimps every time
- Instruction manual included for installation of turrets and crimping instructions
- Rugged steel frame construction with rubber cushion grips for comfort




#### **IC Insertion & Extraction Tools and Kits**



SPECS	EX-1/10	EX-2	MOS-1416
DESCRIPTION	DIP IC Extractor (8-24 Pins) (Pack of 10)	DIP IC Extractor (24-40 Pins)	Insertion Tool (14-16 Pins)
QR CODE			

SPECS	MOS-2428	S-339	S-340
DESCRIPTION	Insertion Tool (24-28 Pins)	Lamp Extractor	DIP/IC Extractor
QR CODE			



#### IC Insertion/Extraction Kit - WK-7

This tool kit is designed to facilitate the installation and extraction of DIP IC and PLCC chips on circuit boards. All included tools are CMOS safe and include grounding lugs where appropriate.



#### Kit includes:


- **EX-1** DIP IC Extractor (8-24 pins)
- **EX-2** DIP IC Extractor (24-40 Pins)
- **EX-5** PLCC Extractor, ESD Safe
- **MOS-1416** Insertion Tool (14-16 Pins)
- MOS-2428 Insertion Tool (24-28 Pins)



#### **PLCC Extractors**

Designed to extract Plastic Leaded Chip Carriers (PLCC) without damaging them, these PLCC Extractors are perfect for removing PLCCs with 20-128 pins. The stainless steel construction provides long life and durability.

SPECS	EX-5	EX-6
DESCRIPTION	PLCC Extractor - ESD (Electrostatic Discharge) Safe	PLCC Extractor
QR CODE		



# SOLDERING & DESOLDERING TOOLS



#### **Benchtop Fume Absorbers**

#### Features:

- Aerodynamic hood design effectively draws irritating soldering fumes away from the work area
- Carbon-impregnated filters trap a limited portion of the flux fumes
- Compact size, low profile and adjustable stand allows convenient placement 6" to 8" (152 to 203 mm) from work area
- Dimensions: 8 1/2" H x 8 1/4" W x 4" D
- Articulating arm allows optimized positioning and saves bench space
- Bench mounting clamp and 3 filters come complete with unit
- Noise level 45-50 DB A
- SA-9-E-115 & SA-91-E feature static-dissipative housing

SPECIFICATIONS	SA-9-115	SA-9-E-115	SAF-1	SAK-90	SA-91-E	SA-91
DESCRIPTION	Fume Absorber, 115V	Fume Absorber, ESD Safe 115V	Replacement Filter Set, 3 pcs.	Arm Assembly Kit Retro-fits SA-9/9-E to SA-91-E	SA-9-E-115 with Articulating Arm & Bracket (ESD Safe)	SA-9-115 with Articulating Arm & Bracket
QR CODE						



#### **High-Vacuum Desoldering Pumps**

Specially engineered desoldering pumps made to exacting specifications and providing precise repeatable operation. Fitted with a Teflon Tip with ID .125", OD .22" and included cleaning mechanism. **DP-100** and **DP-200**. 13" long, **DP-140** 8" long.

SPECS	DP-100	DP-140	DP-200	DPT-100	DPT-200
DESCRIPTION	High Vacuum Desoldering Pump	Desoldering Pump	High Vacuum Desoldering Pump, ESD Safe	1 Replacement Tip, DP-100/ DP-140	1 Replacement Tip, DP-200
QR CODE					

#### KYNAR® Insulated, Silver Plated Copper Conductor

Typically used where flexibility, strength, and low weight is required, Kynar® wire is ideally suited in wire wrap, power supply, medical, and aerospace applications. It is also commonly used for circuit board prototyping because of its lighter weight and smaller overall diameter.



WIRE	SIZE	INSULAT	ION DIA.	ROLL	. SIZE	DLUE	VELLOW	WILLE	DLACK	DED	CDEEN
AWG	mm	in.	mm	Feet	Meters	BLUE	YELLOW	WHITE	BLACK	RED	GREEN
24	0.50	.030	0.76	100	30.4	R24B-0100	R24Y-0100	R24W-0100	R24BLK-0100	R24R-0100	
26	0.40	.027	0.69	100	30.4	R26B-0100	R26Y-0100	R26W-0100	R26BLK-0100	R26R-0100	
28	0.32	.024	0.60	100	30.4	R28B-0100	R28Y-0100	R28W-0100	R28BLK-0100	R28R-0100	
30	0.25	.020	0.50	100 1000	30.4 304.4	R30B-0100 R30B-1000	R30Y-0100 R30Y-1000	R30W-0100 R30W-1000	R30BLK-0100 R30BLK-1000	R30R-0100 R30R-1000	R30G-0100 R30G-1000


#### **Pre-Cut & Pre-Stripped Wire Wrapping Wire**

30 AWG (0.25 mm) Pre-Cut/Pre-Stripped Wire (50 Pieces per Package).

- 50 pieces per package
- Kynar<sup>®</sup> insulated
- Silver plated copper conductor
- UL listed
- 1" of stripped wire on either end
- Add 2" to the insulation length (see chart below) for total length of wire



INSULATI	ON LENGTH	BLUE	YELLOW	WHITE	RED
in.	mm	DLUE	TELLOW	WHILE	NED
1	25	30-B-50-010	30-Y-50-010	30-W-50-010	30-R-50-010
2	51	30-B-50-020	30-B-50-020 30-Y-50-020		30-R-50-020
3	76	30-B-50-030	30-Y-50-030	30-W-50-030	30-R-50-030
5	127	30-B-50-050	30-Y-50-050	30-W-50-050	30-R-50-050



#### 30 AWG Tefzel® Wire, Green, 100 ft - TSW30G-0100

Tefzel®, also referred to as ETFE (ethylene tetrafluoroethylene copolymer), is a thin but resilient insulation material designed for aerospace applications. It is ideal for use as appliance, panel, or wrapping wire and can also be used in the installation of aviation electronics equipment. Tefzel® wire's excellent material toughness, electrical properties, and resistance to heat flames, chemicals, and radiation make it the perfect wire where high durability is required.



#### Wire Dispenser - WD-30 Series

- This wire dispenser comes with a 50 ft (15.2 m) roll of 30 AWG (0.25 mm) Kynar® wire wrapping wire.
- Built-in plunger to cut the wire to any desired length
- Built-in wire stripper that strips 1" (25.4 mm) of insulation
- Refillable so you can load more wire when needed



JONARD P/N	DESCRIPTION	REPLACEMENT ROLL OF WIRE
WD-30-B	Dispenser with 50' of Blue wire	R-30B-0050
WD-30-Y	Dispenser with 50' of Yellow wire	R-30Y-0050
WD-30-W	Dispenser with 50' of White wire	R-30W-0050
WD-30-R	Dispenser with 50' of Red wire	R-30R-0050
WD-30-TRI	Dispenser with 50' of Blue, White and Red wire	R-30-TRI



#### Kynar® Wire & Dispenser Boxes, 5 Color Sets

Typically used where flexibility, strength, and low weight are required, Kynar® wire is ideally suited in wire wrap, power supply, medical, and aerospace applications. It is also commonly used for circuit board prototyping because of its lighter weight and smaller overall diameter. Additionally, Kynar insulation provides excellent mechanical properties over a large temperature range and is resistant to an extensive range of chemicals including most inorganic and organic acids, bases, alcohols, halogenated solvents, and aliphatic & aromatic hydrocarbons. These properties make Kynar® wire an excellent choice when working in even the harshest environmental applications.

#### Kits include:

 Dispenser box, five color spools of 24 AWG wire, each 100 feet long, and a FREE JIC-2030 Wire Stripper

SPECIFICATIONS	R24-5100	R26-5100	R28-5100	R30-5100	R30-51000
OVERALL LENGTH	500 ft (152.4 m)	500 ft (152.4 m)	500 ft (152.4 m)	500 ft (152.4 m)	5000 ft (1524 m)
WIRE GAUGE	24 AWG	26 AWG	28 AWG	30 AWG	30 AWG
WIRE SPOOLS	5 Colors, 100 ft each	5 Colors, 100 ft each	5 Colors, 100 ft each	5 Colors, 100 ft each	5 Colors, 1000 ft each
JIC-2030 WIRE STRIPPER	Х	Х	Х		X
QR CODE		□ 次 □ 26 0 0 0 □ 25 2 2	0 % 0 % 0 - 13 0 % 0 1		国禁国 发发经 回禁避





# WIRE WRAP TOOLS


In February 2003 Jonard Industries acquired OK Industries and merged their operation into the "Jonard Family of Companies". Established in 1946 OK Industries blossomed as a major force in the telecommunications and electronic industries with a special proficiency in the manufacture of Wire Wrapping Tools. These same tools have continuously been supplied by Jonard Tools.

OF JOH

### CONTENTS

- Wire Wrap Guide 107
- Battery & Electric Wire Wrap Tools 108
  - Manual Wire Wrap Tools 109
  - Wire Wrap Bits & Sleeves 110
  - Hand Wrap & Unwrap Tools 112
  - Wire / Strip / Unwrap Tools 114
    - Wire Wrap Kits 115

Wire wrapping is a method of making a wire connection by coiling the bare wire around the sharp corners of a terminal under mechanical tension. The technology was developed as an alternative to soldering, which presents various safety and reliability problems in many applications. A principal advantage of wire wrapping is that it provides a high-reliability connection that is also easily removed to correct or modify a wiring layout. Wire wrapping subjects the wire to tremendous tension and compression forces, causing the oxide layer on both wire and terminal to be crushed or sheared, resulting in a clean, oxide-free metal-to-metal contact. A standard wrap is generally used for 18 AWG and larger diameter wires; a modified wrap is typically used for 26 AWG and smaller wires, and is used almost exclusively for 28 to 30 AWG wires. In either case, the wrap style affects only the connection's mechanical stability; both styles provide suitable electrical connections.



#### **Metal-to-Metal Contact**

By bending the wire around the sharp corner of the terminal, the oxide layer on both wire and terminal is crushed or sheared, and a clean, oxide-free metal-to-metal contact is obtained.



#### Types of Wrap

A "Regular" bit wraps the bare wire around the terminal. A "Modified" bit wraps a portion of insulation around the terminal in addition to the bare wire. This greatly increases the ability to withstand vibration.

#### Strip Force Chart\*

	WIRE SIZE		MIN NUMBER	MIN	I. STRIP FORCE
AWG	DIA. INCHES	DIA. MM	OF TURNS (BARE WIRE)	LBS.	GMS
16	.051	1.30	4	15	6800
18	.0403	1.00	4	15	6800
20	.032	0.80	5	8	3600
22	.0253	0.65	5	8	3600
24	.0201	0.50	6	7	3200
26	.0159	0.40	7	6	2700
28	.0126	0.32	7	5	2200
30	.0100	0.25	7	3.3	1500

<sup>\*</sup>Conforms to MIL-STD-1130B

#### **How to Make Wire Wrapped Connections**

Modified



Regular

Step 1: Bit, Sleeve & Pre-Stripped Wire

Step 2: Wire Insertion

Step 3: Wire Anchoring



Step 4: Terminal Insertion

Step 5: Finished Connection

#### Some Hints on Making Wrapped Connections



#### OVERWRAP

Do not press too hard. Let the OK tools do the work. Excessive pressure can lead to overwrapping. Backforce "BF" to prevent overwrapping is available on most power tools and is recommended for use with 26 thought 30 AWG wire.



#### **OPEN WRAP & SPIRAL WRAP**

Just keep the OK tool on the terminal until the wrap is complete. Early removal can result in spiral and open wraps.



#### INSUFFICIENT TURNS

It's easy to feed wire into the slot in the OK bit correctly. Be sure the stripped end of the wire is "pushedin" all the way.



#### DIGTAIL

Wire wrapping is a precision technique and the wrong bit and sleeve just cannot do the job. Improper selection can cause problems ranging from "Pigtails" to loose wraps.

#### **Terminal Diagonal Chart**

										DIMEN	SION B									
	in.	.010	.015	.020	.025	.030	.035	.040	.045	.050	.055	.060	.065	.070	.075	.080	.085	.090	.095	.100
	<b>mm</b>	<b>0.25</b>	<b>0.38</b>	<b>0.51</b>	<b>0.64</b>	<b>0.76</b>	<b>0.89</b>	<b>1.02</b>	<b>1.14</b>	<b>1.27</b>	<b>1.40</b>	<b>1.52</b>	<b>1.65</b>	<b>1.78</b>	<b>1.91</b>	<b>2.03</b>	<b>2.16</b>	<b>2.29</b>	<b>2.41</b>	<b>2.54</b>
	.010	.014	.018	.022	.027	.032	.036	.041	.046	.051	.056	.061	.066	.071	.076	.081	.086	.091	.096	.101
	<b>0.25</b>	<b>0.36</b>	<b>0.46</b>	<b>0.56</b>	<b>0.69</b>	<b>0.81</b>	<b>0.91</b>	<b>1.04</b>	<b>1.17</b>	<b>1.30</b>	<b>1.42</b>	<b>1.55</b>	<b>1.68</b>	<b>1.80</b>	<b>1.93</b>	<b>2.06</b>	<b>2.18</b>	<b>2.31</b>	<b>2.44</b>	<b>2.57</b>
	.015	.018	.021	.025	.029	.033	.038	.043	.047	.052	.057	.062	.067	.072	.077	.082	.087	.092	.097	.102
	<b>0.38</b>	<b>0.46</b>	<b>0.53</b>	<b>0.64</b>	<b>0.74</b>	<b>0.84</b>	<b>0.97</b>	<b>1.09</b>	<b>1.19</b>	<b>1.32</b>	<b>1.45</b>	<b>1.58</b>	<b>1.70</b>	<b>1.83</b>	<b>1.96</b>	<b>2.08</b>	<b>2.21</b>	<b>2.34</b>	<b>2.26</b>	<b>2.59</b>
A	.020	.022	.025	.028	.032	.036	.040	.045	.049	.053	.058	.063	.068	.073	.078	.083	.088	.093	.098	.103
	<b>0.51</b>	<b>0.56</b>	<b>0.64</b>	<b>0.71</b>	<b>0.81</b>	<b>0.91</b>	<b>1.02</b>	<b>1.14</b>	<b>1.25</b>	<b>1.35</b>	<b>1.47</b>	<b>1.60</b>	<b>1.73</b>	<b>1.85</b>	<b>1.98</b>	<b>2.11</b>	<b>2.24</b>	<b>2.36</b>	<b>2.49</b>	<b>2.62</b>
SION	.025	.027	.029	.032	.035	.039	.043	.047	.050	.056	.060	.065	.069	.074	.079	.084	.089	.094	.099	.104
	<b>0.64</b>	<b>0.69</b>	<b>0.74</b>	<b>0.81</b>	<b>0.91</b>	<b>0.99</b>	<b>1.09</b>	<b>1.19</b>	<b>1.27</b>	<b>1.42</b>	<b>1.52</b>	<b>1.65</b>	<b>1.75</b>	<b>1.88</b>	<b>2.01</b>	<b>2.13</b>	<b>2.26</b>	<b>2.39</b>	<b>2.52</b>	<b>2.64</b>
DIMEN	.030	.032	.033	.036	.039	.042	.046	.050	.054	.058	.062	.067	.071	.076	.080	.085	.090	.095	.100	.105
	<b>0.76</b>	<b>0.81</b>	<b>0.84</b>	<b>0.91</b>	<b>0.99</b>	<b>1.07</b>	<b>1.17</b>	<b>1.27</b>	<b>1.37</b>	<b>1.47</b>	<b>1.58</b>	<b>1.70</b>	<b>1.80</b>	<b>1.93</b>	<b>2.03</b>	<b>2.16</b>	<b>2.29</b>	<b>2.41</b>	<b>2.54</b>	<b>2.67</b>
☐	.035	.036	.038	.040	.043	.046	.049	.052	.056	.060	.064	.069	.073	.078	.082	.087	.091	.096	.101	.106
	<b>0.89</b>	<b>0.91</b>	<b>0.97</b>	<b>1.02</b>	<b>1.09</b>	<b>1.17</b>	<b>1.25</b>	<b>1.32</b>	<b>1.42</b>	<b>1.52</b>	<b>1.63</b>	<b>1.75</b>	<b>1.85</b>	<b>1.98</b>	<b>2.08</b>	<b>2.21</b>	<b>2.31</b>	<b>2.44</b>	<b>2.57</b>	<b>2.69</b>
	.040	.041	.043	.045	.047	.050	.052	.056	.060	.064	.068	.072	.076	.080	.084	.089	.092	.097	.102	.107
	<b>1.02</b>	<b>1.04</b>	<b>1.09</b>	<b>1.14</b>	<b>1.19</b>	<b>1.27</b>	<b>1.32</b>	<b>1.42</b>	<b>1.52</b>	<b>1.63</b>	<b>1.63</b>	<b>1.83</b>	<b>1.93</b>	<b>2.03</b>	<b>2.13</b>	<b>2.26</b>	<b>2.34</b>	<b>2.46</b>	<b>2.59</b>	<b>2.72</b>
	.045	.046	.047	.049	.050	.054	.056	.060	.063	.067	.071	.074	.078	.083	.087	.091	.096	.101	.105	.109
	<b>1.14</b>	<b>1.17</b>	<b>1.19</b>	<b>1.25</b>	<b>1.27</b>	<b>1.37</b>	<b>1.42</b>	<b>1.52</b>	<b>1.60</b>	<b>1.70</b>	<b>1.80</b>	<b>1.88</b>	<b>1.98</b>	<b>2.11</b>	<b>2.21</b>	<b>2.31</b>	<b>2.44</b>	<b>2.57</b>	<b>2.67</b>	<b>2.77</b>
	.050	.051	.052	.053	.056	.058	.060	.064	.067	.071	.074	.078	.082	.086	.090	.094	.098	.103	.107	.111
	<b>1.27</b>	<b>1.30</b>	<b>1.32</b>	<b>1.35</b>	<b>1.42</b>	<b>1.47</b>	<b>1.52</b>	<b>1.63</b>	<b>1.70</b>	<b>1.80</b>	<b>1.88</b>	<b>1.98</b>	<b>2.08</b>	<b>2.18</b>	<b>2.29</b>	<b>2.49</b>	<b>2.49</b>	<b>2.62</b>	<b>2.72</b>	<b>2.82</b>

Example: If "A"=.020". "B"+.060". The Terminal diagonal is .063" as shown on chart.





#### **Battery & Electric Wire Wrap Tools**

The ergonomic and patented PTX Series Wire Wrap Tools are the telecom industry standard for wire wrapping needs on main distribution frames as well as local and remote installations. It's rugged construction and high speed motor make the tool suitable for electronic assembly work and many other wire wrapping applications.







#### **Battery Wire Wrap Tools & Kits**

JONARD P/N	DESCRIPTION	WEIGHT	RPM
РТХ	Battery Powered Wrap/Unwrap Tool	1.13 lbs (0.51 g)	3700
PTXFL	PTX Plus Flashlight Attachment	1.13 lbs (0.51 g)	3700
PTX-KIT1	PTX Tool, 115V Battery Charger, 2 Batteries	3.15 lbs (1.42 kg)	3700
PTX-KIT1DH	PTX Tool, DFB224, 115V Battery Charger, 2 Batteries, H-1000	3.44 lbs (1.56 kg)	3700
PTX-KIT2	PTX Tool, 230V Battery Charger, 2 Batteries	3.18 lbs (1.44 kg)	4200
PTX-KIT2DH	PTX Tool, DFB224, 230V Battery Charger, 2 Batteries, H-1000	3.60 lbs (1.63 kg)	4200

All battery wire wrap tools above operate with a 3.6 Volt NiMH battery.

#### **Electric Wire Wrap Tools**

JONARD P/N	DESCRIPTION	WEIGHT	VOLTAGE	RPM
PTX-1	Electric Wrap/Unwrap Tool, 115V	1.20 lbs (0.54 kg)	115V	3700
PTX-1BF	Electric Wrap/Unwrap Tool w/ backforce, 115V	2.00 lbs (0.90 kg)	115V	3700
PTX-2	Electric Wrap/Unwrap Tool, 230V	2.20 lbs (0.99 kg)	230V	4200
PTX-2BF	Electric Wrap/Unwrap Tool w/ backforce, 230V	2.17 lbs (0.98 kg)	230V	4200

All tools with "BF" in the part number include backforce protection to prevent overwrapping.

#### Accessories

JONARD P/N	DESCRIPTION	WEIGHT
РТХ-В	PTX Battery for Wrap/Unwrap Tool	0.39 lbs (0.18 kg)
PTX-BC1	PTX Battery Charger, 115V	0.77 lbs (0.35 kg)
PTX-BC2	PTX Battery Charger, 230V	0.86 lbs (0.39 kg)
PTX-FLA	Universal Flashlight Kit for PTX	0.08 lbs (0.04 kg)

#### **Manual Wire Wrap Tools**

Manual Wire Wrap Tools from Jonard OK Industries are ideal for between 50 and 200 wire wrap jobs per day. The nose piece should be tightened when the trigger is squeezed to minimize drag and ensure the wire wrapping bit and sleeve (sold separately) are properly oriented.





JONARD P/N	DESCRIPTION
G100/R3278	Aluminum Wire Wrapping Tool
G100/R3278FL	Insulated Aluminum Wire Wrapping Tool with Flashlight
G100/R3278INS	Insulated Aluminum Wire Wrapping Tool
G200/R3278	Wire Wrapping Tool with Lexan® Housing



## LED Flashlight Kit For G100 Tools - G100-FL

For use with G100/R3278 & G100/R3278INS. Add the convenience of task lighting to your wire wrapping gun with this Wire Wrapping Flashlight Kit. Compatible with all wire wrapping tools.



#### Universal Flashlight Kit For WW Gun - G100-FLA

Universal - for use with most manual wire wrapping guns. Add the convenience of task lighting to your wire wrapping gun with this Wire Wrapping Flashlight Kit.

Compatible with all wire wrapping tools.





Designed for unwrapping 20-26 AWG (0.80-0.40 mm) wire using unwrap set  $\bf PUW2226$ , this tool is perfect for unwrapping wire quickly and easily.



The PUW2226 includes the 2026UB unwrap bit and the SOK2230 unwrap sleeve.











#### 3" Wire Wrap Bits & Sleeves

Fully compatible with any make or model wrapping tool. Modified bits provide an additional 1 1/2" turns of insulated wire to the wrap.



BIT P/N	SLEEVE P/N	REGULAR	MODIFIED		VIRE AUGE	MA INSUL DIAM		MI TERM DIAG	IINAL	MA TERN DIAG	IINAL	TERM HOLE		EFFE(		TERN HO DIAM	LE
				AWG	MM	IN.	MM	IN.	MM	IN.	MM	IN.	MM	IN.	MM	IN.	MM
KB18	P194LN	•		18	1.00			.060	1.52	.073	1.85	1.000	25.40	.150	3.81	.075	1.90
KB2075	P194LN	•		20-22	0.65-0.80			.042	1.07	.073	1.85	1.000	25.40	.123	3.12	.075	1.90
KB22		•		22	0.65			.054	1.37	.073	1.85	.750	19.05	.117	2.97	.075	1.90
WB2275M			•	22	0.65	.052	1.32	.049	1.24	.074	1.87	1.000	25.40	.132	3.35	.075	1.90
KB224LH		•		22-24	0.50-0.65			.061	1.54	.085	2.15	1.000	25.40	.117	2.97	.086	2.18
KB224-1	P2224	•		22-24	0.50-0.65			.054	1.37	.073	1.85	1.000	25.40	.111	2.82	.075	1.90
KB224		•		22-24	0.50-0.65			.054	1.37	.073	1.85	.807	20.50	.111	2.82	.075	1.90
WB224M			•	22-24	0.50-0.65	.050	1.27	.049	1.24	.074	1.87	1.250	31.75	.121	3.07	.075	1.90
WB24DH			•	24	0.50	.046	1.17	.054	1.37	.073	1.85	1.750	44.50	.117	2.97	.075	1.90
KB24	P2426	•		24	0.50			.055	1.39	.074	1.87	.750	19.05	.100	2.54	.075	1.90
WB24SM*	P3032LN		•	24	0.50	.044	1.11	.024	0.60	.043	1.09	.750	19.05	.098	2.48	.044	1.11
WB2426M	P2224		•	24-26	0.40-0.50	.046	1.17	.054	1.37	.073	1.85	.750	19.05	.118	2.99	.075	1.90
KB2466		•		24-26	0.40-0.50			.054	1.37	.065	1.65	1.000	25.40	.098	2.48	.066	1.67
KB26	P2426	•		26	0.40			.058	1.47	.073	1.85	1.000	25.40	.100	2.54	.075	1.90
WB26SM*	P26LN		•	26	0.40	.031	0.79	.023	0.58	.038	0.96	.750	19.05	.075	1.90	.040	1.02
WB2669M	P2426		•	26	0.40	.041	1.04	.053	1.34	.068	1.72	1.000	25.40	.109	2.77	.040	1.02
WB28SHM			•	28	0.32	.030	0.76	.031	0.79	.035	0.89	.750	19.05	.066	1.67	.069	1.75
SB30MSH-B	Danaa		•	30	0.25	.027	0.69	.031	0.79	.035	0.89	.750	19.05	.064	1.62	.036	0.91
WB3032M*	P3032		•	30.32	0.20-0.25	.027	0.69	.034	0.86	.038	0.96	.750	19.05	.064	1.62	.040	1.02
WB3032MIL <sup>†</sup>			•	30.32	0.20-0.25	.027	0.69	.034	0.86	.038	0.96	.750	19.05	.064	1.62	.040	1.02

<sup>\*</sup>These tools are recommended for .025" square terminals on .100" center to center of the pins †Provides 2.5 turns of insulation



#### 3" Wire Wrap Bits & Insulated Sleeves

The insulated sleeves are covered with a material that provides 1000V dielectric strength which helps to prevent shorting between pins and enhances worker safety. These bits and sleeves provide a regular wrap.



BIT P/N	SLEEVE P/N	WIRE	SIZE	MIN. TERMINAL DIAGONAL		MAX. TERMINAL Diagonal		TERMINAL HOLE DEPTH		EFFE(	CTIVE DIUS		AL HOLE IETER
	F/N	AWG	MM	IN.	MM	IN.	MM	IN.	MM	IN.	ММ	IN.	MM
KB22	DOGG ALMO	22	0.65	.054	1.37	.073	1.85	.750	19.05	.117	2.97	.075	1.90
KB224	P2224INS	22-24	0.50-0.65	.054	1.37	.073	1.85	.807	20.50	.111	2.82	.075	1.90
KB24	DOAGGING	26	0.50	.055	1.39	.074	1.87	.750	19.05	.100	2.54	.075	1.90
KB26	P2426INS	26	0.40	.058	1.47	.073	1.85	1.000	25.40	.100	2.54	.075	1.90

#### 5" Wire Wrap Bits & Sleeves (Extended Length)

These bits and sleeves are designed for wire wrapping in areas requiring deep penetration. Their 5" (127 mm) length ensures "true" connections in hard-to-get-at locations. Available with or without insulation. These bits and sleeves provide a regular wrap.



5" WIRE WRAP BITS & SLEEVES



BIT P/N	INSULATED SLEEVE	UNINSULATED SLEEVE P/N	WIRE SIZE		MIN. TERMINAL DIAGONAL		MAX. TERMINAL DIAGONAL		TERN HOLE	IINAL DEPTH	EFFE(		TERMIN. DIAM	AL HOLE ETER			
	P/N	P/N	AWG	ММ	IN.	MM	IN.	MM	IN.	MM	IN.	MM	IN.	ММ			
KB22-5	P2224-5INS	P2224-5	22	0.65	.054	1.37	.073	1.85	.750	19.05	.117	2.97	.075	1.90			
KB24-5	P2426-5INS	P2426-5INS	P2426-5INS		D0400 F	24	0.50	.055	1.39	.073	1.85	.750	19.05	.100	2.54	.075	1.90
KB26-5			P2426-5	26	0.40	.058	1.47	.073	1.85	.750	19.05	.100	2.54	.075	1.90		

#### **DFB Series Wrap & Unwrap Bit & Sleeve Sets**





JONARD	DESCRIPTION	WIRE	SIZE	MIN. TE DIAG		MAX. TE			IINAL DEPTH	TERM HOLE DI	IINAL AMETER		CTIVE DIUS
P/N		AWG	ММ	IN.	MM	IN.	MM	AWG	MM	AWG	MM	AWG	ММ
DFB224	Wrap/Unwrap Bit & Sleeve Set, 22-24 AWG	22/24	.50/.65	.054	1.37	.073	1.85	0.50	12.70	.075	1.90	.111	2.82
DFB2426	Wrap/Unwrap Bit & Sleeve Set, 24-26 AWG	24/26	.40/.50	.54	1.37	.065	1.65	0.50	12.70	.066	1.67	.098	2.48

DFB224 includes: KB-DF224 Bit, P-DF224 Sleeve; DFB2426 includes: KB-DF2426 Bit, P-DF2426 Sleeve



#### Wire Wrapping Extension Attachment - EXT-400

Precision device which attaches easily to your manual or powered wire wrapping tool for applications requiring extra "reach."







#### Hand Wire Wrap & Unwrap Tools / Insulated Hand Wire Wrap & Unwrap Tools

Designed to wrap or unwrap wire on binding posts, these hand wrap tools are perfect for use on 18-30 AWG wire. These hand wrap tools also features the following:

- Compact and convenient for making precise wire wraps where power wire wrapping tools are impractical
- Switch from wrapping to unwrapping quickly by changing the cap from one end to the other







	WRAPPING SIDE												
JONARD P/N	DESCRIPTION	REG	MOD	WIRE	SIZE		SULATION IETER		AL HOLE ETER		AL HOLE PTH	OUT: DIAM	SIDE ETER
				AWG	ММ	IN.	ММ	AWG	MM	AWG	MM	AWG	MM
HW-UW-18-19	Wrap-Unwrap Tool, 18-19 AWG	•		18-19	1.00-0.91	-	-	.075	1.90	1.000	25.40	.250	6.35
HW-UW-20	Wrap-Unwrap Tool, 20 AWG	•		20	0.80	-	-	.075	1.90	1.000	25.40	.250	6.35
HW-UW-224	Wrap-Unwrap Tool, 22-24 AWG	•		22-24	0.65-0.50	-	-	.075	1.90	.807	20.50	.218	5.53
HW-UW-224-1	Wrap-Unwrap Tool, 22-24 AWG	•		22-24	0.65-0.50	-	-	.075	1.90	1.000	25.40	.218	5.53
HW-UW-224INS†	Wrap-Unwrap Tool, 22-24 AWG Insulated	•		22-24	0.65-0.50	-	-	.075	1.90	1.000	25.40	.218	5.53
HW-UW-2426	Wrap-Unwrap Tool, 24-26 AWG	•		24-26	0.50-0.40	-	-	.075	1.90	.750	19.05	.218	5.53
HW-UW-26SM*	Wrap-Unwrap Tool, 26 AWG		•	26	0.40	.031	0.79	.040	1.02	.750	19.05	.125	3.17
HW-UW-2829M*	Wrap-Unwrap Tool, 28-29 AWG		•	28-29	0.32-0.29	.036	0.91	.040	1.02	.750	19.05	.156	3.96
HW-UW-30*	Wrap-Unwrap Tool, 30 AWG		•	30	0.25	.027	0.69	.036	0.91	.750	19.05	.125	3.17
WDUD-26DS	DSL Wrap- Unwrap Tool Insulated	•		26	0.40	-	-	.075	1.90	1.000	25-40	.218	5.53

	UNWRAPPING SIDE  TERMINAL HOLE TERMINAL HOLE OUTSIDE											
JONARD P/N	DESCRIPTION	REG	MOD	WIRE	SIZE		AL HOLE IETER		AL HOLE PTH		SIDE IETER	
				AWG	ММ	AWG	ММ	AWG	MM	AWG	ММ	
HW-UW-18-19	Wrap-Unwrap Tool, 18-19 AWG	•		18-19	1.00-0.91	.075	1.90	1.000	25.40	.187	4.74	
HW-UW-20	Wrap-Unwrap Tool, 20 AWG	•		20-26	1.00-0.91	.075	1.90	1.000	25.40	.156	3.96	
HW-UW-224	Wrap-Unwrap Tool, 22-24 AWG	•		20-26	0.80-0.40	.070	1.77	1.000	25.40	.156	3.96	
HW-UW-224-1	Wrap-Unwrap Tool, 22-24 AWG	•		20-26	0.80-0.40	.070	1.77	1.000	25.40	.156	3.96	
HW-UW-224INS†	Wrap-Unwrap Tool, 22-24 AWG Insulated	•		20-26	0.80-0.40	.070	1.77	1.000	25.40	.156	3.96	
HW-UW-2426	Wrap-Unwrap Tool, 24-26 AWG	•		20.26	0.80-0.40	.070	1.77	1.000	25.40	.156	3.96	
HW-UW-26SM*	Wrap-Unwrap Tool, 26 AWG		•	24.32	0.50-0.20	.038	0.96	1.000	25.40	.093	2.36	
HW-UW-2829M*	Wrap-Unwrap Tool, 28-29 AWG		•	24-32	0.50-0.20	.038	0.96	1.000	25.40	.093	2.36	
HW-UW-30*	Wrap-Unwrap Tool, 30 AWG		•	24-32	0.50-0.20	.038	0.96	1.000	25.40	.093	2.36	
WDUD-26DS	DSL Wrap- Unwrap Tool Insulated	•		20-26	0.80-0.40	.070	1.77	1.000	25.40	.156	3.96	

<sup>\*</sup>These tools are recommended for .025" (0.63 mm) square terminals on .100" (2.54mm) centers. A modified wrap provides 1.5 - 2 turns of insulation. †Insulated handle for dielectric protection.

#### **Hand Wrap Tools**

These Hand Wire Wrapping Tools are carefully designed to produce perfect wire wrapped connections. Precision, long-lasting tools for use where occasional wraps are required or where power wire-wrapping tools are not practical. Compact and convenient.





JONARD P/N	DESCRIPTION	REG	MOD	ТҮРЕ	WIRE	SIZE	MAX. TE			AL HOLE Eter		AL HOLE PTH		SIDE Eter
F/N					AWG	MM	IN.	MM	AWG	MM	AWG	ММ	AWG	ММ
HW-20	Hand Wrap Tool, 20 AWG	•		А	20	0.80	-	-	.075	1.90	1.000	25.40	.218	5.53
HW-224	Hand Wrap Tool, 22-24 AWG	•		А	22-24	0.65-0.50	-	-	.075	1.90	.807	20.50	.218	5.53
HW-26	Hand Wrap Tool, 26 AWG	•		А	26	0.40	-	-	.075	1.90	1.000	25.40	.218	5.53
JIC-22681	Hand Wrapping Tool	•		А	22-24	0.65-0.50	-	-	.075	1.90	.807	20.50	.218	5.53
HW-30*	Hand Wrap Tool, 30 AWG		•		30	0.25	.027	0.69	.036	0.91	.750	19.05	.125	3.17

<sup>\*</sup>This tool are recommended for .025" (0.63 mm) square terminals on .100" (2.54 mm) centers. A modified wrap provides 1.5 - 2 turns of insulation.


#### **Hand Unwrap Tools**

These tools are used to remove wire connections made with 20 thru 32 gauge wire.





JONARD P/N	DESCRIPTION	TYPE	WIRE	SIZE	TYPE OF UNWRAP	MAX. TERMINAL DIAMETER		TERMINAL HOLE DEPTH		OUT: DIAM	
F/N			AWG	ММ	UNWNAF	IN.	MM	AWG	MM	AWG	MM
UD-2224	Sleeved Unwrapping Tool, 20-26 AWG	D	20-26	0.81-0.40	Left and Right Hand	.070	1.77	2.360	60.00	1.95	4.95
UW1	Unwrap Tool, 20-26 AWG	D	20-26	0.80-0.40	Left Hand	.070	1.77	1.000	25.40	.156	3.96
UW2	Unwrap Tool, 20-26 AWG	С	20-26	0.80-0.40	Left and Right Hand	.070	1.77	1.000	25.40	.156	3.96
UW4	Unwrap Tool, 20-26 AWG	В	20-26	0.80-0.40	Left Hand	.070	1.77	2.360	60.00	1.95	4.95
UW5	Unwrap Tool, 20-26 AWG	В	20-26	0.80-0.40	Left and Right Hand	.070	1.77	2.360	60.00	1.95	4.95
UW093R	Unwrap Tool, 24-32 AWG	D	24-32	0.50-0.20	Left Hand	.038	0.96	1.000	25.40	.093	2.36
UWD93-93	Unwrap Tool, 24-32 AWG	С	24.32	0.50-0.20	Left and Right Hand	.038	0.96	1.000	25.40	.093	2.36
UW2832C	Unwrap Tool, 28-32 AWG	В	28.32	0.32-0.20	Left and Right Hand	.038	0.96	.750	19.05	.156	3.96







#### Wrap/Strip/Unwrap Tools



WSU-26M



JONARD P/N	DESCRIPTION	REG	MOD	WIR	E SIZE		AX. ATION IETER	HO	IINAL LE IETER		IINAL DEPTH	OUT: DIAM	SIDE IETER		ARE IST
				AWG	MM	IN.	MM	AWG	MM	AWG	ММ	AWG	MM	AWG	ММ
WSU-24M	Wrap-Strip-Unwrap Tool, 24 AWG		•	24	0.50	.036	0.92	.075	1.90	1.50	38.1	.213	5.4	.045	1.14
WSU-26M	Wrap-Strip-Unwrap Tool, 26 AWG		•	26	0.40	.034	0.86	.075	1.90	1.50	38.1	.213	5.4	.045	1.14
WSU-30	Wrap-Strip-Unwrap Tool, 30 AWG	•		30	0.25	-	-	.036	0.91	1.50	38.1	.125	3.2	.025	0.63
WSU-30M	Wrap-Strip-Unwrap Tool, 30 AWG		•	30	0.25	.021	0.53	.036	0.91	1.50	38.1	.125	3.2	.025	0.63
WSU-2224	Wrap-Strip-Unwrap Tool, 22-24 AWG	•		22-24	0.65-0.50	-	-	.075	1.90	1.50	38.1	.213	5.4	.045	1.14

WSU-30M



WSU-2224

WSU-24M

#### Cut-Strip Tool, 22-26 AWG - JIC-4473

WSU-30

Designed to cut and strip 22-26 AWG (0.65-0.40 mm diameter) wire, this tool is perfect for cutting and stripping wire to wire wrap length quickly and easily.



#### **Replacement Blades:**

- **\$B-2224** Replacement Blade 22-24 AWG (included)
- **SB-2426** Replacement Blade 24-26 AWG (included)
- SB-2830 Replacement Blade 28-30 AWG (sold separately)



#### **Cut-Strip Tools - ST-100 Series**

Designed to cut and strip wires, these cut-strip tools are the perfect tools for cutting and stripping wire for wire wrapping purposes.



JONARD	WIRE	SIZE	ADJUS Strip-of	TABLE F LENGTH	REPLACEMENT
P/N	AWG	MM	AWG	ММ	BLADE
ST-100	22-24	0.65-0.50	1 5/16"-1 9/16"	33.33-39.68	SB-2224
ST-100-2426	24-26	0.50-0.40	1 15/16"-1 11/16"	39-68-42.86	SB-2426
ST-100-2830	28-30	0.32-0.25	7/8"-1 1/8"	22.22-28.57	SB-2830



#### **Manual Wire Wrap Tool Kits**

These are complete kits for technician's working at a main distributing frame or for field service where wire wrapping is required.

MANUAL WIRE WRAP

- **WWK-1** Wire Wrapping Kit
- **WWK-1INS** Insulated Wire Wrap Kit
- **WWK-CO** Wire Wrap Kit Central Office

#### Kits include:

JONARD P/N	DESCRIPTION	WWK-CO	WWK-1	WWK-1INS
G100/R3278INS	Insulated Wire Wrapping Tool	Х		X
G200/R3278	Lexan® Wire Wrapping Tool		Х	
H-1000	Rugged Nylon 5-Pocket Tool Pouch	X	X	X
HW-UW-224	Wrap-Unwrap Tool, 22-24 AWG		X	
JIC-21257	Telecom Long Nose Pliers	X		
JIC-22035	Probe Pick	X		
JIC-2257	Insulated Wire Loop Puller	X		
KB224	Wire Wrapping Bit, 22-24 AWG	X	X	X
P2224	Wire Wrapping Sleeve, 22-24 AWG		X	
P2224INS	Wire Wrapping Sleeve, Insulated, 22-24 AWG	Х		Х
ST-100	Cut-Strip Tool 22-24 AWG		Х	Х
UW4	Unwrap Tool, 20-26 AWG	Х		Х







#### Alignment Tool (Pack of 10) - AT-6241/10

2-in-1 non-conductive Alignment Tool 1/4" diameter, stepped down to 5/32" diameter. Ideal for most variable capacitors, coils and resistors. Also used to harness and separate fine wire terminals in computers, telephones and cables. Made of non-conductive thermoplastic material.





#### E & C Clip Setter - CS-1022

For setting and withdrawing E and C clips with inside diameter of .156" min. and thickness of .025" min. Max inside diameter of 3" and thickness of .093" One end has a hook with leaf spring tension for removing the clip, the other end has leaf spring for holding clip in position to insert





#### Spudger (Pack of 10) - AT-3112/10

Designed with a tapered point on one end and a screwdriver-like tip on the other, these spudgers are perfect for guiding, probing, or separating wire bundles and fine computer wire terminals without damaging them.






#### **Orange Sticks**

Static free double ended economical tool made of birch wood. Used for cleaning electrical components and separating contact points, fine wire and other delicate components. 3/16" diameter x 7" long. The **S-389** has one end tapered to a point and the other end to a flat screwdriver type tip. The **S-389M** has both ends tapered with a flat screwdriver type tip.



JONARD P/N	DESCRIPTION
S-389/10	Orange Sticks Pointed & Slotted Ends (Pack of 10)
S-389/100	Orange Sticks Pointed & Slotted Ends (Pack of 100)
S-389M/10	Orange Sticks Double Slotted Ends (Pack of 10)
S-389M/100	Orange Sticks Double Slotted Ends (Pack of 100)




#### **Probe Picks**

Tough resilient yellow nylon probe "spudger". One end is tapered to a 1/16" diameter point having an "L" shaped wire hook extension. The other end tapers to a flat, 3/16" wide and 1/16" thick, with 2 small notches. Used in electrical contacts. 7" long.



JONARD P/N	AVOIRDUPOIS CAPACITY
JIC-22035/10	Insulated Probe Pick (Pack of 10)
JIC-22035NT/10	Uninsulated Probe Pick (Pack of 10)



#### Alignment Tool 5-Piece Kit - TK-AT5

This 5-piece pocket alignment tool kit contains a selection of the most popular non-conductive tools for aligning and adjusting components.



Kit includes (1) each of the following:

AT-3112 Spudger


AT-6241 Alignment Tool

JIC-22035 Insulated Probe Pick


S-41 4-in-1 Mini-All-Purpose Screwdriver

S-389 Orange Stick

#### **Spring Hooks**







JONARD P/N	DESCRIPTION	DETAILS
M-120/5	Spring Hook, Pull, 6" (Pack of 5)	Pull Hook with looped handle for maximum control
M-125/5	Spring Hook, Push, 6" (Pack of 5)	Push Hook with looped handle for maximum control
M-130/SX5	Spring Hook, Pull & Lifter (Pack of 5)	Pull Hook and lifter with a knurled grip
M-137/5	Spring Hook, Push & Pull, 7" (Pack of 5)	Push & Pull 2-Sided Hook
M-145/5	Spring Hook, Captive, 7" (Pack of 5)	Spring Loaded Hook for capturing small wires, springs, or parts and holding them



#### T Key Tool - JIC-719A

Ergonomic design hand grip
T Key Tool made from a formed
metal rod with a smooth tapered
end which allows easier access. The solid
pin at the end of the tool is a special heat
treated alloy. The T Key is used to release
the housing and door locking mechanism of
the number 1A type coin telephone sets.



### Coin Leveling Tool - JIC-139B


Coin Leveling Tool is used for leveling coins in coin collectors when the coin receptacle becomes so full as to interfere with operation of the collector. May also be used to measure the degree of fullness by means of a calibrated scale and metal slider. 7" long.



#### **Dynamometer and Push-Pull Forge Gauges**

Jonard's force gauges are all ergonomically designed and have become the industry standard for measuring force. Our 3 different lines of force gauges are used by a multitude of industries and these gauges are being used in over 1000 different applications for measuring, calibrating, standardizing, testing and evaluating.

Measurement is extremely simple. Just place point of gauge arm perpendicular to the force to be measured. Reading can be taken in both directions - clockwise and counter clockwise. Gauges offer extreme precision and durability. The measuring springs are made of hard tempered annealed beryllium copper. All gauges equipped with maximum reading pointer.



**Small Force Gauges** (Flat Tip, Dial Diameter 1 1/2")

JONARD P/N	RANGE IN GRAMS	GRADUATION IN GRAMS	ACCURACY
GD-1	0-10	.20	± .20
GD-3	5-35	1.00	± 1
GD-5	10-50	1.00	± 1
GD-10	20-100	2.00	± 2
GD-15	50-150	5.00	± 5
GD-25	30-250	10.00	± 10
GD-30	40-350	10.00	± 10







JONARD P/N	RANGE IN GRAMS	GRADUATION IN GRAMS	ACCURACY
GD-50	60-500	20.00	± 20
GD-100	100-1000	25.00	± 25
GD-200	300-2000	50.00	± 50
GD-400	700-4000	100.00	± 100





These high impact polystyrene cased instruments accurately measure push pull forces. Gauge is graduated in two scales: grams and ounces. Precision springs. Full scale accuracy is held to  $\pm\,1$  graduation.



Size: 1 1/2" W x 1" D x 14" L

			/ /
			7
GPP-8	GPP-15	GPP-36	GPP-72

JONARD P/N	AVOIRDUPOIS CAPACITY	METRIC CAPACITY
GPP-8	8 oz. x 0.25 oz.	220 g x 5 g
GPP-15	15 lb. x 4 oz.	6,804 x 100 g
GPP-36	36 oz. x 0.5 oz.	1,020 g x 20 g
GPP-72	72 oz. x 1 oz.	2,025 g x 25 g

# INDEX

#		
21881		37
	В	
	50-010	
	50-020	
	50-030	
	50-050	
	50-010	
	50-020	
	50-030	
30-R-5	50-050	. 103
30-W-	50-010	.103
30-W-	50-020	.103
30-W-	50-030	. 103
	50-050	
	50-010	
	50-020	
	50-030	
	50-050	
30-1-0	00-000	. 100
A		
ACM-1	000	80
	0	
	0RB	
	9	
	9RB	
	600	
	0672	
A51-20	007, 3	
1 OT 0	3	
AST-20	00RB7, 3	
	3	
	10	
AST-2	10RB	7
	2	
ASW-7	'16	42
ASW-7	'916	42
ASW-9	916	42
	R12	
	R716	
	·716	
	-R716	
	12/10	
	41/10 41/10	
AW-4		/

AW-6 AW-8 AW-10 AW-12 AW-15 AW-18	71 71 71 71
B-3/25	77 77 93 69 8,68 38 38 38 38 38
31 BW-512 BW-516 BW-532 BW-532-3	90 90 89
CC-120	39 57 57 57 57 57 51 51 51 51 51 51 51

CM-8 ......46

CMI-RJ4546
CMI-SET846
CMP-1226100
CMP-3100
CP-47551
CPF-21553
CPR-1260
CR-150/653
CR-210/453
CR-300/453
CS-1022115
CSP-10RB8
CSP-D58
CSP-D5B8
CSP-D5K8
CSP-D68
CSP-D6B8
CSP-D6K8
CSP-RPX8
CSP-RPXB8
CSR-12510
CSR-125RB10
CSR-157510, 30
31, 32
CSR-25010
CSR-31610
CSR-5635, 92
CSS-10535
CSS-11035
CSS-11535
CSS-12035
CSS-12535
CSS-13035
CSS-13535
CSS-509735
CCC E110 OE
CSS-511035
CSS-512735
CSS-512735 CSS-515635
CSS-512735 CSS-515635
CSS-512735 CSS-515635 CSS-561035
CSS-512735 CSS-515635 CSS-561035 CSS-59635
CSS-512735 CSS-515635 CSS-561035
CSS-5127       35         CSS-5156       35         CSS-5610       35         CSS-596       35         CSS-59M       35
CSS-5127       35         CSS-5156       35         CSS-5610       35         CSS-596       35         CSS-59M       35         CST-1140       7, 95
CSS-5127       35         CSS-5156       35         CSS-5610       35         CSS-596       35         CSS-59M       35
CSS-5127

	7, 95
CST-900RB	95
CST-92	35
CT-200 36	5. 37. 94
CTF-180	
CTF-180M	
CTF-200	
CTF-200CG	50, 57
CTF-230	
CTF-300	,
CTF-360	
CTF-360XL	
CTG-1000	
CTG-500	
CTW-71612	
CTW-716312	41
CTW-71638	41
CTW-7163812.	41
CTW-7168	41
CTW-H	41
CW-716	
CWRR-716	
CWS-716	
0110 7 10	
DB-5	13
DB-5RB	13
DB-5RB DBB-3812	
	58
DBB-3812	58 58
DBB-3812 DBB-3824 DBB-3836	58 58
DBB-3812 DBB-3824 DBB-3836 DBC-144	58 58 58
DBB-3812  DBB-3824  DBB-3836  DBC-144  DBC-1218	58 58 58 58
DBB-3812  DBB-3824  DBB-3836  DBC-144  DBC-1218  DBC-1224	58 58 58 58
DBB-3812  DBB-3824  DBB-3836  DBC-144  DBC-1218  DBC-1224  DBC-3818	58 58 58 58 58
DBB-3812  DBB-3824  DBB-3836  DBC-144  DBC-1218  DBC-1224  DBC-3818  DBC-3824	58 58 58 58 58 58
DBB-3812  DBB-3824  DBB-3836  DBC-144  DBC-1218  DBC-1224  DBC-3818  DBC-3824  DBF-1224	58 58 58 58 58 58 58
DBB-3812  DBB-3824  DBB-3836  DBC-1218  DBC-1224  DBC-3818  DBC-3824  DBF-1224  DBF-1412	58 58 58 58 58 58 58
DBB-3812  DBB-3824  DBB-3836  DBC-144  DBC-1218  DBC-3818  DBC-3824  DBF-1412  DBF-1418	58 58 58 58 58 58 58
DBB-3812  DBB-3824  DBB-3836  DBC-144  DBC-1218  DBC-3818  DBC-3824  DBF-1224  DBF-1412  DBF-1418  DBF-1424  DBF-1424	58 58 58 58 58 58 58 58
DBB-3812  DBB-3824  DBB-3836  DBC-144  DBC-1218  DBC-3818  DBC-3824  DBF-1224  DBF-1412  DBF-1418  DBF-1424  DBF-3812	58 58 58 58 58 58 58 58 58
DBB-3812  DBB-3824  DBB-3836  DBC-1218  DBC-1224  DBC-3818  DBC-3824  DBF-1224  DBF-1412  DBF-1418  DBF-1424  DBF-3818  DBF-3818	58 58 58 58 58 58 58 58 58 58
DBB-3812  DBB-3824  DBB-3836  DBC-144  DBC-1218  DBC-3818  DBC-3824  DBF-1412  DBF-1418  DBF-1424  DBF-3812  DBF-3818  DBF-3818  DBF-3824	58 58 58 58 58 58 58 58 58 58
DBB-3812  DBB-3824  DBB-3836  DBC-144  DBC-1218  DBC-1224  DBC-3818  DBC-3824  DBF-1412  DBF-1418  DBF-1424  DBF-3812  DBF-3816  DBF-3836	58 58 58 58 58 58 58 58 58 58
DBB-3812  DBB-3824  DBB-3836  DBC-1218  DBC-1224  DBC-3824  DBF-1224  DBF-1412  DBF-1418  DBF-3812  DBF-3818  DBF-3818  DBF-3836  DBF-3836  DBF-3872	58585858585858585858585858
DBB-3812  DBB-3824  DBB-3836  DBC-1218  DBC-1224  DBC-3818  DBC-3824  DBF-1412  DBF-1418  DBF-1418  DBF-3812  DBF-3818  DBF-3818  DBF-3818  DBF-3824  DBF-3836  DBF-3872  DFB224	5858585858585858585858585858
DBB-3812  DBB-3824  DBC-144  DBC-1218  DBC-1224  DBC-3824  DBF-1412  DBF-1418  DBF-3812  DBF-3818  DBF-3818  DBF-3818  DBF-3824  DBF-3824  DBF-3872  DFB224  DFB2426	58585858585858585858585858585858
DBB-3812  DBB-3824  DBB-3836  DBC-1218  DBC-1224  DBC-3824  DBF-1224  DBF-1412  DBF-1418  DBF-3812  DBF-3818  DBF-3816  DBF-3824  DBF-3836  DBF-3872  DFB224  DFB2426  DIABVNOTCH	585858585858585858585858585858585858
DBB-3812  DBB-3824  DBC-1218  DBC-1224  DBC-3818  DBC-3824  DBF-1224  DBF-1412  DBF-1414  DBF-3812  DBF-3818  DBF-3816  DBF-3824  DBF-3824  DBF-3824  DBF-3824  DBF-3826  DBFB2426  DIABVNOTCH  DIAGB5	58585858585858585858585858585858585858
DBB-3812  DBB-3824  DBB-3836  DBC-1218  DBC-1224  DBC-3824  DBF-1224  DBF-1412  DBF-1418  DBF-3812  DBF-3818  DBF-3816  DBF-3824  DBF-3836  DBF-3872  DFB224  DFB2426  DIABVNOTCH	58585858585858585858585858585858585858
DBB-3812  DBB-3824  DBC-1218  DBC-1224  DBC-3818  DBC-3824  DBF-1224  DBF-1412  DBF-1414  DBF-3812  DBF-3818  DBF-3816  DBF-3824  DBF-3824  DBF-3824  DBF-3824  DBF-3826  DBFB2426  DIABVNOTCH  DIAGB5	58

DP-200102 DPT-100102 DPT-200102 DW-9018, 26, 28, 29
E  EBC-400
92 EX-1/10 101 EX-2 101 EX-5 101 EX-6 101 EXT-400 110 EZSR-23 10
FC-416, 29 FC-50016, 18, 29
31, 32 FC-500RB16 FC-60016 FC-600RB16

# **JONARD**TOOLS®

FC-6516	FTS-24052	HC-62539	INS-315078	JIC-5021070
FCC-12025, 28		HC-715QR39	INS-410078	JIC-5021270
FCC-12525, 28,	FTS-5052 FTW-517, 28		INS-47562, 78	JIC-5021270
29, 32	,	HC-7539 HC-860QR39	INS-615078	JIC-60065
FCC-250 18, 25, 28	, ,	HC-87539		JIC-62562, 64
29, 31, 32	FW-5026, 29	HC-RB39	INS-817578	,
	FWM-221417, 28		INSS-19M79	JIC-6302029, 66
FCC-300 25, 28, 29	G	HC-RBQR39	J	JIC-6305032, 66
FCCN-12525 FCCN-25025	G100-FL108	HCB-5039	JH12-10050	JIC-65089
	G100-FLA108	HCB-540QR39	JH21-10050	JIC-68366, 94
FCF-326, 28, 29	G100/R3278108	HCB-62539	JH32-10050	JIC-68567
FCT-10016, 29	G100/R3278FL108	HCB-715QR39	JIC-102231, 32, 98	JIC-719A116
FCT-20016	G100/R3278INS 108	HCB-7539	JIC-1256	JIC-72564
FD-22026	114	HCB-860QR39	JIC-139B116	JIC-75064
FDC-6617, 18, 26, 28	G100/R3394CT108	HDMI-10054	JIC-162698	JIC-75564
FDS-3128, 18, 31, 32	G200/R3278108	HS-5039	JIC-1756	JIC-785865
FIM-20026, 28, 29	GD-1117	HS-540QR39	JIC-180C6	JIC-84231, 32, 68
FIM-40026, 29	GD-3117	HS-62539	JIC-18390	JIC-89167, 85
FL-200014, 29, 31	GD-5117	HS-715QR39	JIC-18614, 18, 27, 28	JIC-950C89
32, 36, 75, 88	GD-10117	HS-7539	29, 30, 31	JIC-95589
FLC-20224	GD-15117	HS-860QR39	32, 94	K
FLC-100124		HS-87539	JIC-19015	
FLC-100524	GD-25117	HS-RB39	JIC-19590	KA-260
FLC-100624	GD-30117	HS-RBQR39	JIC-20367	KB-DF224110
FLC-100724	GD-50117	HSC-5039	JIC-203098, 104	KB-DF2426110
FLC-350124	GD-100117	HSC-540QR39	JIC-206096	KB18109
FLC-350524	GD-200117	HSC-62539	JIC-2125767, 114	KB2075109
FLS-5018	GD-400117	HSC-715QR39	JIC-22035/10 31, 115	KB22109
FLS-5518	GFC-180	HSC-7539	JIC-22035NT/10 115	KB22-5110
FNP-16569	GPP-8117	HSC-860QR39	JIC-2214867, 85, 86	KB224109, 114
FOD-200011, 30	GPP-15117	HSC-87539	88, 92, 94	KB224-1109
31, 32	GPP-36117	HW-20112	JIC-225759, 114	KB224LH109
FOD-RB2511	GPP-72117	HW-224112	JIC-2257M59, 114	KB24109
FOR-300011	Н	HW-26112	JIC-2257M-1259	KB24-5110
FOR-3000RB111	H-20 11, 28, 29, 30,	HW-30112	JIC-22681112	KB2466109
FP-60071	31, 32, 82,	HW-UW-18-19 111	JIC-228814, 31, 32	KB26109
FP-600INS79	92, 97	HW-UW-20111	36, 65	KB26-5110
FPM-50A18	H-22 17, 18, 29, 82	HW-UW-224111, 114	JIC-248865	KCS-490
FPM-50S18	H-2527	HW-UW-224-1 111	JIC-2756	KN-200INS 14, 15, 91
FPM-5518	H-3627, 82, 92	HW-UW-224INS 111	JIC-275566	KN-300INS15
FPM-7018	H-4091	HW-UW-2426111	JIC-28459	KN4-RB15
FS-108013, 14	H-5082, 92	HW-UW-26SM111	JIC-28759	KN-728, 31, 32
FS-1080RB13	H-6027, 28, 82	HW-UW-2829M111		91, 92, 94
FS-1416 13, 14	H-7582, 88	HW-UW-30111	JIC-302667	KR-26099
FS-1416RB13		1	JIC-320959	KS21257L368
FS-202513	H-8536, 82	IND 1070 70	JIC-338569	KSS-191
FS-2025RB13	H-90 14, 28, 29, 30	INP-107278	JIC-375 6, 18, 27, 28	KWC-70015
FS-61616	31, 32, 81, 94	INP-2065	29, 30, 31, 32	M
FSK-517	H-12582	INP-3062	JIC-436610	M 120/5 116
FT-207544	H-100082, 107, 114	INP-4065	JIC-437710	M-120/5116
FT-644	HC-5039	INS-180	JIC-4473113	M-125/5116
FTF-112552	HC-540QR39	INS-210062, 78	JIC-45366	M-130/SX5 116

M 407/F 440	MO 000 7 0	DD 110	D00V 0100 100	D.144.400
M-137/5116	MS-600	PD-11088	R28Y-0100 103	RJ11-10084
M-145/5 116	MS-600RB7, 9	PIC-G86	R30B-0100103	RJ45-510084
M-216C/EX89	MS-8369	PIC-MR1 86	R30B-1000103	RJ45-52584
M-216C/REX89	MS-836RB9	PLB-100060	R30BLK-0100 103	RJ45-55084
M-216C/RX89	MSB-15339	PLB-1000PL60	R30BLK-1000 103	RJ45-610084
M-216CKIT89	MSB-29689	PON-5018	R30G-0100103	RJ45-625 84
M-216CS2289, 92	MSB-50109	PON-5518	R30G-1000103	RJ45-65084
MAG-10074	MS-ROC9	PSI-1526	R30R-0100103	RJ45-R51084
MCT-468 46, 94	MS-ROCRB9	PT-10046	R30R-1000103	RLW-10071
MDC-1414, 31, 32		PT-30036, 46	R30W-0100103	ROD-331652
MDC-2814, 28	N	PT-350 46	R30W-1000103	ROD-3316AK52
31, 32	ND-630113275	PTX107	R30Y-0100 103	RRS-12227
MDC-28RB14	ND-6301275	PTX-1107	R30Y-1000 103	RRS-1222RB7
MDC-6414, 32	ND-6301475	PTX-1BF107	R24-5100 104	RST-8514 10, 30
MDC-64RB14	ND-63031675		R26-5100 104	•
	ND-6303875	PTX-2107		31, 32
MDC-12514	ND-63051675	PTX-2BF107	R28-5100 104	RST-RB257, 10
MDS-10011, 14	ND-63071675	PTX-B107	R30-5100 104	RTC-2640 13
MF-25/2550	ND-63091675	PTX-BC1 107	R30-51000 104	RTC-2640RB13
MF-4550		PTX-BC2107	RB-2060/610, 96	RTC-365213
MM-11055	ND-63175	PTXFL107	RB-2257/659	RTC-3652RB13
MM-12055	0	PTX-FLA107	RB-287/659	
MM-80055	OB-1/377	PTX-KIT1107	RB-2878/610	S
MOS-1416101	OB-1/1277	PTX-KIT1DH107	RBNC-1248	S-339101
MOS-2428101	OB-2/1277	PTX-KIT2107	RBNC-348, 94	S-340101
MP-10055		PTX-KIT2DH107	RC-336ACSR70	S-389/10115
MP-21055	OB-3/1277		RC-50070	S-389/100115
MP-22055	OB-4/1277	PUW2226 108	RC-60070	S-389M/10115
MP-70055	OFI-5019	R	RCS-2511, 30, 31	S-389M/100115
	OFI-10019	R-30-TRI104	, ,	S-41/1073
MP-80056	OTDR-100023	R-30B-0050104	32, 96	SA-9-115102
MPD-488	OTDR-150023	R-30R-0050104	RCS-25RB11, 96	SA-9-E-115102
MPD-4RB88	OW-3871642		RCS-3011, 14, 30	
MR1-RK86	_	R-30W-0050104	32, 96	SA-91102
MRS-2455, 94	P	R-30Y-0050104	RCS-30RB11, 96	SA-91-E102
MRS-3655	P-DF224 110	R-460199	RCS-5011, 97	SAF-1102
MRS-BC1055	P-DF2426 110	R-460299	RDG-15A56	SAK-90102
MRS-RH2055	P194LN109	R-5926 100	RDG-30A56	SB-2224 113
MS-269, 31, 32	P2224109, 114	R-946199	RDG-556	SB-2426113
MS-306 9, 30, 31, 32	P2224-5110	R24B-0100103	RDG-51556	SB-2830 113
MS-306RB9	P2224-5INS 110	R24BLK-0100 103	RDG-956	SB30MSH-B109
MS-316 9, 30, 31, 32	P2224INS 109, 114	R24R-0100103	RDG-FLW56	SD-00/1073
MS-316RB9	P2426109	R24W-0100103	RDG-RP4A56	SD-080/1073
MS-326 9, 30, 31, 32	P2426-5110	R24Y-0100103	RDT-12K50	SD-122374
	P2426-5INS110	R26B-0100 103	RDT-18K50	SD-24374
MS-336		R26BLK-0100 103		SD-4114, 73
MS-336RB9	P2426INS109		RDT-3RH50	
MS-426 9, 30, 31, 32	P26LN109	R26R-0100103	RF-1248	SD-6114, 31, 32
MS-426RB9	P3032109	R26W-0100103	RF-1848	36, 74, 88, 94
MS-446	P3032LN109	R26Y-0100 103	RFS-10012	SD-63/1074
MS-446RB9	PAB-CG86	R28B-0100103	RFX-1248	SD-RB174
MS-526 9, 30, 32	PB-377	R28BLK-0100 103	RG-F8138	SD-RB1274
MS-526RB9	PB-3R77	R28R-0100103	RG6-1035, 38	SD-RB274
MS-69, 31, 32	PB-777	R28W-0100103	RG6-5038	SD-RB374

# **JONARD**TOOLS®

SDC-14472, 73	ST-500ESD98	TK-40091	TWSW-10SK93	VFL-2512519
SDC-316372, 73	ST-55098	TK-5092	TWSW-4041	VFL-30019, 32
SDC-316672	ST-9508	TK-61194		VGB-10017
SDC-381072		TK-61528	U	VT-110047
SDC-516672, 73	T	TK-70INS78	UC-451185	V1 1100
SDK-873	TBS-10047	TK-7836	UC-456984, 92, 94	W
SDKP-273	TC-30013	TK-8236	UC-4569RB84	WB224M109
SDP-172, 73	TCC-141670, 85, 97	TK-8336	UC-800012, 44	WB2275M109
SDP-272, 73	TCK-17885	TK-8536	UC-801244	WB2426M109
SDP-2872	TCK-178X85	TK-8636	UC-803912	WB24DH109
SDP-372, 73	TEP-10047	TK-8736	UC-86484	WB24SM109
SDR-2472	TEP-200 47	TK-8936	UCD-204544	WB2669M109
SDR-3472	TET-647	TKC-11062, 78	UCD-268512	WB26SM109
SDS-14274	TET-60047	TKC-7078	UD-2224112	WB28SHM109
SDSC-1474	TET-700BC47	TK-RG6435	UKN-391	WB3032M109
SDSP-273, 74	TETP-80047, 94	TK-RJ4592	UKN-50RB91	WB3032MIL109
SG-517	TETP-90147	TK-RJ55092	UR-2586	WBK-10053
SK-5163289	TFS-10020	TK-U386	UY2-25 86	WD-30-B104
S0K2230108	TK-10531, 32	TS-85069	UST-10034	WD-30-B 104
SOL-F176	TK-10631, 32	TSAB-4020	UST-12534, 36	WD-30-TRI104
SOL-H176	TK-10730	TSFB-12520	UST-13534	WD-30-1h1104
SOL-H276	TK-107B30	TSPE-12520	UST-15034, 36	
SOL-W176	TK-10830	TSPF-12520	UST-159634	WD-30-Y104
SPC-MC461, 62	TK-110INS78	TSUC-4020	UST-17534	WDUD-26DS111
SPD-MC361, 62	TK-12131, 32	TT-443	UST-185 34, 36	WK-7101
SPD-MC461, 62	TK-121B31, 32	TT-743	UST-20534	WRC-1470
SPK-10062	TK-15131, 32	TT-7PT43	UST-21034	WS-598
SPS-261	TK-16131, 32	TT-7V43	UST-21534	WS-822 62, 97
SSK-60089	TK-1788	TT-81248	UST-220 34	WSA-102498
SSK-7045	TK-17031, 32	TTB-644	UST-225 34	WSA-1024RB98
SSK-700 45	TK-17931, 32	TTBW-158 44	UST-23034	WSA-143098
SSK-71645	TK-179B31, 32	TTK-22545	UST-235 34	WSA-1430RB98
SSK-7545	TK-18229	TTCG-6270-543	UST-24034	WSC-101697
SSK-750 45	TK-182RF29	TTCG-6270-943	UST-50031, 32	WSC-141297
SSK-8045	TK-18329	TTS-71643	34, 94	WSC-82694, 97
SSK-80045	TK-18429	TT-PPLTT4 43	UST-52534	WSS-102098
SSK-8545	TK-184A29	TWAF-1130 40	UST-540 34	WSS-462538
SSK-85045	TK-18518	TWAF-1220 40	UST-59634	WSS-4625RB38
SSK-87645	TK-18629	TWAF-2288 40	UUT-425 44	WSU-2224113
SSK-9045	TK-18829	TWAF-22176 40	UW093R112	WSU-24M113
SSK-90045	TK-18929	TWAF-71620 40	UW1112	WSU-26M113
SSK-95045	TK-1977	TWAF-71630 36, 40	UW2112	WSU-30113
SST-716 48	TK-199B31, 32	TWAF-71640 40	UW2832C112	WSU-30M113
SST-716AT 48	TK-2214892	TWAF-9163040	UW4112, 114	WST-2257
SST-91648	TK-26814	TWAFST-7162241	UW5112	WTL-1257
ST-100 113, 114	TK-28328	TWAFST-7163041	UWD93-93112	
ST-100-2426113	TK-28728	TWAS-71620 40	V	WTL-32M57
ST-100-2830113	TK-32527	TWAS-71630 40	VEL 150 10 10 00	WTL-3457
ST-3008	TK-35027	TWS-38/10 41	VFL-15018, 19, 28	WWK-1114
ST-45098	TK-35527	TWS-532/1093	29, 31, 32	WWK-1INS114
ST-50098	TK-37527	TWSW-1093	VFL-2519, 29	WWK-CO114

# CHECK OUT OUR merch of the level.



Scan the QR Code or visit us online at jonard.com for a full list of Jonard Gear & Merchandise

